

1. All material and workmanship shall be in accordance with the Standard

2. The maintenance pad and retaining walls have been designed to meet the requirements of the AASHTO LRFD Bridge Design Specifications,

3. Concrete for 12" (in) thick maintenance pad shall be class 4000. Concrete for 4" (in) thick maintenance pad shall be class 3000.

4. Height of wall varies to match slope of finished grade. Contractor shall field-determine wall height at each maintenance pad location and obtain approval from the Engineer prior to proceeding with construction.

5. All exposed corners shall have 3/4" (in) chamfers.

6. For grounding details not shown, see Standard Plan J-60.05.

7. Where concrete cover (clear) thickness is not shown, the clear distance from the face of the concrete to the face of any reinforcing steel shall be as follows: 3" (in) for bottom of maintenance pad, 2" (in) for top of maintenance pad, and $1 \frac{1}{2}$ " (in) at all other locations.

8. Falsework shall be carefully released to prevent impact or undue stress

9. See Contract Plans for number, type, and location of conduits and conductors.

10. Contractor shall orient the maintenance pad to align with the direction of natural grade as shown. Engineer's approval of maintenance pad slope and orientation required prior to proceeding with construction.

11. Use 4" (in) Maintenance Pad on level ground or slopes not exceeding 10H : 1V. Use 12" (in) Maintenance Pad on slopes steeper than 10H : 1V. Slopes steeper than 2H : 1V shall require a special design.

LEGEND

- ★ FRACTURED FIN FINISH
- ß EXTEND BAR 8" (IN) INTO FOOTING
- Ω ADJACENT TO SOIL



DIRECTION OF NATURAL GRADE

Aug 26, 2022

HIGH MAST LUMINAIRE MAINTENANCE PAD

STANDARD PLAN J-30.10-01

SHEET 1 OF 2 SHEETS

APPROVED FOR PUBLICATION



