

# **State Highway Log**

Planning Report  
2014

**Eastern Region**



Washington State Department of Transportation  
Multimodal Planning Division

January 15, 2015

Highway Log Users

Re: 2014 State Highway Log

Dear User:

The 2014 edition of the State Highway Log is available in electronic format. The electronic version is in Acrobat Reader file format. The Acrobat Reader software can be accessed from most Microsoft operating systems. If you do not have Acrobat Reader, you can download this software free of charge from the Internet at: <http://www.adobe.com/acrobat/readstep.html>.

The State Highway Log is divided into 7 separate data files; 1 comprehensive log and 6 regional logs. Each of these 7 files, once opened, contain indexing for highways listed in the left hand margin. By clicking on a specific highway within this indexing area, the highway log will then open for that particular highway.

The Roadway Branch of the GIS & Roadway Data Office (GRDO) is committed to provide you with quality products while staying within our budget. If you have any questions about our electronic version, please contact Lou Baker at (360) 570-2361, or [bakerl@wsdot.wa.gov](mailto:bakerl@wsdot.wa.gov).

Sincerely,

Mark Finch  
Manager, Transportation Data & GIS Office  
Multimodal Planning Division

MBF/lb  
Enclosures

# INTRODUCTION

The Washington State Department of Transportation is responsible for the administration of over 7000 miles of State Highways. This involves large expenditures for planning, design, construction, and maintenance which necessitate having reliable geometric data for the entire State Highway System.

The Roadway Data Section of the Multimodal Planning Division provides roadway geometrics in several reports. These include the STATE HIGHWAY LOG, the Road Life Report, the Horizontal and Vertical Alignment Report, and the Classification Log. Portions of these and other reports can be accessed on remote terminals through the TRIPS (TRansportation Information and Planning Support) system.

The STATE HIGHWAY LOG, which is published annually from TRIPS, contains roadway data and mileage statistics for all State Highways. This information is representative of data collected through the previous year. It is designed to provide a record of current highway system information and a source for computing distances between major points. Detailed explanations of all fields are included starting on page "I-1", titled "State Highway Log Reference."

The Roadway Geometrics Section is responsible for updating and maintaining the roadway portion of the TRIPS system. The information TRIPS contains is provided by numerous WSDOT Regional, Headquarters and other sources. If you can provide us with updated information, find an error in the STATE HIGHWAY LOG or TRIPS, or have any questions regarding roadway data, please contact the GIS & Roadway Data Office at (360) 570-2361 or fax (360) 570-2400. We are continuously looking for sources to provide us with quality information.

**MARK FINCH**  
**Manager**  
**Transportation Data & GIS Office**  
**Multimodal Planning Division**

## TABLE OF CONTENTS

### PAGE

I - 1	STATE HIGHWAY LOG REFERENCE
II - 1	STATE ROUTE LIST
III - 1	STATE ROUTE EQUATION LIST
IV - 1	STATE ROUTE COINCIDENT LIST
V - 1	MILEAGE SUMMARIES BY: DISTRICT, FUNCTIONAL CLASS, RURAL - URBAN DISTRICT, FUNCTIONAL CLASS, SURFACE TYPE DISTRICT, LEVEL OF DEVELOPMENT, RURAL - URBAN FUNCTIONAL CLASS, LEVEL OF DEVELOPMENT, RURAL - URBAN MAINTENANCE AREA, SECTION, SURFACE TYPE
1	2014 STATE HIGHWAY LOG

## STATE HIGHWAY LOG REFERENCE

**The following information provides an overview on how the State Highway Log Planning Report is compiled; broken out in the order they appear in the headers of each page of the publication.**

Washington State's Highways are defined by the following: State Route (SR) number, Related Roadway Type (RRT) and Related Roadway Qualifier (RRQ). These three descriptors uniquely identify each and every piece of the highway system in Washington State.

The SR is a road for which the State of Washington has some level of responsibility and is identified by a three-digit number (e.g., 004).

The RRT is a two-character abbreviation for a type of roadway. The following is a list of RRTs in the system. (Asterisk indicates RRT included in this publication).

AR*	Alternate Route	CD	Collector Distributor Dec
CO*	Couplet	CI	Collector Distributor Inc
FD	Frontage Road Dec	LX	Crossroad within Interchange
FI	Frontage Road Inc	P1 - P9	Off Ramp, Inc
FS	Ferry Ship (Boat)	Q1 - Q9	On Ramp, Inc
FT	Ferry Terminal	R1 - R9	Off Ramp, Dec
PR	Proposed Route	S1 - S9	On Ramp, Dec
RL*	Reversible Lane	HD*	Grade-Separated HOV-Dec
SP*	Spur	HI*	Grade-Separated HOV-Inc
TB	Transitional Turnback	ML*	Mainline (Implied RRT—field is blank)
TR	Temporary Route	UC	Under Construction


The RRQ is a maximum six-character field that uniquely identifies the RRT since there may be more than one of the same types of RRT for a route. The assigning of RRQ is done in one of three ways depending on the RRT.

1) The following RRTs use descriptive location names (i.e., city, street, or junction) for the RRQ and the begin SRMP of that RRT is relative to the Mainline SRMP where the RRT intersects with the Mainline.

AR	**Alternate Route	SP	Spur
CO	Couplet	TB	Transitional Turnback
PR	Proposed Route	TR	Temporary Route
RL	Reversible Lane		

\*\* Alternate Route contains no RRQ

### COUPLET EXAMPLE




**Grays Harbor County  
Aberdeen  
SR-101  
SR-101 CO ABERDN**

EXAMPLE: 101 CO ABERDN

Where: 101 = SR Number  
CO = RRT for Couplet  
ABERDN = Abbreviated name of city where RRT exists

## SPUR EXAMPLE




EXAMPLE: 105 SP BOONE

Where: 105	=	SR Number
SP	=	RRT for Spur
BOONE	=	Name of street where RRT exists

2) The following RRTs use the Mainline SRMP where the RRT attaches to the Mainline. The begin SRMP for that RRT will be 0.00.

CD	Collector Distributor Dec	P1 - P9	Off Ramp, Inc
CI	Collector Distributor Inc	Q1 - Q9	On Ramp, Inc
FD	Frontage Road Dec	R1 - R9	Off Ramp, Dec
FI	Frontage Road Inc	S1 - S9	On Ramp, Dec
LX	Crossroad within Interchange	HD	Grade-Separated HOV-Dec
HI	Grade-Separated HOV-Inc		

### DIAMOND INTERCHANGE EXAMPLE



EXAMPLE: 005 R1 09958

Where: 005 = SR Number  
R1 = RRT for decreasing MP direction off-ramp (R ramp)  
09958 = Mainline SRMP at beginning of the R ramp where it leaves the mainline



3) The following RRTs use descriptive names such as a city or ship name for the RRQ. The begin SRMP is always a zero value (000.00).

FS	Ferry Ship
FT	Ferry Terminal

An SR number of 999 is used for Ferry Ships since they are not assigned to a specific route. The RRQ represents the name or abbreviated name of the ship.

An SR number of 999 is used for Ferry Terminals only if the terminal is not located on a route. The RRQ represents the name or abbreviated name of the city where the terminal is located.

### **STATE ROUTE MILEPOST (SRMP)**

State Route Milepost (SRMP) is a linear referencing system used to assign a logical number to a given point along a route. The SRMP is carried to the hundredth of a mile (123.45). If realignment shortens or lengthens a section of an SR, the SRMP will adjust with an equation and the SRMP will not change through the rest of the route.

The SRMP identifies reference points and should **NOT** be used for computing distance.

### **STATE ROUTE MILEPOST BACK (B) INDICATOR**

The State Route Milepost Back (B) indicator designates whether the milepost value is the 'back' duplicate of a milepost value 'ahead' on the route. Ahead values have an implied 'A' (blank).

A back SRMP occurs as a result of:

- A realignment that lengthens a section of an SR other than at the end of the route.
- Adding mileage to the beginning of an SR.

### **ACCUMULATED ROUTE MILE (ARM)**

Accumulated Route Mileage (ARM) is an accrual of mileage from the beginning of a route to the end of the route. It accrues through coincident sections where two or more SR's share one physical alignment. The ARM is an important factor in the realignment of a State Route. It does **not** contain equations - it flows through them to give true mileage (see section on equations). The ARM is carried to the hundredth of a mile (123.45).

All length measurements are calculated using the ARM value.

### **LANE MILE**


One lane of highway for one mile, i.e. – a section of highway one mile long with 5 lanes has the equivalent of 5 lane miles.

### **EQUATION (EQ)**


There are 3 kinds of Equations: Back, Gap & Physical Gap

The following page contains drawings of these three types of equations


This drawing shows the lengthening of a route due to realignment, creating a back equation



This drawing shows the shortening of a route due to realignment, creating a gap equation



This drawing shows a physical gap equation, due to a separation of alignment



## COINCIDENT (COINC)

This occurs when two (or more) State Routes share the same physical alignment. A Coincident location carries one Major State Route and up to three Minor Routes. The Major SR carries all the highway data. The Minor SR will only contain Region and County line breaks.

The assignment of Major or Minor is first based on functional classification of the involved routes. For example, a Principal Arterial would take precedence over a Minor Arterial and/or a Collector. A Minor Arterial would take precedence over a Collector. An Interstate takes precedence over all other routes. If more than one highway has the same functional classification, the route with the lowest SR number will take precedence. ARM accumulates through the coincident section of the Minor SR. This publication contains a listing of Coincident Routes by SR, SRMP & ARM.

**FEATURE** Following is a list of how some of the features are entered in the “feature” column:

Beg Bridge	Beg Eq	On Ramp
End Bridge	Uxing	Off Ramp
Enter Co	Intersectn	RR Xing
Beg Street	Misc Featr	Border Sta
End Street	Beg Ctlsec	Weigh Sta
Beg Tunnel	Flyer Stop	Leave City
End Tunnel	Prk & Ride	Toll Booth
Enter Dist	Rest Area	Ferry Term

## DIRECTION TO INVENTORY

Features that get tagged with this code occur ON the main traveled way.

I = INCREASING - Milepost increases when traveling the roadway in the increasing direction. Usually odd numbered routes run south to north increasing and even numbered routes run west to east increasing. There are some exceptions to this rule.

D = DECREASING - Milepost decreases when traveling the roadway in the decreasing direction. Usually odd numbered routes run north to south decreasing and even numbered routes run east to west decreasing. There are some exceptions to this rule.

B = BOTH - The feature affects both the increasing and decreasing direction of travel.

## LEFT/RIGHT INDICATOR

Features that get tagged with this code occur ALONG SIDE the main traveled way. All Left Right Indicators are assigned based on the INCREASING direction of travel, starting from the left and working to the right.

L = LEFT Represents features located along side the decreasing traveled way.

LC = LEFT CENTER Represents features located along side the median side of the decreasing traveled way.

C = CENTER Represents a feature that occurs between the increasing and decreasing traveled way.

RC = RIGHT CENTER Represents features located along side the median side of the increasing traveled way.

R = RIGHT Represents features located along side the increasing traveled way.

B = BOTH The feature occurs along side both the increasing and decreasing traveled way.

### DESCRIPTION – DESCRIPTION OF FEATURE

Bridge/UXing/XRoad - OW (Owner Code)

ST = State

FS = Forest Service

PV = Private

SO = State/County

CO = County

PK = Park Service

MY = Military

SI = State/City

CT = City

RS = Reservation

OT = Other

CC = County/City

Bridge/UXing/XRoad - TC (Traffic Control)

SS = Stop Sign

AF = Amber Flashing

OT = Other Traffic Control

SZ = School Zone

SG = Stop and Go

RF = Red Flashing

YS = Yield Sign

RS = Railroad Signal

NO = No Traffic Control

PC = Pedestrian Control

FS = Fire Signal

OF = Officer or Flagman

Bridge/UXing/XRoad - L (Illumination)

Y = Yes

N = No

### WIDTH AND SURFACE INFORMATION

#### DECREAS/DIV (DECREASING/DIVIDED)

NBR LNS D = Number of lanes in decreasing direction of the roadway.

I = Number of lanes in increasing direction of the roadway.

LFT SHD W = Width of outside shoulder in decreasing direction of the roadway. No width will be shown when surface type = C or W.

S = Shoulder Surface Type

A = Asphalt

S = Soil

P = Portland Cement Concrete

B = Bituminous

C = Curb

G = Gravel

W = Wall

O = Other

RDY W = Width of roadway in decreasing direction of the roadway.

S = Roadway Surface Type

A = Asphalt

B = Bituminous

S = Soil

P = Portland Cement Concrete

G = Gravel

O = Other

RHT SHD W = Width of inside shoulder in decreasing direction of the roadway. No width will be entered when surface type = C or W.

S = Shoulder Surface Type (same as left shoulder surface types).

**MEDIAN**

WD Median Width

S Median Surface Type

S = Soil	G = Gravel
O = Other	A = Asphalt
B = Bituminous	P = Portland Cement Concrete

BR Median Barrier Type

DE = Depressed	CU = Curb
FB = Flex Beam	JE = Jersey Type Barrier
GP = Guide Post	RG = Rock Wall * Gabion
UP = Unprotected	IA = Impact Attenuator
WA = Wall	FE = Fence
SS = Snow Shed	BE = Bridge End Guard Rails
GR = Guard Rail	CA = Cable

**INCRES/UNDI (INCREASING/UNDIVIDED)**

Will be used for divided multilane in the direction of inventory, and for the entire roadway for two lane or undivided highways.

LFT SHD W = Width of inside shoulder in increasing direction of the roadway.

S = Shoulder Surface Type

RDY W = Width of roadway in increasing direction of the roadway.

S = Roadway Surface Type

RHT SHD W = Width of outside shoulder in increasing direction of the roadway.

S = Shoulder Surface Type

SPC USE LNS WID - Width of Special Use Lane

Special Use Lane Types - (Appears in Description Field)

Climbing	Two Way Turn	High Occupancy Vehicle
Bicycle	Reversible	Slow Vehicle Turnout
Chain Up	Transit	Truck Climbing Shoulder
Holding	Weaving/Speed Change	

TOT RDY WIDTH - Total roadway width includes decreasing roadway, increasing roadway and special use lane widths. This total does not include shoulder and median widths.

## CLASSIFICATIONS

MTCE Maintenance

A = Maintenance Area Number  
SE = Maintenance Section Number

CITY NBR City Number assigned to a city by the Census.

STFC State Functional Classification

R1 = Rural-Principal Arterial	U1 = Urban-Principal Arterial
R2 = Rural-Minor Arterial	U2 = Urban-Minor Arterial
R3 = Rural-Collector	U3 = Urban-Collector
R4 = Rural-Unclassified	U4 = Urban-Unclassified
R5 = Rural-Interstate	U5 = Urban-Interstate

Urban Area - An area designated by WSDOT in cooperation with the Transportation Improvement Board and Region transportation planning organizations, subject to the approval of the FHWA.

Legal Speed

D = Official speed limit as designated for decreasing direction of the roadway.  
IB = Official speed limit as designated for increasing or both directions of the roadway.

TR Terrain - The contour of the roadway as it relates to the frequency and steepness of hills and the effect on truck speed.

L = Level - Trucks maintain speed.  
R = Rolling - Trucks slow down frequently.  
M = Mountainous - Trucks slow to a crawl frequently.

PK Parking Zone - Type of parking that is permitted on a State Route (cities only).

B = Both sides parking permitted  
L = Left side parking only permitted  
P = Parking prohibited on both sides  
R = Right side parking only permitted  
X = Prohibited during peak hours

ST Street Name Alias - The local name of a street assigned to a State Route as the State Route passes through a city.

\* = A street name alias is assigned to a State Route (The street name will appear in the description field).

\$ Designates when the previous feature is no longer valid.

## INTERSECTION DETAIL

SRMP	State Route Milepost at intersection.
B	“Back” milepost indicator.
ARM	Accumulated route mile at intersection.

## TURN LANES

Entering an intersection in the increasing direction of travel would be “near approach.”

Entering an intersection in the decreasing direction of travel would be “far approach.”

LGT WD	Length (in miles) and width (in feet) will appear in each category of turn and acceleration lanes.
L NEAR	Left turn lane in near approach of intersection.
R NEAR	Right turn lane in near approach of intersection.
L FAR	Left turn lane in far approach of intersection.
R FAR	Right turn lane in far approach of intersection.

## ACCELERATION LANES


LEFT	Left acceleration lane in near approach of intersection.
L CNTR	Acceleration lane in near approach of intersection.
R CNTR	Acceleration lane in far approach of intersection.
RIGHT	Right acceleration lane in far approach of intersection.

Vehicles traveling in the decreasing direction of the roadway use Left and Left Center acceleration lanes.

Vehicles traveling in the increasing direction of the roadway use Right and Right Center acceleration lanes.


If you have any questions regarding the State Highway Log or the roadway data, or you can provide us with updated information, please contact the Roadway Data Office at (360) 570-2361 or fax (360) 570-2400. We are continuously looking for sources to provide us with quality information.

**The following pages contain sketches to better explain how the State Highway Log Planning Report is compiled.**




**Roadway Measurements with and without curbs - Asphalt Surface**  
 Refer to SR 203 SRMP 5.32 - 6.19






**Two Way Turn (Curb to Curb) Asphalt Surface**  
 Refer to SR 12 SRMP 433.09 - 433.72




**Two Way Turn (with Shoulders) Asphalt Surface**  
 Refer to SR 530 SRMP 17.04 - 17.30



**Intersection Channelization (Turn/Accel Lanes)**  
**Examples of Turn/Acceleration Lanes Located at the Bottom of State Highway Log Pages**

**SR 5 Decreasing**



227.75

\$\$ W 34A

012 A JE

34A \$\$ W

**BRIDGE 005/571**

Jersey Type Barrier

2'


12'

227.73

**SR 5 Increasing**

227.08

**Divided Highway Measurements (Asphalt Surface w/Paved Median)**  
Refer to SR 5 SRMP 227.08 - 227.75



**Divided Highway Measurements (Asphalt Surface w/Soil Median)**  
 Refer to SR 90 SRMP 149.78 - 150.07

**SRMP 7.64  
End  
Physical Gap**

**SRMP 7.62  
Begin  
Physical Gap**

**BRIDGE 432/008N**

**BRIDGE 432/008S**

Physical Gap = 0.01 mile


Equation: 7.63 = 7.64

**SR 432** →  
**Increasing**

↑  
**SR 432 Increasing**

## **Physical Gap (Roadway Discontinuity)**


**Refer to SR 432 SRMP 7.62 - Vicinity**



## Coincident Route

Refer to SR 5 SRMP 68.41 - 88.33 and SR 12 46.62 - 66.54

**N** Not to Scale




**Realignment - Shorten Route**  
Refer to SR 20 SRMP 45.97 - Vicinity





Not to Scale



**Contract # 014330**  
**Open to traffic: 7/11/94**

**Equation: 44.30B = 44.25**  
**(Lengthen Route 0.05 miles)**

- Old Alignment & Mileage (SR 24)
- Old Alignment & Mileage (SR 243)
- New Alignment & Mileage (SR 24)
- New Alignment & Mileage (SR 243)

## **Realignment - Lengthen Route**

**Refer to SR 24 SRMP 44.08 - Vicinity**

## Eastern Region State Route List

State Route	RRT/RRQ Identifier	Begin SRMP B	End SRMP B	Length
002		207.78	283.22	75.43
002		286.87	334.51	47.61
002	COBROWNE	287.45	288.08	0.63
002	CODIVISN	289.19	290.72	1.53
002	CONEWPRT	334.38	334.87	0.49
020		297.23	342.08	44.82
020		354.33	436.91	82.45
021		0.00	91.78	91.73
021		92.43	106.65	14.22
021		106.66	160.10	53.44
021		162.66	191.34	28.68
023		0.00	66.01	66.00
025		0.00	121.23	121.17
026		60.80	133.53	72.81
026	SPCOLFAX	133.44	133.51	0.07
027		0.00 B	2.27 B	2.27
027		0.00	87.70	87.60
028		79.04	131.18	52.14
031		0.00	26.79	26.79
041		0.00	0.41	0.41
090		191.89	299.82	107.34
127		10.00	27.05	17.05
174		23.38	40.66	17.28
194		0.00	21.01	21.01
195		0.00 B	95.99	93.37
195	SPGNESSE	0.06	0.60	0.54
206		0.00	15.39	15.30
211		0.00	15.19	15.18
231		0.00	28.11	28.01
231		31.08	75.16	44.08
260		24.73	39.49	14.77
261		15.20	29.39	14.17
261		35.83	62.83	26.92
263		0.00	9.24	9.24
270		0.00	9.89	9.89
270	COPULLMN	2.67	2.90	0.23
271		0.00	8.48	8.48
272		0.00	16.52	16.52
272		16.78	19.23	2.45
274		0.00	1.92	1.92
278		0.00	5.50	5.50
290		0.07	18.38	18.31
291		0.00	33.09	33.09
292		0.00	5.91	5.91
395		65.70	96.13	30.43
395		164.50	167.40	2.90
395		167.44	270.26	102.82
395	SPNSC	162.03	167.45	5.42
902		0.00	12.36	12.36
904		0.00	16.96	16.96

## Eastern Region SRMP Equation List

State Route	RRT/RRQ Identifier	SRMP	B	ARM	Equation
002		207.78		199.71	207.81B=207.78
002		221.00		212.92	220.99 =221.00
002		286.87		278.73	286.81 =286.87
002		289.19	B	281.05	BEGIN BACK
002		289.19		281.09	289.23B=289.19
002		321.66		313.49	321.59 =321.66
020		305.24		304.59	305.21 =305.24
020		363.61		362.86	363.51 =363.61
020		421.42		420.64	421.39 =421.42
021		56.37		56.32	056.32 =056.37
023		27.72	B	27.72	BEGIN BACK
023		27.72		27.76	027.76B=027.72
023		44.29		44.28	044.24 =044.29
025		83.36		83.34	083.34 =083.36
025		89.68		89.62	089.64 =089.68
026		61.78	B	61.78	BEGIN BACK
026		61.78		61.86	061.86B=061.78
027		0.00	B	0.00	BEGIN BACK
027		0.00		2.40	002.40B=000.00
027		8.86		11.20	008.80 =008.86
027		14.81		17.10	014.76 =014.81
027		23.99	B	26.28	BEGIN BACK
027		23.99		26.33	024.04B=023.99
027		34.28		36.60	034.26 =034.28
027		47.06	B	49.38	BEGIN BACK
027		47.06		49.42	047.10B=047.06
027		48.05		50.37	048.01 =048.05
027		48.25		50.55	048.23 =048.25
090		218.60		216.31	218.03 =218.60
090		282.59		280.29	282.58 =282.59
090		289.62		287.31	289.61 =289.62
195		0.00	B	0.00	BEGIN BACK
195		0.00		0.31	000.31B=000.00
195		19.77		20.07	019.76 =019.77
195		20.15	B	20.45	BEGIN BACK
195		20.15		20.51	020.21B=020.15
195		25.81		23.96	023.60 =025.81
195		37.20		35.34	037.19 =037.20
195		70.43		68.34	070.20 =070.43
195		80.96		78.37	080.46 =080.96
195		89.80		87.18	089.77 =089.80
206		0.87		0.81	000.81 =000.87
206		11.09		11.00	011.06 =011.09
211		0.99		0.98	000.98 =000.99
231		0.32		0.27	000.27 =000.32
231		4.99		4.93	004.98 =004.99
231		9.27		9.20	009.26 =009.27
231		12.11		12.03	012.10 =012.11
231		15.76		15.66	015.74 =015.76
231		31.08		30.89	030.99 =031.08
260		35.01	B	33.49	BEGIN BACK
260		35.01		33.50	035.02B=035.01
261		20.68		20.64	020.66 =020.68

**Eastern Region SRMP Equation List**

<b>State Route</b>	<b>RRT/RRQ Identifier</b>	<b>SRMP</b>	<b>B</b>	<b>ARM</b>	<b>Equation</b>
261		48.53		48.41	048.45 =048.53
272		16.78		16.77	016.77 =016.78
395		156.74		163.24	156.68 =156.74
395		159.06	B	165.56	BEGIN BACK
395		159.06		165.60	159.10B=159.06
395		164.50		169.27	162.73 =164.50
395		167.44		172.18	167.41 =167.44
395		169.30	B	174.04	BEGIN BACK
395		169.30		174.06	169.32B=169.30
395		215.63		220.37	215.61 =215.63

## Eastern Region Coincident Route List

State Route	RRT/RRQ Identifier	Coinc			State Route	RRT/RRQ Identifier	Coinc SRMP B	Coincident Description
		SRMP B	ARM	MA MI END				
002		220.88	212.81	MA BEG	021		92.43	1ST COINCIDENT RT
002		221.54	213.46	MA END	021		91.78	1ST COINCIDENT RT
002		261.09	253.01	MA BEG	231		28.11	1ST COINCIDENT RT
002		263.97	255.89	MA END	231		31.08	1ST COINCIDENT RT
002		283.22	275.14	MI BEG	090		277.73	1ST COINCIDENT RT
002		286.87	278.73	MI END	090		281.32	1ST COINCIDENT RT
002		286.88	278.74	MA BEG	395		156.75	1ST COINCIDENT RT
002		292.86	284.76	MA END	395		164.50	1ST COINCIDENT RT
020		302.65	302.03	MA BEG	021		160.10	1ST COINCIDENT RT
020		305.24	304.59	MA END	021		162.66	1ST COINCIDENT RT
020		342.08	341.43	MI BEG	395		241.89	1ST COINCIDENT RT
020		354.33	353.68	MI END	395		229.64	1ST COINCIDENT RT
021		91.78	91.73	MI BEG	002		221.54	1ST COINCIDENT RT
021		92.43	92.38	MI END	002		220.88	1ST COINCIDENT RT
021		160.10	160.05	MI BEG	020		302.65	1ST COINCIDENT RT
021		162.66	162.61	MI END	020		305.24	1ST COINCIDENT RT
027		2.27 B	2.27	MI BEG	270		2.40	1ST COINCIDENT RT
027		0.00	2.40	MI END	270		2.27	1ST COINCIDENT RT
027		15.08	17.37	MA BEG	272		16.78	1ST COINCIDENT RT
027		15.33	17.62	MA END	272		16.52	1ST COINCIDENT RT
090		220.77	218.48	MA BEG	395		96.13	1ST COINCIDENT RT
090		277.73	275.44	MA BEG	002		283.22	2ND COINCIDENT RT
090		281.32	279.03	MA END	395		156.74	1ST COINCIDENT RT
090		281.32	279.03	MA END	002		286.87	2ND COINCIDENT RT
231		28.11	28.01	MI BEG	002		261.09	1ST COINCIDENT RT
231		31.08	30.89	MI END	002		263.97	1ST COINCIDENT RT
260		33.06	31.54	MA BEG	261		29.39	1ST COINCIDENT RT
260		39.49	37.98	MA END	261		35.83	1ST COINCIDENT RT
261		29.39	29.35	MI BEG	260		33.06	1ST COINCIDENT RT
261		35.83	35.79	MI END	260		39.49	1ST COINCIDENT RT
270		2.27	2.27	MA BEG	027		0.00	1ST COINCIDENT RT
270		2.40	2.40	MA END	027		2.27 B	1ST COINCIDENT RT
272		16.52	16.52	MI BEG	027		15.33	1ST COINCIDENT RT
272		16.78	16.77	MI END	027		15.08	1ST COINCIDENT RT
395		96.13	102.69	MI BEG	090		220.77	1ST COINCIDENT RT
395		156.74	163.24	MI END	090		281.32	1ST COINCIDENT RT
395		156.75	163.25	MI BEG	002		286.88	1ST COINCIDENT RT
395		164.50	169.27	MI END	002		292.86	1ST COINCIDENT RT
395		229.64	234.38	MA BEG	020		354.33	1ST COINCIDENT RT
395		241.89	246.63	MA END	020		342.08	1ST COINCIDENT RT

STATE OF WASHINGTON - DEPARTMENT OF TRANSPORTATION  
 T R I P S S Y S T E M  
 STATE HIGHWAY MILES AND GENERAL PURPOSE LANE MILES  
 BY DISTRICT, FUNCTION CLASS, AND RURAL, URBAN, OR URBANIZED LOCATION

SELECTION: DISTRICT 6  
 MAINLINE, SPURS, COUPLETS, ALTERNATE, REVERSIBLE, GRADE SEPARATED HOV  
 SPECIAL USE LANES: (NON RAMP)-HOV, CLIMBING

DIST	FUNCT CLASS	RURAL HIGHWAY MILES	RURAL LANE MILES	URBAN HIGHWAY MILES	URBAN LANE MILES	URBANIZED HIGHWAY MILES	URBANIZED LANE MILES	TOT URBAN HIGHWAY MILES	TOT URBAN LANE MILES	TOTAL HIGHWAY MILES	TOTAL LANE MILES
6	PRIN ARTERIAL	415.81	978.33	8.44	25.60	62.22	257.35	70.66	282.95	486.47	1,261.28
6	MINR ARTERIAL	355.57	711.14	4.83	12.19	9.09	18.67	13.92	30.86	369.49	742.00
6	COLLECTOR	603.43	1,207.43	.58	1.16	.43	.86	1.01	2.02	604.44	1,209.45
6	UNCLASSIFIED										
6	INTERSTATE	80.14	320.56			27.20	142.84	27.20	142.84	107.34	463.40
DISTRICT SUBTOTAL		1,454.95	3,217.46	13.85	38.95	98.94	419.72	112.79	458.67	1,567.74	3,676.13
STATE PRIN ARTERIAL		415.81	978.33	8.44	25.60	62.22	257.35	70.66	282.95	486.47	1,261.28
STATE MINR ARTERIAL		355.57	711.14	4.83	12.19	9.09	18.67	13.92	30.86	369.49	742.00
STATE COLLECTOR		603.43	1,207.43	.58	1.16	.43	.86	1.01	2.02	604.44	1,209.45
STATE UNCLASSIFIED											
STATE INTERSTATE		80.14	320.56			27.20	142.84	27.20	142.84	107.34	463.40
STATE TOTAL		1,454.95	3,217.46	13.85	38.95	98.94	419.72	112.79	458.67	1,567.74	3,676.13

T R I P S S Y S T E M

STATE HIGHWAY SPECIAL USE LANE/RAMP MILES

BY DISTRICT, FUNCTION CLASS, AND RURAL, URBAN, OR URBANIZED LOCATION

SELECTION: DISTRICT 6

ALL RAMPS, COLLECTORS I/D

SPEC USE LN: HOV, CHAIN UP, HOLDING, SLOW VEH, TWO WAY TURN, WEAVING/SPEED CHANGE, BICYCLE, TRANSIT, TRUCK CLIMBING, TURN/ACCEL

DIST	FUNCT CLASS	RURAL HIGHWAY MILES	RURAL LANE MILES	URBAN HIGHWAY MILES	URBAN LANE MILES	URBANIZED HIGHWAY MILES	URBANIZED LANE MILES	TOT URBAN HIGHWAY MILES	TOT URBAN LANE MILES	TOTAL HIGHWAY MILES	TOTAL LANE MILES
6	PRIN ARTERIAL		38.83		2.96		59.35		62.31		101.14
6	MINR ARTERIAL		6.47		6.10		2.85		8.95		15.42
6	COLLECTOR		3.11				.35		.35		3.46
6	UNCLASSIFIED										
6	INTERSTATE		26.05				60.19		60.19		86.24
DISTRICT SUBTOTAL			74.46		9.06		122.74		131.80		206.26
STATE PRIN ARTERIAL			38.83		2.96		59.35		62.31		101.14
STATE MINR ARTERIAL			6.47		6.10		2.85		8.95		15.42
STATE COLLECTOR			3.11				.35		.35		3.46
STATE UNCLASSIFIED											
STATE INTERSTATE			26.05				60.19		60.19		86.24
STATE TOTAL			74.46		9.06		122.74		131.80		206.26

T R I P S S Y S T E M

STATE HIGHWAY TOTAL LANE/RAMP MILES

BY DISTRICT, FUNCTION CLASS, AND RURAL, URBAN, OR URBANIZED LOCATION

SELECTION: DISTRICT 6

MAINLINE, SPURS, COUPLETS, ALTERNATE, REVERSIBLE, GRADE SEPARATED HOV, ALL RAMPS, COLLECTORS I/D

SPEC USE LN: HOV, CHAIN UP, HOLDING, SLOW VEH, TWO WAY TURN, WEAVING/SPEED CHANGE, BICYCLE, TRANSIT, TRUCK CLIMBING, TURN/ACCEL

DIST	FUNCT CLASS	RURAL HIGHWAY MILES	RURAL LANE MILES	URBAN HIGHWAY MILES	URBAN LANE MILES	URBANIZED HIGHWAY MILES	URBANIZED LANE MILES	TOT URBAN HIGHWAY MILES	TOT URBAN LANE MILES	TOTAL HIGHWAY MILES	TOTAL LANE MILES
6	PRIN ARTERIAL	415.81	1,017.16	8.44	28.56	62.22	316.70	70.66	345.26	486.47	1,362.42
6	MINR ARTERIAL	355.57	717.61	4.83	18.29	9.09	21.52	13.92	39.81	369.49	757.42
6	COLLECTOR	603.43	1,210.54	.58	1.16	.43	1.21	1.01	2.37	604.44	1,212.91
6	UNCLASSIFIED										
6	INTERSTATE	80.14	346.61			27.20	203.03	27.20	203.03	107.34	549.64
DISTRICT SUBTOTAL		1,454.95	3,291.92	13.85	48.01	98.94	542.46	112.79	590.47	1,567.74	3,882.39
STATE PRIN ARTERIAL		415.81	1,017.16	8.44	28.56	62.22	316.70	70.66	345.26	486.47	1,362.42
STATE MINR ARTERIAL		355.57	717.61	4.83	18.29	9.09	21.52	13.92	39.81	369.49	757.42
STATE COLLECTOR		603.43	1,210.54	.58	1.16	.43	1.21	1.01	2.37	604.44	1,212.91
STATE UNCLASSIFIED											
STATE INTERSTATE		80.14	346.61			27.20	203.03	27.20	203.03	107.34	549.64
STATE TOTAL		1,454.95	3,291.92	13.85	48.01	98.94	542.46	112.79	590.47	1,567.74	3,882.39



STATE OF WASHINGTON - DEPARTMENT OF TRANSPORTATION  
 T R I P S S Y S T E M  
 STATE HIGHWAY MILES AND GENERAL PURPOSE LANE MILES  
 BY DISTRICT, FUNCTION CLASS, AND SURFACE TYPE

SELECTION: DISTRICT 6  
 MAINLINE, SPURS, COUPLETS, ALTERNATE, REVERSIBLE, GRADE SEPARATED HOV  
 SPECIAL USE LANES: (NON RAMP)-HOV, CLIMBING

DIST	FUNCT CLASS	HIGHWAY MILES OTHER	LANE MILES OTHER	HIGHWAY MILES GRAVEL	LANE MILES GRAVEL	HIGHWAY MILES BITUM	LANE MILES BITUM	HIGHWAY MILES ASPHALT	LANE MILES ASPHALT	HIGHWAY MILES CONCRETE	LANE MILES CONCRETE	TOTAL HIGHWAY MILES	TOTAL LANE MILES
6	R1					166.32	345.15	195.34	507.75	54.15	125.43	415.81	978.33
6	R2					333.89	667.78	21.19	42.38	.49	.98	355.57	711.14
6	R3					548.73	1,097.68	53.84	108.03	.86	1.72	603.43	1,207.43
6	R4												
6	R5							79.91	319.74	.23	.82	80.14	320.56
6	U1							57.10	221.04	13.56	61.91	70.66	282.95
6	U2					1.08	2.38	12.69	28.12	.15	.36	13.92	30.86
6	U3							1.01	2.02			1.01	2.02
6	U4												
6	U5							11.09	42.93	16.11	99.91	27.20	142.84
DIST RURAL SUBTOTAL						1,048.94	2,110.61	350.28	977.90	55.73	128.95	1,454.95	3,217.46
DIST URBAN SUBTOTAL						1.08	2.38	81.89	294.11	29.82	162.18	112.79	458.67
DISTRICT TOTAL						1,050.02	2,112.99	432.17	1,272.01	85.55	291.13	1,567.74	3,676.13

STATE OF WASHINGTON - DEPARTMENT OF TRANSPORTATION  
 T R I P S S Y S T E M  
 STATE HIGHWAY SPECIAL USE LANE/RAMP MILES  
 BY DISTRICT, FUNCTION CLASS, AND SURFACE TYPE

SELECTION: DISTRICT 6  
 ALL RAMPS, COLLECTORS I/D  
 SPEC USE LN: HOV, CHAIN UP, HOLDING, SLOW VEH, TWO WAY TURN, WEAVING/SPEED CHANGE, BICYCLE, TRANSIT, TRUCK CLIMBING, TURN/ACCEL

DIST	FUNCT CLASS	HIGHWAY MILES OTHER	LANE MILES OTHER	HIGHWAY MILES GRAVEL	LANE MILES GRAVEL	HIGHWAY MILES BITUM	LANE MILES BITUM	HIGHWAY MILES ASPHALT	LANE MILES ASPHALT	HIGHWAY MILES CONCRETE	LANE MILES CONCRETE	TOTAL HIGHWAY MILES	TOTAL LANE MILES
6	R1						.48		33.91		1.69		36.08
6	R2						.56		5.91				6.47
6	R3						2.32		.85				3.17
6	R4												
6	R5								25.87		.18		26.05
6	U1								49.63		15.37		65.00
6	U2						.32		8.47		.10		8.89
6	U3								.35				.35
6	U4												
6	U5								39.80		20.45		60.25
DIST RURAL SUBTOTAL							3.36		66.54		1.87		71.77
DIST URBAN SUBTOTAL							.32		98.25		35.92		134.49
DISTRICT TOTAL							3.68		164.79		37.79		206.26

STATE OF WASHINGTON - DEPARTMENT OF TRANSPORTATION  
 T R I P S S Y S T E M  
 STATE HIGHWAY TOTAL LANE/RAMP MILES  
 BY DISTRICT, FUNCTION CLASS, AND SURFACE TYPE

SELECTION: DISTRICT 6

MAINLINE, SPURS, COUPLETS, ALTERNATE, REVERSIBLE, GRADE SEPARATED HOV, ALL RAMPS, COLLECTORS I/D  
 SPEC USE LN: HOV, CHAIN UP, HOLDING, SLOW VEH, TWO WAY TURN, WEAVING/SPEED CHANGE, BICYCLE, TRANSIT, TRUCK CLIMBING, TURN/ACCEL

DIST	FUNCT CLASS	HIGHWAY LANE		HIGHWAY LANE		HIGHWAY LANE		HIGHWAY LANE		HIGHWAY LANE		TOTAL HIGHWAY MILES	TOTAL LANE MILES
		MILES OTHER	MILES OTHER	MILES GRAVEL	MILES GRAVEL	MILES BITUM	MILES BITUM	MILES ASPHALT	MILES ASPHALT	MILES CONCRETE	MILES CONCRETE		
6	R1					166.32	345.63	195.34	541.66	54.15	127.12	415.81	1,014.41
6	R2					333.89	668.34	21.19	48.29	.49	.98	355.57	717.61
6	R3					548.73	1,100.00	53.84	108.88	.86	1.72	603.43	1,210.60
6	R4												
6	R5							79.91	345.61	.23	1.00	80.14	346.61
6	U1							57.10	270.67	13.56	77.28	70.66	347.95
6	U2					1.08	2.70	12.69	36.59	.15	.46	13.92	39.75
6	U3							1.01	2.37			1.01	2.37
6	U4												
6	U5							11.09	82.73	16.11	120.36	27.20	203.09
DIST RURAL SUBTOTAL						1,048.94	2,113.97	350.28	1,044.44	55.73	130.82	1,454.95	3,289.23
DIST URBAN SUBTOTAL						1.08	2.70	81.89	392.36	29.82	198.10	112.79	593.16
DISTRICT TOTAL						1,050.02	2,116.67	432.17	1,436.80	85.55	328.92	1,567.74	3,882.39

T R I P S S Y S T E M

STATE HIGHWAY MILES AND GENERAL PURPOSE LANE MILES

BY DISTRICT, LEVEL OF DEVELOPMENT, AND RURAL, URBAN, OR URBANIZED LOCATION

SELECTION: DISTRICT 6

MAINLINE, SPURS, COUPLETS, ALTERNATE, REVERSIBLE, GRADE SEPARATED HOV

SPECIAL USE LANES: (NON RAMP)-HOV, CLIMBING

DIST	LEVEL OF DEVEL	RURAL HIGHWAY MILES	RURAL LANE MILES	URBAN HIGHWAY MILES	URBAN LANE MILES	URBANIZED HIGHWAY MILES	URBANIZED LANE MILES	TOT URBAN HIGHWAY MILES	TOT URBAN LANE MILES	TOTAL HIGHWAY MILES	TOTAL LANE MILES
6	DS	305.08	915.22	5.43	18.09	71.73	330.59	77.16	348.68	382.24	1,263.90
6	3R	561.09	1,124.11	.69	1.38	12.79	48.37	13.48	49.75	574.57	1,173.86
6	MO	588.78	1,178.13	7.73	19.48	14.42	40.76	22.15	60.24	610.93	1,238.37
DISTRICT SUBTOTAL		1,454.95	3,217.46	13.85	38.95	98.94	419.72	112.79	458.67	1,567.74	3,676.13
STATE	DS	305.08	915.22	5.43	18.09	71.73	330.59	77.16	348.68	382.24	1,263.90
STATE	3R	561.09	1,124.11	.69	1.38	12.79	48.37	13.48	49.75	574.57	1,173.86
STATE	MO	588.78	1,178.13	7.73	19.48	14.42	40.76	22.15	60.24	610.93	1,238.37
STATE TOTAL		1,454.95	3,217.46	13.85	38.95	98.94	419.72	112.79	458.67	1,567.74	3,676.13

T R I P S S Y S T E M

STATE HIGHWAY SPECIAL USE LANE/RAMP MILES

BY DISTRICT, LEVEL OF DEVELOPMENT, AND RURAL, URBAN, OR URBANIZED LOCATION

SELECTION: DISTRICT 6

ALL RAMPS, COLLECTORS I/D

SPEC USE LN: HOV, CHAIN UP, HOLDING, SLOW VEH, TWO WAY TURN, WEAVING/SPEED CHANGE, BICYCLE, TRANSIT, TRUCK CLIMBING, TURN/ACCEL

DIST	LEVEL OF DEVEL	RURAL HIGHWAY MILES	RURAL LANE MILES	URBAN HIGHWAY MILES	URBAN LANE MILES	URBANIZED HIGHWAY MILES	URBANIZED LANE MILES	TOT URBAN HIGHWAY MILES	TOT URBAN LANE MILES	TOTAL HIGHWAY MILES	TOTAL LANE MILES
6	DS		60.86		1.68		109.49		111.17		172.03
6	3R		10.39				7.87		7.87		18.26
6	MO		3.21		7.38		5.38		12.76		15.97
DISTRICT SUBTOTAL			74.46		9.06		122.74		131.80		206.26
STATE	DS		60.86		1.68		109.49		111.17		172.03
STATE	3R		10.39				7.87		7.87		18.26
STATE	MO		3.21		7.38		5.38		12.76		15.97
STATE TOTAL			74.46		9.06		122.74		131.80		206.26

T R I P S S Y S T E M

STATE HIGHWAY TOTAL LANE/RAMP MILES

BY DISTRICT, LEVEL OF DEVELOPMENT, AND RURAL, URBAN, OR URBANIZED LOCATION

SELECTION: DISTRICT 6

MAINLINE, SPURS, COUPLETS, ALTERNATE, REVERSIBLE, GRADE SEPARATED HOV, ALL RAMPS, COLLECTORS I/D

SPEC USE LN: HOV, CHAIN UP, HOLDING, SLOW VEH, TWO WAY TURN, WEAVING/SPEED CHANGE, BICYCLE, TRANSIT, TRUCK CLIMBING, TURN/ACCEL

DIST	LEVEL OF DEVEL	RURAL HIGHWAY MILES	RURAL LANE MILES	URBAN HIGHWAY MILES	URBAN LANE MILES	URBANIZED HIGHWAY MILES	URBANIZED LANE MILES	TOT URBAN HIGHWAY MILES	TOT URBAN LANE MILES	TOTAL HIGHWAY MILES	TOTAL LANE MILES
6	DS	305.08	976.08	5.43	19.77	71.73	440.08	77.16	459.85	382.24	1,435.93
6	3R	561.09	1,134.50	.69	1.38	12.79	56.24	13.48	57.62	574.57	1,192.12
6	MO	588.78	1,181.34	7.73	26.86	14.42	46.14	22.15	73.00	610.93	1,254.34
DISTRICT SUBTOTAL		1,454.95	3,291.92	13.85	48.01	98.94	542.46	112.79	590.47	1,567.74	3,882.39
STATE	DS	305.08	976.08	5.43	19.77	71.73	440.08	77.16	459.85	382.24	1,435.93
STATE	3R	561.09	1,134.50	.69	1.38	12.79	56.24	13.48	57.62	574.57	1,192.12
STATE	MO	588.78	1,181.34	7.73	26.86	14.42	46.14	22.15	73.00	610.93	1,254.34
STATE TOTAL		1,454.95	3,291.92	13.85	48.01	98.94	542.46	112.79	590.47	1,567.74	3,882.39

T R I P S S Y S T E M

DISTRICT 6 STATE HIGHWAY MILES AND GENERAL PURPOSE LANE MILES

BY FUNCTION CLASS, LEVEL OF DEVELOPMENT, AND RURAL, URBAN, OR URBANIZED LOCATION

SELECTION: DISTRICT 6

MAINLINE, SPURS, COUPLETS, ALTERNATE, REVERSIBLE, GRADE SEPARATED HOV

SPECIAL USE LANES: (NON RAMP)-HOV, CLIMBING

FUNCT CLASS	LEVEL OF DEVEL	RURAL HIGHWAY MILES	RURAL LANE MILES	URBAN HIGHWAY MILES	URBAN LANE MILES	URBANIZED HIGHWAY MILES	URBANIZED LANE MILES	TOT URBAN HIGHWAY MILES	TOT URBAN LANE MILES	TOTAL HIGHWAY MILES	TOTAL LANE MILES
PRIN ARTERIAL	DS	224.94	594.66	5.43	18.09	44.53	187.75	49.96	205.84	274.90	800.50
PRIN ARTERIAL	3R	190.87	383.67			11.47	45.41	11.47	45.41	202.34	429.08
PRIN ARTERIAL	MO			3.01	7.51	6.22	24.19	9.23	31.70	9.23	31.70
PRIN ARTERL SUBTOTAL		415.81	978.33	8.44	25.60	62.22	257.35	70.66	282.95	486.47	1,261.28
MINOR ARTERIAL	DS										
MINOR ARTERIAL	3R	254.47	508.94	.11	.22	1.32	2.96	1.43	3.18	255.90	512.12
MINOR ARTERIAL	MO	101.10	202.20	4.72	11.97	7.77	15.71	12.49	27.68	113.59	229.88
MINOR ARTERL SBTOTAL		355.57	711.14	4.83	12.19	9.09	18.67	13.92	30.86	369.49	742.00
COLLECTOR	DS										
COLLECTOR	3R	115.75	231.50	.58	1.16			.58	1.16	116.33	232.66
COLLECTOR	MO	487.68	975.93			.43	.86	.43	.86	488.11	976.79
COLLECTOR SUBTOTAL		603.43	1,207.43	.58	1.16	.43	.86	1.01	2.02	604.44	1,209.45
UNCLASSIFIED	DS										
UNCLASSIFIED	3R										
UNCLASSIFIED	MO										
UNCLASSIFIED SBTOTAL											
INTERSTATE	DS	80.14	320.56			27.20	142.84	27.20	142.84	107.34	463.40
INTERSTATE	3R										
INTERSTATE	MO										
INTERSTATE SUBTOTAL		80.14	320.56			27.20	142.84	27.20	142.84	107.34	463.40
DISTRICT	DS	305.08	915.22	5.43	18.09	71.73	330.59	77.16	348.68	382.24	1,263.90
DISTRICT	3R	561.09	1,124.11	.69	1.38	12.79	48.37	13.48	49.75	574.57	1,173.86
DISTRICT	MO	588.78	1,178.13	7.73	19.48	14.42	40.76	22.15	60.24	610.93	1,238.37
DISTRICT TOTAL		1,454.95	3,217.46	13.85	38.95	98.94	419.72	112.79	458.67	1,567.74	3,676.13

T R I P S S Y S T E M

DISTRICT 6 STATE HIGHWAY SPECIAL USE LANE/RAMP MILES

BY FUNCTION CLASS, LEVEL OF DEVELOPMENT, AND RURAL, URBAN, OR URBANIZED LOCATION

SELECTION: DISTRICT 6

ALL RAMPS, COLLECTORS I/D

SPEC USE LN: HOV, CHAIN UP, HOLDING, SLOW VEH, TWO WAY TURN, WEAVING/SPEED CHANGE, BICYCLE, TRANSIT, TRUCK CLIMBING, TURN/ACCEL

FUNCT CLASS	LEVEL OF DEVEL	RURAL HIGHWAY MILES	RURAL LANE MILES	URBAN HIGHWAY MILES	URBAN LANE MILES	URBANIZED HIGHWAY MILES	URBANIZED LANE MILES	TOT URBAN HIGHWAY MILES	TOT URBAN LANE MILES	TOTAL HIGHWAY MILES	TOTAL LANE MILES
PRIN ARTERIAL	DS		34.75		1.68		48.68		50.36		85.11
PRIN ARTERIAL	3R		4.08				7.40		7.40		11.48
PRIN ARTERIAL	MO				1.28		3.27		4.55		4.55
PRIN ARTERL SUBTOTAL			38.83		2.96		59.35		62.31		101.14
MINOR ARTERIAL	DS						.62		.62		.62
MINOR ARTERIAL	3R		4.69				.41		.41		5.10
MINOR ARTERIAL	MO		1.78		6.10		1.76		7.86		9.64
MINOR ARTERL SBTOTAL			6.47		6.10		2.79		8.89		15.36
COLLECTOR	DS										
COLLECTOR	3R		1.68				.06		.06		1.74
COLLECTOR	MO		1.43				.35		.35		1.78
COLLECTOR SUBTOTAL			3.11				.41		.41		3.52
UNCLASSIFIED	DS										
UNCLASSIFIED	3R										
UNCLASSIFIED	MO										
UNCLASSIFIED SBTOTAL											
INTERSTATE	DS		26.05				60.19		60.19		86.24
INTERSTATE	3R										
INTERSTATE	MO										
INTERSTATE SUBTOTAL			26.05				60.19		60.19		86.24
DISTRICT	DS		60.80		1.68		109.49		111.17		171.97
DISTRICT	3R		10.45				7.87		7.87		18.32
DISTRICT	MO		3.21		7.38		5.38		12.76		15.97
DISTRICT TOTAL			74.46		9.06		122.74		131.80		206.26



T R I P S S Y S T E M

DISTRICT 6 STATE HIGHWAY TOTAL LANE/RAMP MILES

BY FUNCTION CLASS, LEVEL OF DEVELOPMENT, AND RURAL, URBAN, OR URBANIZED LOCATION

SELECTION: DISTRICT 6

MAINLINE, SPURS, COUPLETS, ALTERNATE, REVERSIBLE, GRADE SEPARATED HOV, ALL RAMPS, COLLECTORS I/D

SPEC USE LN: HOV, CHAIN UP, HOLDING, SLOW VEH, TWO WAY TURN, WEAVING/SPEED CHANGE, BICYCLE, TRANSIT, TRUCK CLIMBING, TURN/ACCEL

FUNCT CLASS	LEVEL OF DEVEL	RURAL HIGHWAY MILES	RURAL LANE MILES	URBAN HIGHWAY MILES	URBAN LANE MILES	URBANIZED HIGHWAY MILES	URBANIZED LANE MILES	TOT URBAN HIGHWAY MILES	TOT URBAN LANE MILES	TOTAL HIGHWAY MILES	TOTAL LANE MILES
PRIN ARTERIAL	DS	224.94	629.41	5.43	19.77	44.53	236.43	49.96	256.20	274.90	885.61
PRIN ARTERIAL	3R	190.87	387.75			11.47	52.81	11.47	52.81	202.34	440.56
PRIN ARTERIAL	MO			3.01	8.79	6.22	27.46	9.23	36.25	9.23	36.25
PRIN ARTERL SUBTOTAL		415.81	1,017.16	8.44	28.56	62.22	316.70	70.66	345.26	486.47	1,362.42
MINOR ARTERIAL	DS						.62		.62		.62
MINOR ARTERIAL	3R	254.47	513.63	.11	.22	1.32	3.37	1.43	3.59	255.90	517.22
MINOR ARTERIAL	MO	101.10	203.98	4.72	18.07	7.77	17.47	12.49	35.54	113.59	239.52
MINOR ARTERL SBTOTAL		355.57	717.61	4.83	18.29	9.09	21.46	13.92	39.75	369.49	757.36
COLLECTOR	DS						.06				
COLLECTOR	3R	115.75	233.18	.58	1.16			.58	1.22	116.33	234.40
COLLECTOR	MO	487.68	977.36			.43	1.21	.43	1.21	488.11	978.57
COLLECTOR SUBTOTAL		603.43	1,210.54	.58	1.16	.43	1.27	1.01	2.43	604.44	1,212.97
UNCLASSIFIED	DS										
UNCLASSIFIED	3R										
UNCLASSIFIED	MO										
UNCLASSIFIED SBTOTAL											
INTERSTATE	DS	80.14	346.61			27.20	203.03	27.20	203.03	107.34	549.64
INTERSTATE	3R										
INTERSTATE	MO										
INTERSTATE SUBTOTAL		80.14	346.61			27.20	203.03	27.20	203.03	107.34	549.64
DISTRICT	DS	305.08	976.02	5.43	19.77	71.73	440.08	77.16	459.85	382.24	1,435.87
DISTRICT	3R	561.09	1,134.56	.69	1.38	12.79	56.24	13.48	57.62	574.57	1,192.18
DISTRICT	MO	588.78	1,181.34	7.73	26.86	14.42	46.14	22.15	73.00	610.93	1,254.34
DISTRICT TOTAL		1,454.95	3,291.92	13.85	48.01	98.94	542.46	112.79	590.47	1,567.74	3,882.39

STATE OF WASHINGTON - DEPARTMENT OF TRANSPORTATION  
 T R I P S S Y S T E M  
 DISTRICT 6 STATE HIGHWAY MILES AND GENERAL PURPOSE LANE MILES  
 BY MAINTENANCE AREA AND SECTION AND SURFACE TYPE

SELECTION: DISTRICT 6  
 MAINLINE, SPURS, COUPLETS, ALTERNATE, REVERSIBLE, GRADE SEPARATED HOV  
 SPECIAL USE LANES: (NON RAMP)-HOV, CLIMBING

MAINTENANCE AREA	SECTION	HIGHWAY MILES OTHER	LANE MILES OTHER	HIGHWAY MILES GRAVEL	LANE MILES GRAVEL	HIGHWAY MILES BITUM	LANE MILES BITUM	HIGHWAY MILES ASPHALT	LANE MILES ASPHALT	HIGHWAY MILES CONCRETE	LANE MILES CONCRETE	TOTAL HIGHWAY MILES	TOTAL LANE MILES
1	01					12.86	25.72	60.25	187.56	19.58	103.57	92.69	316.85
1	02					92.57	197.87	106.52	330.20	15.48	85.06	214.57	613.13
AREA SUBTOTAL						105.43	223.59	166.77	517.76	35.06	188.63	307.26	929.98
2	01					183.04	366.30	60.17	143.77	.98	3.04	244.19	513.11
2	02					130.32	260.64	31.32	64.21	18.32	36.64	179.96	361.49
AREA SUBTOTAL						313.36	626.94	91.49	207.98	19.30	39.68	424.15	874.60
3	01					176.83	353.66	19.62	39.24	.18	.36	196.63	393.26
3	02					102.19	204.38	66.46	321.46	30.23	60.90	198.88	586.74
AREA SUBTOTAL						279.02	558.04	86.08	360.70	30.41	61.26	395.51	980.00
4	01					125.32	250.64	62.59	135.09	.41	.82	188.32	386.55
4	02					226.89	453.78	25.24	50.48	.37	.74	252.50	505.00
AREA SUBTOTAL						352.21	704.42	87.83	185.57	.78	1.56	440.82	891.55
DISTRICT TOTAL						1,050.02	2,112.99	432.17	1,272.01	85.55	291.13	1,567.74	3,676.13

STATE OF WASHINGTON - DEPARTMENT OF TRANSPORTATION  
 T R I P S S Y S T E M  
 DISTRICT 6 STATE HIGHWAY SPECIAL USE LANE/RAMP MILES  
 BY MAINTENANCE AREA AND SECTION AND SURFACE TYPE

SELECTION: DISTRICT 6

ALL RAMPS, COLLECTORS I/D

SPEC USE LN: HOV, CHAIN UP, HOLDING, SLOW VEH, TWO WAY TURN, WEAVING/SPEED CHANGE, BICYCLE, TRANSIT, TRUCK CLIMBING, TURN/ACCEL

MAINTENANCE AREA	SECTION	HIGHWAY MILES OTHER	LANE MILES OTHER	HIGHWAY MILES GRAVEL	LANE MILES GRAVEL	HIGHWAY MILES BITUM	LANE MILES BITUM	HIGHWAY MILES ASPHALT	LANE MILES ASPHALT	HIGHWAY MILES CONCRETE	LANE MILES CONCRETE	TOTAL HIGHWAY MILES	TOTAL LANE MILES
1	01								51.94		12.67		64.61
1	02						2.43		56.77		23.15		82.35
AREA SUBTOTAL							2.43		108.71		35.82		146.96
2	01						.45		12.90		.26		13.61
2	02						.10		5.43		.26		5.79
AREA SUBTOTAL							.55		18.33		.52		19.40
3	01						.18		.80				.98
3	02								27.48		1.46		28.94
AREA SUBTOTAL							.18		28.28		1.46		29.92
4	01						.33		6.86				7.19
4	02						.19		2.60				2.79
AREA SUBTOTAL							.52		9.46				9.98
DISTRICT TOTAL							3.68		164.78		37.80		206.26

T R I P S S Y S T E M

STATE HIGHWAY TOTAL LANE/RAMP MILES

BY MAINTENANCE AREA AND SECTION AND SURFACE TYPE

SELECTION: DISTRICT 6

MAINLINE, SPURS, COUPLETS, ALTERNATE, REVERSIBLE, GRADE SEPARATED HOV, ALL RAMPS, COLLECTORS I/D

SPEC USE LN: HOV, CHAIN UP, HOLDING, SLOW VEH, TWO WAY TURN, WEAVING/SPEED CHANGE, BICYCLE, TRANSIT, TRUCK CLIMBING, TURN/ACCEL

MAINTENANCE AREA SECTION	HIGHWAY MILES	LANE MILES	HIGHWAY MILES	LANE MILES	HIGHWAY MILES	LANE MILES	HIGHWAY MILES	LANE MILES	HIGHWAY MILES	LANE MILES	TOTAL HIGHWAY MILES	TOTAL LANE MILES
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
STATE TOTAL					1,050.02	2,116.67	432.17	1,436.79	85.55	328.93	1,567.74	3,882.39

SR 002 MAINLINE

U.S. ROUTE - USSH

COUNTY LINCOLN

DOT DISTRICT 6

		:DIRECTION TO INVENTORY				-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----																	
		: :LEFT/RIGHT INDICATOR				-BRIDGE	DECREAS/DIV			INCREAS/UNDI			SPC				LEGAL			T	P	S											
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-UXING-	NBR	LFT	RHT		LFT	RHT	USE	TOT																		
							-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S									
							OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T			
207.78	199.71		BEG ROUTE			MAIN ROUTE										4B	24B	4B			24	3	01		R1				R				
			EQUATION			SR 5/EVERETT TO IDAHO																											
			CTLSEC			207.81B=207.78																											
207.79	199.72					CONTROL SECTION 2202										4B	24B	4B			24	3	01		R1		60	R					
207.80	199.73		INTRSECTN	L		MAXWELL RD	CO		N																								
			INTRSECTN	R		CHILDERS RD	CO		N																								
208.11	200.04		MP MARKER	R		208																											
208.86	200.79		INTRSECTN	B		NEILSEN RD	CO		N																								
209.00	200.93		MP MARKER	R		209																											
209.85	201.78		INTRSECTN	B		FOX RD	CO		Y																								
209.98	201.91		ENTER CITY			ALMIRA				1	1					4B	24B	4B			24	3	01	0025	R1		60	R	B				
210.00	201.93		MP MARKER	R		210																											
210.17	202.10		BEG BRIDGE	B		CORBETT DRAW	ST			1	1					\$\$C	26B	\$\$C			26	3	01	0025	R1		60	R	P				
			BRDG NUM			002/502																											
210.19	202.12		END BRIDGE	B		CORBETT DRAW				1	1					4B	24B	4B			24	3	01	0025	R1		60	R	B				
210.32	202.25		INTRSECTN	L		E MAIN ST	CT		Y																								
210.43	202.36		WYE CONN	L		E MAIN ST	CT		Y																								
210.55	202.48		BEG BRIDGE	B		CORBETT DRAW	ST			1	1					\$\$C	24B	\$\$C			24	3	01	0025	R1		60	R	B				
			BRDG NUM			002/503																											
210.57	202.50		END BRIDGE	B		CORBETT DRAW				1	1					4B	24B	4B			24	3	01	0025	R1		60	R	B				
210.58	202.51		LEAVE CITY			ALMIRA				1	1					4B	24B	4B			24	3	01	\$\$\$\$	R1		60	R	\$				
			INTRSECTN	R		KINER RD	CT		N																								
210.99	202.92		MP MARKER	R		211																											
211.04	202.97		INTRSECTN	R		AUGUST E RD	PV		N																								
211.10	203.03		INTRSECTN	R		COUNTRY RD	CO		N																								
211.99	203.92		MP MARKER	R		212																											
212.15	204.08		INTRSECTN	B		CORBETT DRAW RD	CO		N																								
213.00	204.93		MP MARKER	R		213																											
213.27	205.20		INTRSECTN	R		ANDERSEN RD	CO		N																								
214.00	205.93		MP MARKER	R		214																											
214.72	206.65									1	1					4B	22B	4B			22	3	01		R1		60	R					
214.75	206.68									1	1					4B	24B	4B			24	3	01		R1		60	R					
214.76	206.69									1	1					3B	24B	3B			24	3	01		R1		60	R					
214.86	206.79		RR XING	B		NUM 66082T STRUCTURE				1	1					\$\$W	32B	\$\$W			32	3	01		R1		60	R					
			BEG BRIDGE	B		BN RR	ST																										
						BRDG NUM																											
						002/505																											

INTERSECTION DETAIL

-----TURN LANES-----				-----ACCELERATION LANES-----			
L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
LGT	WD	LGT	WD	LGT	WD	LGT	WD

209.85 201.78

.03 11

SR 002 MAINLINE

U.S. ROUTE - USSH COUNTY LINCOLN

DOT DISTRICT 6

		-----WIDTH AND SURFACE INFORMATION-----																							
		:DIRECTION TO INVENTORY					-BRIDGE			DECREAS/DIV			INCREAS/UNDI			SPC		-----CLASSIFICATIONS----							
		: :LEFT/RIGHT INDICATOR					-UXING-			LFT RHT			LFT RHT			USE TOT									
		: :					-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS RDY									
SRMP	B ARM	FEATURE	D LR	DESCRIPTION	OW TC L	D I	W/S W/S W/S	WD/S BR	W/S W/S W/S	WID	WID	A SE	NBR	FC	ST	SPEED	T	P	S						
214.88	206.81	END BRIDGE	B	BN RR		1	1				3B	24B	3B		24	3	01		R1	60	R				
214.99	206.92	MP MARKER	R	215																					
215.58	207.51	INTRSECTN	B	BODEAU RD	CO	N																			
215.99	207.92	MP MARKER	R	216																					
216.73	208.66	INTRSECTN	L	SHEFFELS RD	CO	N																			
		INTRSECTN	R	GOVAN RD	CO	N																			
217.00	208.93	MP MARKER	R	217																					
217.78	209.71	INTRSECTN	L	BANDY RD	CO	N																			
218.00	209.93	MP MARKER	R	218																					
218.83	210.76	INTRSECTN	B	SCHEIBNER RD	CO	N																			
218.98	210.91	INTRSECTN	R	WILBUR AIRPORT RD	CO	N																			
219.00	210.93	MP MARKER	R	219																					
220.00	211.93	MP MARKER	R	220																					
220.02	211.95	INTRSECTN	R	WILBUR AIRPORT RD	CO	N																			
220.33	212.26	INTRSECTN	R	DONNA RD	CO	N																			
220.84	212.77						1	1			3A	24A	3A		24	3	01		R1	60	R				
220.85	212.78	WYE CONN	L	SR 21	ST	Y																			
220.88	212.81	INTRSECTN	L	SR 21	ST	Y	1	1			4B	22B	4B		22	3	01		R1	60	R				
220.90	212.83	WYE CONN	L	SR 21	ST	Y																			
221.00	212.92	EQUATION		220.99 =221.00																					
		MP MARKER	R	221																					
221.19	213.11	ENTER CITY		WILBUR			1	1			4A	22A	4A		22	3	01	1440	R1	30	R P				
221.24	213.16	MISC FEATR	R	SGN ENT WILBUR																					
221.34	213.26	BEG ST	I	MAIN AVE			1	1			4A	22A	4A		22	3	01	1440	R1	30	R P *				
		INTRSECTN	L	PORTLAND ST	CT	Y																			
221.42	213.34	INTRSECTN	L	RICHMOND ST	CT	Y	1	1			6A	22A	6A		22	3	01	1440	R1	30	R P *				
221.48	213.40	INTRSECTN	L	RAYMOND ST	CT	Y	1	1			\$\$C	42A	8A		42	3	01	1440	R1	30	R B *				
221.54	213.46	INTRSECTN	L	WEST ST	CT	Y	1	1			C	73A	\$\$C		73	3	01	1440	R1	30	R B *				
		INTRSECTN	R	SR 21	ST	Y																			
221.60	213.52	INTRSECTN	B	LINCOLN ST	CT	Y																			
221.65	213.57	INTRSECTN	B	ALDER ST	CT	Y																			
221.71	213.63	INTRSECTN	B	BROADWAY ST	CT	Y																			
221.76	213.68	INTRSECTN	B	DIVISION ST	CT	Y																			
221.81	213.73	INTRSECTN	B	KNOX ST	CT	Y																			
221.86	213.78	INTRSECTN	B	ANNE ST	CT	Y																			
221.93	213.85	INTRSECTN	B	BRACE ST	CT	Y	1	1			6A	22A	6A		22	3	01	1440	R1	30	R P *				
221.95	213.87	BEG BRIDGE	B	GOOSE CREEK	ST	1	1				\$\$C	24A	\$\$C		24	3	01	1440	R1	30	R P *				
				BRDG NUM 002/508																					
221.96	213.88	END BRIDGE	B	GOOSE CREEK			1	1			4A	24A	8A		24	3	01	1440	R1	30	R P *				
221.97	213.89	END ST	I	MAIN AVE			1	1			4A	24A	8A		24	3	01	1440	R1	30	R P \$				
		INTRSECTN	R	BELL ST	CT	Y																			
222.05	213.97						1	1			5A	24A	5A		24	3	01	1440	R1	30	R P				
222.21	214.13	LEAVE CITY		WILBUR			1	1			5B	24B	5B		24	3	01	\$\$\$\$	R1	30	R \$				



SR 002 MAINLINE

U.S. ROUTE - USSH COUNTY LINCOLN

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS----														
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC																		
: :LEFT/RIGHT INDICATOR				-UXING-			LFT RHT			LFT RHT			USE		TOT							LEGAL									
: :				-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS		RDY		MTCE		CITY		ST		SPEED		T		P		S		
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
231.16		223.08	INTRSECTN	L		REDWINE CANYON RD	CO		N	1	1						7B	24B	7B		24	3	01		R1		60	R			
232.00		223.92	MP MARKER	R		232																									
232.19		224.11	INTRSECTN	R		CHIPSITE RD	CO		N																						
232.31		224.23	INTRSECTN	L		MILES CRESTON RD	CO		N																						
232.41		224.33	INTRSECTN	R		PVT RD	PV		N																						
232.48		224.40								1	1						4B	24B	4B		24	3	01		R1		60	R			
233.01		224.93	MP MARKER	R		233																									
234.01		225.93	MP MARKER	R		234																									
235.01		226.93	MP MARKER	R		235																									
235.97		227.89	MP MARKER	R		236																									
237.01		228.93	MP MARKER	R		237																									
237.71		229.63	INTRSECTN	B		TELFORD RD	CO		N																						
237.99		229.91	ENT/EXIT	R		REST AREA	ST		Y																						
238.01		229.93	MP MARKER	R		238																									
238.11		230.03	ENT/EXIT	R		REST AREA	ST		Y																						
239.00		230.92	MP MARKER	R		239																									
240.00		231.92	MP MARKER	R		240																									
240.77		232.69								1	1						7B	24B	7B		24	3	01		R1		60	R			
241.00		232.92	MP MARKER	R		241																									
242.00		233.92	MP MARKER	R		242																									
242.15		234.07	INTRSECTN	R		FICTENBERG RD	CO		N																						
242.21		234.13	INTRSECTN	L		SAM KNACK RD	CO		N																						
242.99		234.91	MP MARKER	R		243																									
243.70		235.62	INTRSECTN	R		FICTENBERG RD	CO		N																						
243.99		235.91	MP MARKER	R		244																									
244.47		236.39	INTRSECTN	L		STERETT RD	CO		N																						
244.99		236.91	MP MARKER	R		245																									
245.41		237.33	INTRSECTN	R		ROCKLYN RD	CO		Y																						
245.98		237.90	MP MARKER	R		246																									
246.41		238.33	INTRSECTN	L		SEVEN MILE RD	CO		N																						
246.96		238.88	ENT/EXIT	L		TRANSFER STATION	CO		N																						
247.00		238.92	MP MARKER	R		247																									
247.41		239.33	INTRSECTN	L		FITZPATRICK RD	CO		N																						
247.95		239.87	INTRSECTN	R		MT VIEW CEMETERY RD	CO		N																						
248.01		239.93	MP MARKER	R		248																									
248.98		240.90	MP MARKER	R		249																									

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
238.11		230.03				.03	12				
246.96		238.88						.10	11		



SR 002 MAINLINE

U.S. ROUTE - USSH COUNTY LINCOLN

DOT DISTRICT 6

										-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----														
:DIRECTION TO INVENTORY										-BRIDGE		DECREAS/DIV			INCREAS/UNDI			SPC																
: :LEFT/RIGHT INDICATOR										-UXING-		NBR	LFT	RHT		LFT	RHT	USE	TOT															
: :										-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL		T	P	S					
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T				
249.23		241.15															7B	24B	7B		24	3	01		R1		60	R						
249.49		241.41	INTRSECTN	R		RAMBO RD	CO			N																								
			INTRSECTN	L		LEFFEL RD	CO			N																								
249.73		241.65	INTRSECTN	R		MAIN ST RD	CO			N																								
250.00		241.92	MP MARKER	R		250																												
250.46		242.38	MISC FEATR	R		SGN ENT DAVENPORT																												
250.50		242.42	TRAF RCDR	B		R064 7																												
250.53		242.45	INTRSECTN	L		GUNNING RD	CO			N																								
250.54		242.46	ENTER CITY			DAVENPORT				1	1						7A	24A	10A		24	3	01	0310	R1		30	R	B					
250.64		242.56	BEG ST	I		MORGAN ST				1	1						7A	24A	10A		24	3	01	0310	R1		30	R	B	*				
			INTRSECTN	B		FOURTEENTH ST	CT			Y																								
250.70		242.62	INTRSECTN	B		THIRTEENTH ST	CT			Y	1	1					11A	41A	\$\$C		41	3	01	0310	R1		30	R	B	*				
250.76		242.68	INTRSECTN	R		SR 28	ST	AF		Y	1	1					10A	30A	10A		30	3	01	0310	R1		30	R	B	*				
			INTRSECTN	L		TWELFTH ST	CT	AF		Y																								
250.81		242.73	INTRSECTN	B		ELEVENTH ST	CT			Y	1	1					10A	40A	\$\$C		40	3	01	0310	R1		30	R	B	*				
250.89		242.81	INTRSECTN	B		TENTH ST	CT			Y	1	1					\$\$C	76A	C		76	3	01	0310	R1		30	R	B	*				
250.95		242.87	INTRSECTN	B		NINTH ST	CT			Y																								
251.00		242.92	BEG BRIDGE	B		COTTONWOOD CREEK	ST																											
			BRDG NUM			002/513																												
251.01		242.93	END BRIDGE	B		COTTONWOOD CREEK																												
			INTRSECTN	B		EIGHTH ST	CT			Y																								
251.07		242.99	INTRSECTN	B		SEVENTH ST	CT			Y																								
251.13		243.05	INTRSECTN	B		SIXTH ST	CT			Y																								
251.19		243.11	INTRSECTN	L		FIFTH ST	CT			Y																								
251.21		243.13	INTRSECTN	R		HARKER ST	CT			Y																								
251.23		243.15	INTRSECTN	L		FOURTH ST	CT			Y	1	1					10A	24A	10A		24	3	01	0310	R1		30	R	B	*				
251.37		243.29	INTRSECTN	B		THIRD ST	CT			Y																								
251.43		243.35	END ST	I		MORGAN ST				1	1						10A	24A	10A		24	3	01	0310	R1		30	R	B	\$				
			INTRSECTN	B		SECOND ST	CT			Y																								
251.49		243.41	INTRSECTN	B		FIRST ST	CT			N																								
251.55		243.47	LEAVE CITY			DAVENPORT				1	1						10A	24A	10A		24	3	01	\$\$\$\$	R1		30	R	\$					
			INTRSECTN	L		SR 25	ST			Y																								
251.59		243.51	MISC FEATR	L		SGN ENT DAVENPORT																												
251.65		243.57	BEG BRIDGE	B		COTTONWOOD CREEK	ST																											
			BRDG NUM			002/515C																												
251.66		243.58	END BRIDGE	B		COTTONWOOD CREEK																												

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
250.76		242.68								.03
251.55		243.47	.03	12						

SR 002 MAINLINE U.S. ROUTE - USSH COUNTY LINCOLN DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----																	
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC							LEGAL														
: :LEFT/RIGHT INDICATOR				-UXING-			NBR LFT RHT			LFT RHT			USE TOT							SPEED														
: :				-XROAD-			LNS SHD RDY SHD			MEDIAN-			SHD RDY SHD			LNS RDY							T P S											
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	CITY	ST	NBR	FC	D	IB	R	K	T		
251.81	243.73		RR XING BEG BRIDGE	B		NUM 66023R STRUCTURE				1	1						\$\$C	28P	\$\$C		28	3	01			R1			60	R				
251.86	243.78		END BRIDGE	B		BN RR BRDG NUM 002/516				1	1						10A	24A	10A		24	3	01			R1			60	R				
251.99	243.91		MP MARKER	R		252																												
252.99	244.91		MP MARKER	R		253																												
253.59	245.51		INTRSECTN	B		OEHLWEIN RD				CO	N																							
253.97	245.89		MP MARKER	R		254																												
255.00	246.92		MP MARKER	R		255																												
255.58	247.50		INTRSECTN	R		ZIEMER RD				CO	N																							
			INTRSECTN	L		ZIEMER RD				CO	N																							
256.00	247.92		MP MARKER	R		256																												
256.58	248.50		INTRSECTN	B		JANETT RD				CO	N																							
257.00	248.92		MP MARKER	R		257																												
257.60	249.52		INTRSECTN	B		BENNETT RD				CO	N																							
258.00	249.92		MP MARKER	R		258																												
258.60	250.52		INTRSECTN	L		VIRGIL RD				CO	N																							
259.00	250.92		MP MARKER	R		259																												
260.00	251.92		MP MARKER	R		260																												
260.53	252.45		INTRSECTN	R		ALEXANDER RD				CO	N																							
261.01	252.93		MP MARKER	R		261																												
261.09	253.01		INTRSECTN	L		SPRINKLE RD				CO	Y																							
			INTRSECTN	R		SR 231				ST	Y																							
261.92	253.84		ENT/EXIT	L		WEIGH STATION				ST	Y																							
261.98	253.90		WEIGH STA	L		NUMBER 60																												
262.03	253.95		ENT/EXIT	L		WEIGH STATION				ST	Y																							
262.04	253.96		MP MARKER	R		262																												
262.13	254.05		INTRSECTN	B		SUNSET HWY RD				CO	N																							
262.91	254.83		INTRSECTN	R		SUNSET HWY RD				CO	N																							
			INTRSECTN	L		RIFFE RD				CO	N																							
263.00	254.92		MP MARKER	R		263																												
263.44	255.36		ENTER CITY MISC FEATR	R		REARDAN SGN ENT REARDAN				1	1						10A	24A	10A		24	3	01	1060	R1			30	R	B				
263.45	255.37									1	1						10A	32A	\$\$C		32	3	01	1060	R1			30	R	B				
263.72	255.64		BEG SU LN	C		TWO WAY TURN		12A		1	1						10A	36A	C	12	48	3	01	1060	R1			30	R	B	*			

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----			
		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
		LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
261.09	253.01	.04	12	.05	12				
261.92	253.84	.03	12			.10	12		
262.03	253.95				.05	12			

SR 002 MAINLINE U.S. ROUTE - USSH COUNTY LINCOLN DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----														-----CLASSIFICATIONS-----													
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV			INCRS/UNDI			SPC							LEGAL												
: :LEFT/RIGHT INDICATOR				-UXING-		NBR	LFT	RHT	LFT	RHT	LNS	RDY	SHD	USE	TOT						T P S										
: :				-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S									
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
263.72		255.64	BEG ST	I		BROADWAY AVE				1	1						10A	36A		C	12	48	3	01	1060	R1		30	R	B	*
			INTRSECTN	B		MAPLE ST	CT		Y																						
263.77		255.69	INTRSECTN	B		OAK ST	CT		Y	1	1						\$\$C	59A		C	12	71	3	01	1060	R1		30	R	B	*
263.83		255.75	INTRSECTN	B		LAKE ST	CT		Y																						
263.90		255.82	INTRSECTN	B		LAUREL ST	CT		Y																						
263.97		255.89	INTRSECTN	R		ASPEN ST	CT		Y																						
			INTRSECTN	L		SR 231	ST		Y																						
264.03		255.95	INTRSECTN	B		BIRCH ST	CT		Y																						
264.10		256.02	END SU LN	C		TWO WAY TURN		12A		1	1						7A	48A		C \$\$\$	48	3	01	1060	R1		30	R	B	*	
			INTRSECTN	B		CEDAR ST	CT		Y																						
264.18		256.10	INTRSECTN	B		CENTRAL ST	CT		Y	1	1						7A	24A	7A			24	3	01	1060	R1		30	R	B	*
264.25		256.17	INTRSECTN	B		ELM ST	CT		Y	1	1						7A	24A	10A			24	3	01	1060	R1		30	R	B	*
264.33		256.25	INTRSECTN	R		FERN ST	CT		Y																						
264.39		256.31	END ST	I		BROADWAY AVE				1	1						7A	24A	10A			24	3	01	1060	R1		30	R	B	\$
			INTRSECTN	R		GREEN ST	CT		Y																						
			MISC FEATR	L		SGN ENT REARDAN																									
264.42		256.34	LEAVE CITY			REARDAN				1	1						7A	24A	10A			24	3	01	\$\$\$\$	R1		60	R	\$	
264.43		256.35	INTRSECTN	R		BROMMER RD	CO		N																						
264.44		256.36								1	1						7A	24A	7A			24	3	01		R1		60	R		
264.66		256.58	INTRSECTN	L		BISSON RD	CO		N																						
264.69		256.61	INTRSECTN	R		KRUPKE RD	CO		N																						
264.99		256.91	MP MARKER	R		265																									
265.76		257.68	INTRSECTN	L		TRAMM RD	CO		N																						
			INTRSECTN	R		WAUKON RD	CO		N																						
265.98		257.90	MP MARKER	R		266																									
266.14		258.06	BEG BRIDGE	B		STEVENS CREEK	ST			1	1						\$\$C	36A	\$\$C			36	3	01		R1		60	R		
						BRDG NUM 002/524																									
266.15		258.07	END BRIDGE	B		STEVENS CREEK				1	1						7A	24A	7A			24	3	01		R1		60	R		
266.69		258.61	INTRSECTN	R		ALEXANDER RD	CO		N																						
266.76		258.68	INTRSECTN	L		SPOKANE COUNTY RD	CO		N																						
266.84		258.76	MISC FEATR	L		SGN ENT LINCOLN COUNTY																									
266.85		258.77	INTRSECTN	R		CARSTENS RD	CO		N																						
266.86		258.78	END CTLSEC			CONTROL SECTION 2202																									
			LEAVE CO			LINCOLN																									

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
-----	-----	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
263.72	255.64	.03	12						
264.10	256.02			.03	12				

SR 002 MAINLINE U.S. ROUTE - USSH COUNTY SPOKANE DOT DISTRICT 6

		:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----								
		: :LEFT/RIGHT INDICATOR		-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC										
		: :		-UXING-			LFT RHT			LFT RHT			USE TOT										
SRMP	B ARM	FEATURE	D LR	DESCRIPTION	OW TC L	D I	W/S	W/S	W/S	MEDIAN-	SHD RDY SHD	SHD RDY SHD	SHD RDY SHD	LNS RDY	RDY	MTCE	CITY	ST	SPEED	T	P	S	
									WD/S BR	W/S	W/S	W/S	WID	WID	A SE	NBR	FC	D	IB	R	K	T	
266.86	258.78	ENTER CO BEG CTLSEC		SPOKANE CONTROL SECTION 3206		1 1							7A 24A 7A		24 1 01			R1	60	R			
		MISC FEATR	R	SGN ENT SPOKANE COUNTY																			
266.96	258.88	MP MARKER	R	267																			
267.21	259.13	BEG BRIDGE	B	STEVENS CREEK BRDG NUM 002/601	ST	1 1							\$\$C 36A \$\$C		36 1 01			R1	60	R			
267.22	259.14	END BRIDGE	B	STEVENS CREEK		1 1							7A 24A 7A		24 1 01			R1	60	R			
267.36	259.28	BEG BRIDGE	B	STEVENS CREEK BRDG NUM 002/602	ST	1 1							\$\$C 36A \$\$C		36 1 01			R1	60	R			
267.37	259.29	END BRIDGE	B	STEVENS CREEK		1 1							7A 24A 7A		24 1 01			R1	60	R			
268.01	259.93	MP MARKER	R	268																			
268.07	259.99	INTRSECTN	R	STROUP RD	CO	N																	
		INTRSECTN	L	SUMMER RD	CO	N																	
268.59	260.51	INTRSECTN	R	SUNSET RD	CO	N																	
268.97	260.89	MP MARKER	R	269																			
269.16	261.08	INTRSECTN	B	COULEE-HITE RD	CO	Y																	
269.98	261.90	MP MARKER	R	270																			
270.76	262.68					1 1							8A 24A 8A		24 1 01			R1	60	R			
270.90	262.82	RR XING BEG BRIDGE	B B	NUM 66345E STRUCTURE BN RR BRDG NUM 002/604		1 1							\$\$W 40P \$\$W		40 1 01			R1	60	R			
270.92	262.84	END BRIDGE	B	BN RR		1 1							8A 24A 8A		24 1 01			R1	60	R			
270.99	262.91	MP MARKER	R	271																			
271.02	262.94					1 1							7A 24A 7A		24 1 01			R1	60	R			
271.17	263.09	INTRSECTN	L	WOOD RD	CO	Y																	
		INTRSECTN	R	ESPANOLA RD	CO	Y																	
271.99	263.91	MP MARKER	R	272																			
272.04	263.96	MISC FEATR	R	SGN ENT DEEP CR COMMUNTY																			
272.16	264.08	INTRSECTN	L	RITCHEY RD	CO	N																	
272.23	264.15	INTRSECTN	L	CENTRAL RD	CO	Y																	
272.28	264.20	INTRSECTN	R	RITCHEY RD	CO	N																	
272.36	264.28	MISC FEATR	L	SGN ENT DEEP CR COMMUNTY																			
272.41	264.33	BEG BRIDGE	B	DEEP CREEK BRDG NUM 002/606	ST	1 1							\$\$C 26A \$\$C		26 1 01			R1	60	R			
272.44	264.36	END BRIDGE	B	DEEP CREEK		1 1							7A 24A 7A		24 1 01			R1	60	R			
272.56	264.48	INTRSECTN	L	DEEP CREEK RD	CO	N																	
272.61	264.53	BEG SU LN	R	CLIMBING 11A		1 1							8A 24A 4A 11	35 1 01				R1	60	R			

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----			
		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B ARM	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
271.17	263.09	.04	11	.04	11				

SR 002 MAINLINE

U.S. ROUTE - USSH

COUNTY SPOKANE

DOT DISTRICT 6

		-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----													
		:DIRECTION TO INVENTORY		-BRIDGE			DECREAS/DIV			INCREAS/UNDI			SPC															
		: :LEFT/RIGHT INDICATOR		-UXING-			LFT RHT			LFT RHT			USE TOT															
		: :		-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS RDY															
SRMP	B ARM	FEATURE	D LR	DESCRIPTION	OW	TC	L	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	CITY	ST	SPEED	T	P	S		
272.95	264.87							1	1					8A	24A	4A	11	35	1	01		R1	60	R				
273.00	264.92							1	1					8A	24A	4A	11	35	1	01		R1	55	R				
273.03	264.95	INTRSECTN	L	OLD SUNSET RD	PV		N																					
273.04	264.96	MP MARKER	R	273																								
273.18	265.10	INTRSECTN	B	BROOKS RD	CO		Y																					
273.29	265.21	END SU LN	R	CLIMBING		11A		1	1					8A	24A	4A	\$\$\$	24	1	01		R1	55	R				
273.39	265.31							1	1					8A	24A	8A		24	1	01		R1	55	R				
274.00	265.92	MP MARKER	R	274																								
274.20	266.12	INTRSECTN	L	CHRISTENSEN RD	CO		Y	1	1					8A	24A	8A		24	1	01		R1	55	L				
		INTRSECTN	R	GRAHAM RD	CO		Y																					
275.00	266.92	MP MARKER	R	275				1	1					8A	24A	4A		24	1	01		R1	55	L				
275.10	267.02	UXING	B	BN RR	ST			1	1					8A	24A	4A		24	1	01		U1	55	L				
		RR XING	B	BRDG NUM 002/608																								
275.21	267.13	INTRSECTN	L	NUM 58639U DOVER RD	CO		Y	1	1	8A	12A	30A	UP	\$\$\$	12A	8A		24	1	01		U1	55	L				
275.27	267.19							1	2	8A	12A	30A	UP		24A	8A		36	1	01		U1	55	L				
275.33	267.25	INTRSECTN	R	FAIRCHILD AIR FORCE BASE	MY	SG	Y	1	2	8A	12A	9A	UP		24A	8A		36	1	01		U1	55	L				
275.35	267.27	WYE CONN	R	FAIRCHILD AFB	MY		Y																					
275.66	267.58							1	2	8A	12A	9A	GR		24A	8A		36	1	01		U1	55	L				
275.67	267.59							1	2	8A	12A	9A	UP		24A	8A		36	1	01		U1	55	L				
275.70	267.62							2	2	9A	24A	21A	UP		24A	9A		48	1	01		U1	55	L				
275.75	267.67	BEG SU LN	C	TWO WAY TURN		21A		2	2	\$\$\$	\$\$\$	\$\$\$\$	\$\$	9A	48A	9A	21	69	1	01		U1	55	L				
275.97	267.89	MP MARKER	B	276																								
276.14	268.06	END SU LN	C	TWO WAY TURN		21A		2	2					9A	48A	9A	\$\$\$	48	1	01		U1	55	L				
276.22	268.14	INTRSECTN	B	RAMBO RD	CO		Y																					
276.30	268.22	BEG SU LN	C	TWO WAY TURN		21A		2	2					9A	48A	9A	21	69	1	01		U1	55	L				
276.35	268.27	INTRSECTN	L	VENTURA LN	CO		N																					
276.61	268.53	INTRSECTN	B	FAIRVIEW HEIGHTS RD	CO		N																					
276.76	268.68	ENT/EXIT	L	BUSINESS	PV		Y																					
277.00	268.92	MP MARKER	B	277																								
277.08	269.00							2	2					9A	48A	9A	21	69	1	01		U1	35	L				
277.22	269.14	ENTER CITY		AIRWAY HEIGHTS				2	2					\$\$C	56A	\$\$C	21	77	1	01	0010	U1	35	L	B			

INTERSECTION DETAIL

		-----TURN LANES-----				-----ACCELERATION LANES-----			
		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B ARM	LGT	WD	LGT	WD	LGT	WD	LGT	WD
273.18	265.10	.05	15						
274.20	266.12	.05	15						
275.33	267.25			.04	11				
275.35	267.27							.12	12
276.22	268.14	.03	11					.08	11
276.76	268.68							.07	12

SR 002 MAINLINE

U.S. ROUTE - USSH

COUNTY SPOKANE

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----																											
				:DIRECTION TO INVENTORY				-BRIDGE-		DECREAS/DIV			INCRS/UNDI			SPC		-----CLASSIFICATIONS----													
				: :LEFT/RIGHT INDICATOR				-UXING-		NBR	LFT	RHT		LFT	RHT	USE	TOT														
				: :				-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S					
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
277.22		269.14	INTRSECTN	B		CRAIG RD	CT		Y	2	2						C	56A	C	21	77	1	01	0010	U1		35	L	B		
277.23		269.15	MISC FEATR	R		SGN ENT AIRWAY HEIGHTS																									
277.35		269.27	INTRSECTN	L		LOFFLER ST	CT		Y																						
277.47		269.39	INTRSECTN	L		WEST ST	CT		Y																						
			INTRSECTN	R		ALBERT ST	CT		Y																						
277.60		269.52	INTRSECTN	L		ZIEGLER ST	CT		Y																						
277.63		269.55	MISC FEATR	R		BUS PULLOUT																									
277.65		269.57	MISC FEATR	B		PED XING (FLASHING)																									
277.69		269.61	MISC FEATR	L		BUS PULLOUT																									
277.73		269.65	INTRSECTN	B		LUNDSTROM ST	CT		Y																						
277.80		269.72	MISC FEATR	B		PED XING (FLASHING)																									
277.85		269.77	INTRSECTN	B		KING ST	CT		Y																						
277.89		269.81	MISC FEATR	R		BUS PULLOUT																									
277.92		269.84	END SU LN	C		TWO WAY TURN		21A		2	2						C	70A	C	\$\$\$	70	1	01	0010	U1		35	L	B		
277.93		269.85	MISC FEATR	L		BUS PULLOUT																									
277.98		269.90	INTRSECTN	B		LAWSON ST	CT		SG	Y																					
278.01		269.93	MP MARKER	R		278																									
278.03		269.95	BEG SU LN	C		TWO WAY TURN		14A		2	2						C	56A	C	14	70	1	01	0010	U1		35	L	B		
278.10		270.02	INTRSECTN	B		CAMPBELL ST	CT		Y																						
278.15		270.07	MISC FEATR	B		PED XING (FLASHING)																									
278.21		270.13	INTRSECTN	L		RUSSELL ST	CT		Y	2	2						18A	48A	8A	14	62	1	01	0010	U1		35	L	B		
278.22		270.14	INTRSECTN	R		RUSSELL ST	CT		Y	2	2						18A	48A	8A	14	62	1	01	0010	U1		45	L	B		
278.36		270.28	ENT FROM	L		CENTRE ST	CT		N																						
278.37		270.29	END SU LN	C		TWO WAY TURN		14A		2	2						9A	48A	9A	\$\$\$	48	1	01	0010	U1		45	L	B		
			EXIT TO	L		CENTRE ST	CT		N																						
278.41		270.33	EXIT TO	R		BUSINESS	PV		Y																						
278.43		270.35	ENT FROM	R		BUSINESS	PV		Y																						
278.47		270.39	INTRSECTN	R		GARFIELD RD	CT		SG	Y																					
			INTRSECTN	L		AIRWAY BUSINESS CENTRE	CT		SG	Y																					
278.54		270.46	ENT FROM	R		BUSINESS	PV		Y																						
278.56		270.48	BEG SU LN	C		TWO WAY TURN		14A		2	2						9A	48A	9A	14	62	1	01	0010	U1		45	L	B		
			EXIT TO	R		BUSINESS	PV		Y																						

INTERSECTION DETAIL

		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
			---	---	---	---	---	---	---	---
277.22		269.14			.02	12				
277.98		269.90	.03	14		.03	14			
278.37		270.29							.05	10
278.41		270.33			.05	12				
278.47		270.39	.06	12		.05	12	.06	11	
278.54		270.46			.03	11				

SR 002 MAINLINE

U.S. ROUTE - USSH

COUNTY SPOKANE

DOT DISTRICT 6

			-----WIDTH AND SURFACE INFORMATION-----																																	
			:DIRECTION TO INVENTORY		-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC		-----CLASSIFICATIONS----																				
			: :LEFT/RIGHT INDICATOR		-UXING-			NBR LFT RHT			LFT RHT USE			TOT		LEGAL																				
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	MEDIAN-	SHD	RDY	SHD	W/S	W/S	W/S	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S						
															WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T						
278.57		270.49										2	2										9A	48A	9A	14	62	1	01	0010	U1	45	L	B		
278.62		270.54	INTRSECTN	L		CENTRE ST				CT		N																								
278.72		270.64	INTRSECTN	R		LYONS RD				CT		Y																								
278.98		270.90	INTRSECTN	R		HAYDEN RD				CT		Y																								
278.99		270.91	MP MARKER	B		279																														
279.05		270.97	ENT/EXIT	R		BUSINESS				PV		Y																								
279.07		270.99	END SU LN	C		TWO WAY TURN	14A																													
279.17		271.09	EXIT TO	R		BUSINESS				PV		Y																								
279.19		271.11	ENT FROM	R		BUSINESS				PV		Y																								
279.22		271.14	MISC FEATR	L		SGN ENT AIRWAY HEIGHTS																														
279.23		271.15	INTRSECTN	B		HAYFORD RD				CT	SG	Y																								
279.33		271.25	ENT/EXIT	R		BUSINESS				PV		Y																								
279.36		271.28	BEG SU LN	C		TWO WAY TURN	23A																													
			ENT/EXIT	L		BUSINESS				PV		Y																								
279.47		271.39	ENT/EXIT	L		BUSINESS				PV		Y																								
279.48		271.40	INTRSECTN	R		HAZELWOOD RD				CT		Y																								
279.50		271.42																																		
279.72		271.64	LEAVE CITY			AIRWAY HEIGHTS																														
			ENTER CITY			SPOKANE																														
279.73		271.65	INTRSECTN	R		DEER HEIGHTS RD				CT		Y																								
279.92		271.84	INTRSECTN	R		LUCAS DR				CT		N																								
280.00		271.92	MP MARKER	B		280																														
280.13		272.05	END SU LN	C		TWO WAY TURN	23A																													
280.18		272.10	MISC FEATR	L		BUS PULLOUT																														
280.20		272.12	WYE CONN	R		FLINT RD				CT		Y																								
280.22		272.14	INTRSECTN	B		FLINT RD				CT	SG	Y																								
280.24		272.16	WYE CONN	B		FLINT RD				CT		Y																								

INTERSECTION DETAIL

			-----TURN LANES-----				-----ACCELERATION LANES-----			
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM	LGT	WD	LGT	WD	LGT	WD	LGT	WD
278.62		270.54								
279.05		270.97								
279.23		271.15	.11	24	.01	11				
279.33		271.25			.06	12				
279.36		271.28	.05	12					.05	12
279.47		271.39							.04	12
279.73		271.65			.09	12				
280.20		272.12			.10	12				
280.22		272.14	.06	12			.08	24		
280.24		272.16							.09	12

SR 002 MAINLINE

U.S. ROUTE - USSH

COUNTY SPOKANE

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----																
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCREAS/UNDI			SPC							LEGAL		T	P	S									
: :LEFT/RIGHT INDICATOR				-UXING-			LFT RHT			LFT RHT			USE		TOT							SPEED		T	P	S							
: :				-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS		RDY							D		R	K	T							
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	CITY	ST	NBR	FC	D	IB	R	K	T	
280.27		272.19								2	2						9A	48A	9A		48	1	01	1220	U1		55	L	P				
280.28		272.20	MISC FEATR	R		BUS PULLOUT																											
280.33		272.25	EXIT TO	R		BUSINESS	PV		Y																								
280.37		272.29	BEG SU LN	C		TWO WAY TURN	23A			2	2						9A	48A	9A	23	71	1	01	1220	U1		55	L	P				
280.42		272.34	ENT FROM	R		BUSINESS	PV		Y																								
281.00		272.92	MP MARKER	B		281																											
281.22		273.14	END SU LN	C		TWO WAY TURN	23A			2	2						9A	48A	9A	\$\$\$	48	1	01	1220	U1		55	L	P				
			INTRSECTN	R		SPOTTED RD	CT		Y																								
281.31		273.23	BEG SU LN	C		TWO WAY TURN	22A			2	2						9A	48A	9A	22	70	1	01	1220	U1		55	L	P				
281.44		273.36	CHG SU LN	C		TWO WAY TURN	14A			2	2						9A	48A	9A	14	62	1	01	1220	U1		55	L	P				
281.48		273.40	END SU LN	C		TWO WAY TURN	14A			2	2	8A	24A		14A	UP	\$\$\$	24A	9A	\$\$\$	48	1	01	1220	U1		55	L	P				
281.50		273.42	INTRSECTN	L		RUSSELL RD	CT		Y	2	2	4A	24A		7A	UP		24A	7A		48	1	01	1220	U1		55	R	P				
281.64		273.56	INTRSECTN	L		SUNSET FRONTAGE RD	CT		N																								
281.70		273.62	ON RAMP	L		SUNSET RD	ST		Y																								
281.73		273.65								2	2	5A	24A	4A	21S	DE	4A	24A	9A		48	1	01	1220	U1		55	R	P				
281.75		273.67	OFF RAMP	R		AIRPORT WAY	ST		Y																								
281.85		273.77	MISC FEATR	L		GORE (S128170)																											
281.86		273.78	MISC FEATR	R		GORE (P128175)																											
281.89		273.81								2	2	9A	24A	4A	41S	DE	4A	24A	9A		48	1	01	1220	U1		55	R	P				
282.00		273.92	MP MARKER	B		282																											
282.02		273.94								2	2	9A	24A	4A	41S	BE	4A	24A	9A		48	1	01	1220	U1		55	R	P				
282.03		273.95	BEG BRIDGE I			AIRPORT RD	ST			2	2	\$\$C	38P	\$\$C	41O	\$\$	\$\$C	38P	\$\$C		76	1	01	1220	U1		55	R	P				
			BEG BRIDGE D			BRDG NUM 002/614S																											
			BEG BRIDGE D			AIRPORT RD	ST																										
			BEG BRIDGE D			BRDG NUM 002/614N																											
282.06		273.98	END BRIDGE I			AIRPORT RD				2	2	9A	24A	4A	41S	BE	4A	24A	10A		48	1	01	1220	U1		55	R	P				
			END BRIDGE D			AIRPORT RD																											
282.07		273.99								2	2	9A	24A	4A	41S	DE	4A	24A	10A		48	1	01	1220	U1		55	R	P				
282.15		274.07								2	2	9A	24A	4A	41S	BE	4A	24A	10A		48	1	01	1220	U1		55	R	P				
282.16		274.08	BEG BRIDGE I			E AIRPORT DR	ST			2	2	\$\$C	38P	\$\$C	41O	\$\$	\$\$C	38P	\$\$C		76	1	01	1220	U1		55	R	P				
			BEG BRIDGE D			BRDG NUM 002/615S																											
			BEG BRIDGE D			E AIRPORT DR	ST																										
			BEG BRIDGE D			BRDG NUM 002/615N																											
282.18		274.10	END BRIDGE I			E AIRPORT DR				2	2	9A	24A	4A	41S	BE	4A	24A	9A		48	1	01	1220	U1		55	R	P				
			END BRIDGE D			E AIRPORT DR																											
282.20		274.12								2	2	9A	24A	4A	41S	DE	4A	24A	9A		48	1	01	1220	U1		55	R	P				
282.30		274.22	MISC FEATR	R		GORE (Q128257)																											

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
281.22		273.14				.03	12			.05	12



SR 002 MAINLINE

U.S. ROUTE - USSH

COUNTY SPOKANE

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----													
SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC	TOT		CITY		ST	LEGAL		T	P	S					
				D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	LNS	RDY	MTCE	SE	NBR	FC	D	IB	R	K	T
282.31		274.23					2	2	9A	24A	4A	41S	DE	4A	24A	9A		48	1	01	1220	U1			55	R	P			
282.53		274.45	MISC FEATR	L		GORE (R128265)																								
282.57		274.49	ON RAMP	R		AIRPORT WAY	ST	Y																						
282.64		274.56					2	2	9A	24A	4A	41S	BE	4A	24A	9A		48	1	01	1220	U1			55	R	P			
282.65		274.57	BEG BRIDGE	I		GEIGER BLVD	ST		2	2	\$C	30P	\$C	41O	\$C	\$C	30P	\$C		60	1	01	1220	U1			55	R	P	
						BRDG NUM 002/616S																								
			OFF RAMP	L		AIRPORT WAY	ST	Y																						
			BEG BRIDGE	D		GEIGER BLVD	ST																							
						BRDG NUM 002/616N																								
282.67		274.59	LEAVE CITY			SPOKANE			2	2	C	30P	C	41O		C	30P	C		60	1	01	\$\$\$\$	U1			55	R	\$	
282.68		274.60	END BRIDGE	I		GEIGER BLVD			2	2	9A	24A	4A	41S	BE	4A	24A	10A		48	1	01		U1			55	R		
			END BRIDGE	D		GEIGER BLVD																								
282.69		274.61							2	2	9A	24A	4A	41S	DE	4A	24A	10A		48	1	01		U1			55	R		
282.93		274.85	OFF RAMP	R		SR 90	ST	Y																						
283.00		274.92	MP MARKER	R		283																								
283.01		274.93	ON RAMP	L		SR 90	ST	Y																						
283.05		274.97	MISC FEATR	L		GORE (SR 90 R127825)																								
283.08		275.00	MISC FEATR	R		GORE (SR 90 S127719)			1	2	10A	12A	4A	41S	DE	\$C	30P	\$C		42	1	01		U1			55	R		
283.16		275.08							1	2	10A	12A	4A	41S	BE	C	30P	C		42	1	01		U1			55	R		
283.17		275.09	BEG BRIDGE	I		SR 90	ST		1	2	\$C	20P	\$C	40O	\$C	C	30P	C		50	1	01		U1			55	R		
						BRDG NUM 002/618S																								
			BEG BRIDGE	D		SR 90	ST																							
						BRDG NUM 002/618N																								
283.22		275.14	END BRIDGE	I		SR 90			\$	\$	\$	\$\$\$	\$	\$\$\$\$		\$	\$\$\$	\$		\$\$\$	1	01		U1			55	R		
			END BRIDGE	D		SR 90																								
			BEG COINCI			SR 090																								
			END CTLSEC			CONTROL SECTION 3206																								
286.87		278.73	ENTER CITY			SPOKANE			3							C	42P	C		42	1	02	1220	U1			30	R	P	*
			EQUATION			286.81 =286.87																								
			BEG CTLSEC			CONTROL SECTION 3208																								
			BEG ST	I		DIVISION ST																								
			UXING	I		SR 90	ST																							
						BRDG NUM 090/546																								
			MISC FEATR	D		COUPLET - COBROWNE																								
			END COINCI			SR 090																								
286.89		278.75	ON RAMP	R		SR 90	ST	Y	5							C	60P	C		60	1	02	1220	U1			30	R	P	*
286.93		278.79	INTRSECTN	B		3RD AVE	CT	SG	Y	4						C	62A	C		62	1	02	1220	U1			30	R	P	*
287.00		278.86	INTRSECTN	B		2ND AVE	CT	SG	Y	4						C	62A	C		62	1	02	1220	U1			30	R	B	*
287.04		278.90	INTRSECTN	R		SHORT AVE	CT		Y	3						C	52A	C		52	1	02	1220	U1			30	R	B	*
287.07		278.93	INTRSECTN	B		PACIFIC AVE	CT		Y																					
287.14		279.00	INTRSECTN	R		1ST AVE	CT		Y																					
287.17		279.03	WYE CONN	R		SPRAGUE AVE	CT		Y																					

INTERSECTION DETAIL			-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
-----	-----	-----	LGT	WD	LGT	WD	LGT	WD	LGT	WD
287.17		279.03			.02	12				

SR 002 MAINLINE U.S. ROUTE - USSH COUNTY SPOKANE DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----														
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC							LEGAL											
: :LEFT/RIGHT INDICATOR				-UXING-			LFT RHT			LFT RHT			USE		TOT					SPEED											
: :				-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS		RDY					T P S											
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	CITY	ST	FC	D	IB	R	K	T
287.18		279.04	UXING	I		BN RR	ST			3							C	52A	C		52	1	02	1220	U1		30	R	B	*	
						BRDG NUM 002/641S																									
287.19		279.05	INTRSECTN	B		SPRAGUE AVE	CT	SG	Y	3							C	56A	C		56	1	02	1220	U1		30	R	L	*	
287.20		279.06	WYE CONN	R		SPRAGUE AVE	CT		N																						
287.24		279.10	INTRSECTN	B		RIVERSIDE AVE	CT	SG	Y																						
287.32		279.18	INTRSECTN	B		MAIN AVE	CT	SG	Y	3							C	56A	C		56	1	02	1220	U1		30	R	B	*	
287.39		279.25	WYE CONN	L		SPOKANE FALLS BLVD	CT		Y																						
287.40		279.26	INTRSECTN	R		TRENT AVE	CT	SG	Y	3							C	50A	C		50	1	02	1220	U1		30	R	P	*	
			INTRSECTN	L		SPOKANE FALLS BLVD	CT	SG	Y																						
287.45		279.31	MISC FEATR	D		COUplet - COBROWNE				3	3						C	90A	C		90	1	02	1220	U1		30	R	P	*	
287.47		279.33	INTRSECTN	R		OLIVE AVE	CT		Y	3	3						C	76A	C		76	1	02	1220	U1		30	R	P	*	
287.52		279.38	BEG BRIDGE	B		SPOKANE RIVER	ST			3	3						W	76P	W		76	1	02	1220	U1		30	R	P	*	
						BRDG NUM 002/644																									
287.60		279.46	END BRIDGE	B		SPOKANE RIVER				3	3						C	76A	C		76	1	02	1220	U1		30	R	P	*	
287.64		279.50	MISC FEATR	L		BUS PULLOUT																									
287.66		279.52	END ST	I		DIVISION ST				\$	3						C	40A	C		40	1	02	1220	U1		30	R	P	*	
			BEG ST	I		RUBY ST																									
			INTRSECTN	B		NORTH RIVER DR	CT	SG	Y																						
			INTRSECTN	L		SR 2 CODIVISN (COUplet)	ST	SG	Y																						
			MISC FEATR	D		COUplet - CODIVISN																									
287.70		279.56	TRAF RCDR	I		R102 0																									
287.76		279.62	MISC FEATR	R		BUS PULLOUT																									
287.83		279.69	INTRSECTN	L		CATALDO AVE	CT		Y	4							C	52A	C		52	1	02	1220	U1		30	R	P	*	
287.91		279.77	INTRSECTN	B		DESMET AVE	CT		Y																						
287.98		279.84	INTRSECTN	B		BOONE AVE	CT		Y																						
288.06		279.92	INTRSECTN	B		SHARP AVE	CT	SG	Y																						
288.12		279.98	MISC FEATR	R		BUS PULLOUT																									
288.13		279.99	INTRSECTN	B		SINTO AVE	CT		Y																						
288.21		280.07	INTRSECTN	B		MISSION AVE	CT	SG	Y																						
288.28		280.14	INTRSECTN	B		AUGUSTA AVE	CT		Y																						
288.36		280.22	INTRSECTN	B		NORA AVE	CT		Y																						
288.44		280.30	INTRSECTN	B		INDIANA AVE	CT	SG	Y																						
288.47		280.33	MISC FEATR	R		BUS PULLOUT																									
288.51		280.37	INTRSECTN	B		BALDWIN AVE	CT		Y																						

INTERSECTION DETAIL			-----TURN LANES-----				-----ACCELERATION LANES-----			
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM	LGT	WD	LGT	WD	LGT	WD	LGT	WD
287.19		279.05	.03	12						
287.39		279.25	.03	12						
287.47		279.33			.05	14				
287.66		279.52	.02	12						

SR 002 MAINLINE

U.S. ROUTE - USSH

COUNTY SPOKANE

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS----																		
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCREAS/UNDI			SPC							LEGAL		T P S													
: :LEFT/RIGHT INDICATOR				-UXING-			LFT RHT			LFT RHT			USE		TOT							SPEED		R K T											
: :				-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS		RDY		MTCE		CITY		ST		D		IB		R K T								
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T					
288.59		280.45	INTRSECTN	B		ERMINA AVE	CT		Y	4							C	52A	C	52	1	02	1220	U1	30	R	P	*							
288.66		280.52	INTRSECTN	B		MONTGOMERY AVE	CT		SG	Y																									
288.74		280.60	INTRSECTN	L		CARLISLE AVE	CT		Y																										
288.84		280.70	INTRSECTN	B		JACKSON AVE	CT		Y																										
288.87		280.73	MISC FEATR	R		BUS PULLOUT																													
288.92		280.78								3							C	40A	C	40	1	02	1220	U1	30	R	P	*							
288.97		280.83	INTRSECTN	B		NORTH FOOTHILLS DR	CT		SG	Y																									
289.12		280.98	INTRSECTN	R		CLEVELAND AVE	CT		Y																										
289.16		281.02								3							C	34A	C	34	1	02	1220	U1	30	R	P	*							
289.19B		281.05	BEG EQ			BEGIN BACK																													
289.19		281.09	END ST	I		RUBY ST				3	3	C	34A	11P	CU	\$	34A	C	68	1	02	1220	U1	30	R	P	*								
			EQUATION			289.23B=289.19																													
			BEG ST	I		DIVISION ST																													
			INTRSECTN	B		EUCLID AVE	CT		Y																										
			INTRSECTN	L		SR 2 CODIVISN (COUPLT)	ST		Y																										
			MISC FEATR	D		COUPLT - CODIVISN																													
289.25		281.15	INTRSECTN	R		DALTON AVE	CT		Y																										
289.27		281.17	MISC FEATR	L		BUS PULLOUT																													
289.29		281.19	INTRSECTN	R		LIBERTY AVE	CT		Y																										
			ENT/EXIT	L		BUSINESS	PV		Y																										
289.32		281.22	INTRSECTN	L		GRAY CT	CT		Y																										
289.34		281.24	INTRSECTN	R		BRIDGEPORT AVE	CT		SG	Y																									
289.36		281.26	MISC FEATR	R		BUS PULLOUT																													
289.40		281.30	INTRSECTN	L		COURTLAND AVE	CT		Y																										
289.41		281.31	INTRSECTN	R		COURTLAND AVE	CT		Y																										
289.43		281.33	INTRSECTN	L		GLASS AVE	CT		Y																										
289.44		281.34	INTRSECTN	R		GLASS AVE	CT		Y																										
289.50		281.40	INTRSECTN	B		GORDON AVE	CT		Y																										
289.55		281.45	INTRSECTN	R		KIERNAN AVE	CT		Y																										

INTERSECTION DETAIL			-----TURN LANES-----				-----ACCELERATION LANES-----			
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM	LGT	WD	LGT	WD	LGT	WD	LGT	WD
288.97		280.83			.05	14				
289.19		281.09	.04	11						
289.29		281.19	.04	11						
289.32		281.22	.02	11						
289.34		281.24			.03	11				
289.43		281.33	.02	11						
289.44		281.34			.02	11				
289.50		281.40	.02	11						
289.55		281.45			.03	11				

SR 002 MAINLINE U.S. ROUTE - USSH COUNTY SPOKANE DOT DISTRICT 6

			-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS----															
			:DIRECTION TO INVENTORY		-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC																	
			: :LEFT/RIGHT INDICATOR		-UXING-			LFT RHT			LFT RHT			USE TOT																	
			: :		-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS RDY																	
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	CITY	ST	SPEED	T	P	S		
289.60		281.50								3	3	C	34A		11P	CU	34A		C		68	1	02	1220	U1	30	R	P	*		
289.61		281.51	INTRSECTN	B		PROVIDENCE AVE	CT		Y																						
289.66		281.56	INTRSECTN	L		GARLAND AVE	CT	SG	Y																						
			INTRSECTN	R		EMPIRE AVE	CT	SG	Y																						
289.70		281.60	INTRSECTN	R		GARLAND AVE	CT		Y																						
289.71		281.61	MISC FEATR	L		BUS PULLOUT																									
289.72		281.62	MISC FEATR	R		BUS PULLOUT																									
289.75		281.65	INTRSECTN	R		WALTON AVE	CT		Y																						
289.79		281.69	TRAF RCDR	B		R021 0																									
289.81		281.71	INTRSECTN	B		LACROSSE AVE	CT		Y																						
289.87		281.77	INTRSECTN	R		ROCKWELL AVE	CT		Y																						
289.89		281.79	INTRSECTN	L		ROCKWELL AVE	CT		Y																						
289.92		281.82	INTRSECTN	R		RICH AVE	CT		Y																						
289.96		281.86	INTRSECTN	L		LONGFELLOW AVE	CT		Y																						
289.98		281.88	INTRSECTN	R		LONGFELLOW AVE	CT	SG	Y																						
290.04		281.94	INTRSECTN	R		HEROY AVE	CT		Y																						
			ENT/EXIT	L		SHOPPING CENTER	PV		Y																						
290.08		281.98	INTRSECTN	R		PRINCETON AVE	CT	Y	3	4	C	34A		11P	CU	46A		C		80	1	02	1220	U1	30	R	P	*			
			ENT/EXIT	L		SHOPPING CENTER	PV		Y																						
290.11		282.01								3	4	C	34A		11P	CU	46P		C		80	1	02	1220	U1	30	R	P	*		
290.12		282.02	MISC FEATR	L		BUS PULLOUT																									
290.14		282.04	INTRSECTN	R		HOFFMAN AVE	CT	Y	3	3	C	34A		11P	CU	34P		C		68	1	02	1220	U1	30	R	P	*			
290.17		282.07								3	3	C	34P		11P	CU	34P		C		68	1	02	1220	U1	30	R	P	*		
290.18		282.08	INTRSECTN	B		WELLESLEY AVE	CT	SG	Y																						
290.21		282.11								3	4	C	34P		11P	CU	46A		C		80	1	02	1220	U1	30	R	P	*		
290.28		282.18								3	4	C	34A		11P	CU	46A		C		80	1	02	1220	U1	30	R	P	*		
290.30		282.20	INTRSECTN	L		WABASH AVE	CT		Y																						

INTERSECTION DETAIL

			-----TURN LANES-----				-----ACCELERATION LANES-----			
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM	LGT	WD	LGT	WD	LGT	WD	LGT	WD
289.66		281.56	.05	11						
289.75		281.65			.04	11				
289.81		281.71	.02	11		.03	11			
289.89		281.79	.02	11						
289.96		281.86	.03	11						
289.98		281.88				.02	11			
290.04		281.94	.01	10	.02	12				
290.08		281.98	.03	11						
290.18		282.08	.08	11	.04	12	.08	11		
290.30		282.20	.04	11						

SR 002 MAINLINE

U.S. ROUTE - USSH

COUNTY SPOKANE

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----																													
				:DIRECTION TO INVENTORY		-BRIDGE			DECREAS/DIV			INCREAS/UNDI			SPC		-----CLASSIFICATIONS----																
				: :LEFT/RIGHT INDICATOR		-UXING-			NBR			LFT RHT			LFT RHT		USE		TOT		MTCE		CITY		ST		LEGAL						
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	MEDIAN-	SHD	RDY	SHD	SHD	RDY	SHD	LNS	RDY	MTCE	A	SE	NBR	FC	SPEED	T	P	S	
															WD/S	BR	W/S	W/S	W/S	W/S	W/S	WID	WID										
290.32		282.22								3	4	C	34A		11P	CU				46A	C		80	1	02	1220	U1		30	R	P	*	
290.38		282.28								3	3	C	34A		11P	CU				34A	C		68	1	02	1220	U1		30	R	P	*	
290.43		282.33	INTRSECTN	B		QUEEN AVE	CT	SG	Y																								
290.49		282.39	INTRSECTN	R		CROWN AVE	CT		Y																								
290.56		282.46	INTRSECTN	R		EVERETT AVE	CT		Y																								
290.62		282.52	INTRSECTN	R		SANSON AVE	CT		Y																								
290.65		282.55	MISC FEATR	L		BUS PULLOUT																											
290.68		282.58	INTRSECTN	R		ROWAN AVE	CT	SG	Y																								
290.74		282.64	INTRSECTN	L		NEBRASKA AVE	CT		Y	3	3	C	34A		11P	CU				34A	C		68	1	02	1220	U1		35	R	P	*	
290.80		282.70	INTRSECTN	L		JOSEPH AVE	CT		Y																								
290.82		282.72	MISC FEATR	R		BUS PULLOUT																											
290.88		282.78	INTRSECTN	L		COLUMBIA AVE	CT		Y																								
290.93		282.83	INTRSECTN	B		CENTRAL AVE	CT	SG	Y																								
291.06		282.96	INTRSECTN	B		DALKE AVE	CT		Y																								
291.12		283.02								3	3	C	34A		11P	CU				34P	C		68	1	02	1220	U1		35	R	P	*	
291.15		283.05								3	3	C	34P		11P	CU				34P	C		68	1	02	1220	U1		35	R	P	*	
291.18		283.08	INTRSECTN	R		FRANCIS AVE	CT	SG	Y																								
			INTRSECTN	L		SR 291	ST	SG	Y																								

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
290.43		282.33		.11	11	.05	12	.10	11		
290.56		282.46				.04	11				
290.62		282.52				.02	11				
290.68		282.58				.02	11				
290.74		282.64		.02	11						
290.80		282.70		.02	11						
290.88		282.78		.05	11						
290.93		282.83		.03	11		.04	11			
291.06		282.96		.06	11		.04	11	.02	12	
291.18		283.08		.06	11	.05	12	.06	11	.06	12

SR 002 MAINLINE

U.S. ROUTE - USSH

COUNTY SPOKANE

DOT DISTRICT 6

		-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----															
		:DIRECTION TO INVENTORY		-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC				LEGAL										
		: :LEFT/RIGHT INDICATOR		-UXING-			LFT RHT			LFT RHT			USE		TOT		CITY		ST		SPEED						
		: :		-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS		RDY		MTCE		FC		T P S						
SRMP	B ARM	FEATURE	D LR	DESCRIPTION	OW	TC	L	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T
291.21	283.11							3 3	C	34P		11P	CU	34A	C		68	1	02	1220	U1		35	R	P	*	
291.25	283.15							3 3	\$	\$\$\$		\$\$\$	\$\$	C	80A	C		80	1	02	1220	U1		35	R	P	*
291.27	283.17	BEG SU LN	C	TWO WAY TURN			15A							C	65A	C	15	80	1	02	1220	U1		35	R	P	*
291.30	283.20	END SU LN	C	TWO WAY TURN			15A							C	80A	C	\$\$\$	80	1	02	1220	U1		35	R	P	*
291.31	283.21	INTRSECTN	L	HOUSTON AVE		CT		Y	3	3				C	85A	C		85	1	02	1220	U1		35	R	P	*
291.33	283.23	BEG SU LN	C	TWO WAY TURN			15A							C	70A	C	15	85	1	02	1220	U1		35	R	P	*
291.39	283.29	END SU LN	C	TWO WAY TURN			15A							C	85A	C	\$\$\$	85	1	02	1220	U1		35	R	P	*
291.43	283.33	INTRSECTN	B	LYONS AVE		CT		SG	Y																		
291.47	283.37	BEG SU LN	C	TWO WAY TURN			15A							C	70A	C	15	85	1	02	1220	U1		35	R	P	*
291.53	283.43	INTRSECTN	R	WEDGEWOOD AVE		CT			Y																		
291.55	283.45	INTRSECTN	L	WEDGEWOOD AVE		CT			Y																		
291.57	283.47	END SU LN	C	TWO WAY TURN			15A							C	85A	C	\$\$\$	85	1	02	1220	U1		35	R	P	*
		ENT/EXIT	R	BUSINESS		PV			Y																		
291.60	283.50	BEG SU LN	C	TWO WAY TURN			15A							C	70A	C	15	85	1	02	1220	U1		35	R	P	*
291.67	283.57	END SU LN	C	TWO WAY TURN			15A							C	85A	C	\$\$\$	85	1	02	1220	U1		35	R	P	*
		INTRSECTN	L	RHOADES AVE		CT			Y																		
291.69	283.59	INTRSECTN	R	WEILE AVE		CT			Y																		
291.76	283.66	ENT/EXIT	R	BUSINESS		PV			Y																		
291.86	283.76	INTRSECTN	B	COZZA DR		CT		SG	Y	3	3			C	85A	C		85	1	02	1220	U1		45	R	P	*
291.94	283.84	BEG SU LN	C	TWO WAY TURN			15A							C	70A	C	15	85	1	02	1220	U1		45	R	P	*
292.02	283.92	ENT FROM	L	BUSINESS		PV			Y																		
292.04	283.94	EXIT TO	L	BUSINESS		PV			Y																		
292.12	284.02	END SU LN	C	TWO WAY TURN			15A							C	85A	C	\$\$\$	85	1	02	1220	U1		45	R	P	*
292.17	284.07	INTRSECTN	R	LINCOLN RD		CT		SG	Y																		
		INTRSECTN	L	CASCADE WAY		CT		SG	Y																		
292.24	284.14	BEG SU LN	C	TWO WAY TURN			15A							C	70A	C	15	85	1	02	1220	U1		45	R	P	*
292.56	284.46	END SU LN	C	TWO WAY TURN			15A							C	85A	C	\$\$\$	85	1	02	1220	U1		45	R	P	*
292.67	284.57	INTRSECTN	L	PRICE RD		CT		SG	Y																		
		INTRSECTN	R	MAGNESIUM RD		CT		SG	Y																		

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
		LGT	WD	LGT	WD	LGT	WD	LGT	WD
291.31	283.21	.02	11						
291.43	283.33	.02	11	.04	11				
291.57	283.47			.02	11				
291.69	283.59			.04	11				
291.76	283.66			.02	11				
291.86	283.76	.05	11	.04	11				
292.02	283.92					.02	11		
292.04	283.94							.02	11
292.17	284.07	.04	11	.04	11				
292.67	284.57	.08	11	.04	11				

SR 002 MAINLINE

U.S. ROUTE - USSH

COUNTY SPOKANE

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS----																	
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC							LEGAL														
: :LEFT/RIGHT INDICATOR				-UXING-			LFT RHT			LFT RHT			USE		TOT					SPEED														
: :				-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS		RDY					T P S														
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	CITY	ST	NBR	FC	D	IB	R	K	T		
292.71		284.61										3	3				C	85A	C		85	1	02	1220	U1		45	R	P	*				
292.72		284.62	BEG SU LN	C		TWO WAY TURN				15A		3	3				C	70A	C	15	85	1	02	1220	U1		45	R	P	*				
292.77		284.67	END SU LN	C		TWO WAY TURN				15A		3	3				C	85A	C	\$\$\$	85	1	02	1220	U1		45	R	P	*				
292.80		284.70	EXIT TO	R		BUSINESS																												
292.81		284.71										3	3				C	72A	C		72	1	02	1220	U1		45	R	P	*				
292.82		284.72	ENT FROM	R		BUSINESS																												
292.86		284.76	END ST	I		DIVISION ST						2	2	10A	24A		16A	CU		\$	24A	C		48	1	02	1220	U1		45	R	P	*	
			BEG ST	I		NEWPORT HWY																												
			INTRSECTN	L		SR 395						ST	SG	Y																				
292.94		284.84	EXIT TO	R		BUSINESS						PV	Y																					
292.95		284.85	INTRSECTN	L		COUNTRY HOMES BLVD						CT	Y	2	2	\$\$C	33A		14A	CU		42A	C		75	1	02	1220	U1		45	R	B	*
			ENT FROM	R		BUSINESS						PV	Y																					
293.01		284.91	ENT/EXIT	L		BUSINESS						PV	Y																					
293.05		284.95	ENT/EXIT	R		BUSINESS						PV	Y																					
293.08		284.98	ENT/EXIT	L		BUSINESS						PV	Y																					
293.10		285.00	INTRSECTN	R		HOERNER RD						CT	Y																					
293.21		285.11	WYE CONN	L		HOLLAND AVE						CT	Y																					
293.23		285.13	INTRSECTN	B		HOLLAND AVE						CT	SG	Y																				
293.25		285.15	WYE CONN	R		HOLLAND AVE						CT	Y	2	3	C	33A		14A	CU		42A	C		75	1	02	1220	U1		45	R	B	*
293.36		285.26	WYE CONN	L		WESTVIEW RD						CT	Y																					
293.37		285.27	INTRSECTN	L		WESTVIEW RD						CT	Y																					
293.42		285.32	INTRSECTN	L		BIRCH ST						CT	Y																					
293.44		285.34	ENT/EXIT	R		SHOPPING CENTER						PV	Y																					
293.53		285.43	INTRSECTN	L		GRAVES ST						CT	Y																					

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
292.80		284.70				.04	12				
292.94		284.84				.03	12				
293.01		284.91		.06	12					.03	12
293.05		284.95						.12	12		
293.08		284.98		.02	12						
293.10		285.00				.03	12			.03	12
293.23		285.13		.05	12	.05	12	.09	12		
293.37		285.27		.03	12						
293.44		285.34				.03	12			.05	12
293.53		285.43		.04	12						

SR 002 MAINLINE U.S. ROUTE - USSH COUNTY SPOKANE DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----																											
				:DIRECTION TO INVENTORY		-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC		-----CLASSIFICATIONS----														
				: :LEFT/RIGHT INDICATOR		-UXING-			LFT RHT			LFT RHT			USE TOT		LEGAL														
				: :		-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS RDY		CITY ST														
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	S	
293.57		285.47	ENT/EXIT	B		SHOPPING CENTER	PV	SG	Y	2	3	C	33A		14A	CU		42A	C		75	1	02	1220	U1		45	R	B	*	
293.65		285.55	INTRSECTN	L		ELM ST	CT		Y																						
293.67		285.57	ENT/EXIT	R		SHOPPING CENTER	PV		Y																						
293.75		285.65								2	2	C	33A		14A	CU		42A	C		75	1	02	1220	U1		45	R	B	*	
293.77		285.67	MISC FEATR	L		SGN ENT SPOKANE																									
293.79		285.69	WYE CONN	L		HAWTHORNE RD	CT		Y																						
293.80		285.70	LEAVE CITY			SPOKANE				2	2	C	33A		14A	CU		42A	C		75	1	02	\$\$\$\$	U1		45	R	\$	*	
293.81		285.71	END ST	I		NEWPORT HWY				2	2	C	32A		14A	CU		32A	C		64	1	02		U1		45	R	\$		
			INTRSECTN	B		HAWTHORNE RD	CO	SG	Y																						
293.82		285.72	WYE CONN	R		HAWTHORNE RD	CO		Y																						
293.87		285.77	BEG SU LN	C		TWO WAY TURN		14A		2	2	\$	\$\$\$		\$\$\$\$	\$	C	64A	C	14	78	1	02		U1		45	R			
293.90		285.80	ENT/EXIT	R		SHOPPING CENTER	PV		Y																						
293.94		285.84	INTRSECTN	L		EATON AVE	CO		Y																						
293.96		285.86	MP MARKER	R		294																									
293.99		285.89	END SU LN	C		TWO WAY TURN		14A		2	2						C	78A	C	\$\$\$	78	1	02		U1		45	R			
294.04		285.94	INTRSECTN	L		PVT RD	PV		Y																						
294.08		285.98	ENT/EXIT	R		BUSINESS	PV		Y																						
294.14		286.04								2	2						C	56A	C		56	1	02		U1		45	R			
294.15		286.05	INTRSECTN	R		NEVADA ST	CO	SG	Y	2	2						C	78A	C		78	1	02		U1		45	R			
			INTRSECTN	L		PVT RD	PV	SG	Y																						
294.16		286.06	WYE CONN	R		NEVADA ST	CO		Y																						
294.18		286.08								2	2						C	70A	8A		70	1	02		U1		45	R			
294.30		286.20	INTRSECTN	B		PVT RD	PV		Y																						
294.35		286.25	BEG SU LN	C		TWO WAY TURN		14A		2	2						8A	48A	8A	14	62	1	02		U1		45	R			
294.42		286.32								2	2						8A	48A	8A	14	62	1	02		U1		55	R			
294.59		286.49	END SU LN	C		TWO WAY TURN		14A		2	2						8A	62A	8A	\$\$\$	62	1	02		U1		55	R			
294.63		286.53	INTRSECTN	L		WINCHESTER AVE	CO		Y																						
294.64		286.54	BEG SU LN	C		TWO WAY TURN		14A		2	2						8A	48A	8A	14	62	1	02		U1		55	R			
295.01		286.91	MP MARKER	R		295																									
295.19		287.09	END SU LN	C		TWO WAY TURN		14A		2	2						8A	62A	8A	\$\$\$	62	1	02		U1		55	R			

INTERSECTION DETAIL			-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-	
-----	-----	-----	LGT	WD	LGT	WD	LGT	WD	LGT	WD	
293.57		285.47	.03	12		.04	12				
293.81		285.71	.05	12	.06	12	.03	13			
294.04		285.94	.02	13					.04	12	
294.08		285.98			.02	12					
294.15		286.05	.06	24		.08	25	.08	12		
294.16		286.06								.09	12
294.30		286.20	.03	13		.03	13				
294.63		286.53	.03	14							



SR 002 MAINLINE U.S. ROUTE - USSH COUNTY SPOKANE DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----												
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC																
: :LEFT/RIGHT INDICATOR				-UXING-			LFT RHT			LFT RHT			USE																
: :				-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS																
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	RDY	MTCE	CITY	ST	LEGAL	T	P	S	
295.24		287.14	INTRSECTN	L		PITTSBURG RD	CO		Y	2	2						8A	62A	8A		62	1	02	U1	55	R			
295.25		287.15	BEG SU LN	C		TWO WAY TURN	14A			2	2						8A	48A	8A	14	62	1	02	U1	55	R			
295.55		287.45	END SU LN	C		TWO WAY TURN	14A			2	2						8A	62A	8A	\$\$\$	62	1	02	U1	55	R			
295.62		287.52	WYE CONN	B		FARWELL RD	CO		Y																				
295.64		287.54	INTRSECTN	B		FARWELL RD	CO	SG	Y																				
295.65		287.55	WYE CONN	R		FARWELL RD	CO		Y																				
295.74		287.64								2	2	8A	24A		14A	JE	\$\$\$	24A	8A		48	1	02	U1	55	R			
295.89		287.79	UXING	B		SHADY SLOPE RD	ST			2	2	8A	24A		18A	JE		24A	8A		48	1	02	U1	55	R			
						BRDG NUM 002/649																							
295.92		287.82								2	2	8A	23A		18A	JE		23A	8A		46	1	02	U1	55	R			
295.94		287.84	UXING	B		SR 395 NSC SB	ST																						
						BRDG NUM 395/442W																							
295.96		287.86	UXING	B		SR 395 NSC NB	ST																						
						BRDG NUM 395/442E																							
295.97		287.87	UXING	B		N-N RAMP	ST																						
						BRDG NUM 395/442N-N																							
296.00		287.90	UXING	B		W-S RAMP	ST																						
						BRDG NUM 002/651W-S																							
			MP MARKER	R		296																							
296.07		287.97								2	2	8A	23A		10A	JE		23A	8A		46	1	02	U1	55	R			
296.18		288.08								2	2	8A	24A		10A	JE		23A	8A		47	1	02	U1	55	R			
296.22		288.12	MISC FEATR	R		GORE (Q129681)																							
296.27		288.17	MISC FEATR	L		GORE (R129681)																							
296.39		288.29	BEG BRIDGE	B		DEADMAN CREEK	ST																						
						BRDG NUM 002/652C																							
296.40		288.30	END BRIDGE	B		DEADMAN CREEK																							
296.60		288.50								2	2	8A	23A		10A	JE		23A	8A		46	1	02	U1	55	R			
296.66		288.56								2	2	8A	24A		14A	JE		24A	8A		48	1	02	U1	55	R			
296.81		288.71	OFF RAMP	L		SR 395 NSC SB	ST		Y																				
			ON RAMP	R		SR 395 NSC NB	ST		Y																				
296.91		288.81	BEG SU LN	C		TWO WAY TURN	15A			2	2	\$\$\$	\$\$\$		\$\$\$\$	\$\$	8A	48A	8A	15	63	1	02	U1	55	R			
296.98		288.88	MP MARKER	R		297																							
297.00		288.90	INTRSECTN	L		DEER RD	CO		Y	2	2						\$\$C	67A	\$\$C	15	82	1	02	U1	55	R			
297.13		289.03	END SU LN	C		TWO WAY TURN	15A			2	2						C	82A	C	\$\$\$	82	1	02	U1	55	R			
297.25		289.15	INTRSECTN	R		SR 206	ST	SG	Y																				

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
		LGT	WD	LGT	WD	LGT	WD	LGT	WD
295.24	287.14	.03	14						
295.62	287.52			.11	14				
295.64	287.54	.05	14			.05	14		

SR 002 MAINLINE U.S. ROUTE - USSH COUNTY SPOKANE DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----																														
				:DIRECTION TO INVENTORY		-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC		-----CLASSIFICATIONS----																	
				: :LEFT/RIGHT INDICATOR		-UXING-			LFT RHT			LFT RHT			USE TOT																			
				: :		-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS RDY																			
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	CITY	ST	SPEED	T	P	S					
297.25		289.15	INTRSECTN	L		HIGHLAND RD	CO	SG	Y	2	2						C	82A	C		82	1	02		U1	55	R							
297.36		289.26	BEG SU LN	C		TWO WAY TURN	15A			2	2						C	67A	C	15	82	1	02		U1	55	R							
297.58		289.48	INTRSECTN	R		WALKER AVE	CO		Y																									
297.75		289.65	INTRSECTN	B		LANE PARK RD	CO		Y																									
298.01		289.91	MP MARKER	R		298																												
			INTRSECTN	L		MOODY RD	CO		Y																									
298.05		289.95								2	2						C	57A	10A	15	72	1	02		U1	55	R							
298.17		290.07	END SU LN	C		TWO WAY TURN	15A			2	2						C	72A	10A	\$\$\$	72	1	02		U1	55	R							
298.28		290.18	INTRSECTN	B		DAY-MT SPOKANE RD	CO	SG	Y																									
298.39		290.29	BEG SU LN	C		TWO WAY TURN	15A			2	2						C	57A	10A	15	72	1	02		U1	55	R							
298.42		290.32								2	2						10A	48A	10A	15	63	1	02		U1	55	R							
298.61		290.51	END SU LN	C		TWO WAY TURN	15A			2	2	10A	24A		15A	UP	\$\$\$	24A	10A	\$\$\$	48	1	02		U1	55	R							
298.62		290.52								2	2	10A	24A	4A	20S	DE	4A	24A	10A		48	1	02		U1	55	R							
298.79		290.69	INTRSECTN	R		GREEN BLUFF RD	CO		Y																									
			INTRSECTN	C		MEDIAN XROAD	ST		Y																									
298.90		290.80								2	2	10A	24A	4A	20S	DE	4A	24A	10A		48	1	02		U1	60	R							
298.95		290.85								2	2	10A	24A	4A	60S	DE	4A	24A	10A		48	1	02		U1	60	R							
299.00		290.90	MP MARKER	B		299																												
299.05		290.95	INTRSECTN	C		MEDIAN XROAD	ST		Y																									
			INTRSECTN	B		CARNEY RD	CO		Y																									
299.65		291.55	BEG BRIDGE	B		LITTLE DEEP CREEK	ST																											
						BRDG NUM 002/653C																												
299.66		291.56	END BRIDGE	B		LITTLE DEEP CREEK																												
299.86		291.76	INTRSECTN	C		MEDIAN XROAD	ST		Y																									
			INTRSECTN	B		COLBERT RD	CO		Y																									
300.02		291.92	MP MARKER	B		300																												
300.11		292.01								2	2	10A	24A	4A	60S	GR	4A	24A	10A		48	1	02		R1	60	R							
300.13		292.03	UXING	B		BN RR	ST																											
						BRDG NUM 002/655																												
			RR XING	B		NUM 59080M STRUCTURE																												
300.15		292.05								2	2	10A	24A	4A	60S	DE	4A	24A	10A		48	1	02		R1	60	R							
300.90		292.80	INTRSECTN	B		WOOLARD RD	CO		Y																									
			INTRSECTN	C		MEDIAN XROAD	ST		Y																									

INTERSECTION DETAIL			-----TURN LANES-----				-----ACCELERATION LANES-----				
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-	
SRMP	B	ARM	LGT	WD	LGT	WD	LGT	WD	LGT	WD	
297.25		289.15	.05	12	.02	12				.18	12
298.28		290.18	.06	15							
298.79		290.69			.11	12					
299.05		290.95	.03	12							
299.86		291.76	.09	12	.10	12					
300.90		292.80	.05	12							

SR 002 MAINLINE U.S. ROUTE - USSH COUNTY SPOKANE DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----																
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCREAS/UNDI			SPC																				
: :LEFT/RIGHT INDICATOR				-UXING-			NBR LFT RHT			LFT RHT			USE TOT																				
: :				-XROAD-			LNS SHD RDY SHD			SHD RDY SHD			LNS RDY																				
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	MTCE	CITY	ST	SPEED	T	P	S					
300.91		292.81								2	2	10A	24A	4A	60S	DE	4A	24A	10A		48	1	02		R1			60	R				
301.02		292.92	MP MARKER	B		301																											
301.40		293.30	TRAF RCDR	B		P28 0																											
301.41		293.31	INTRSECTN	L		NORWOOD RD	CO		Y																								
			INTRSECTN	C		MEDIAN XROAD	ST		Y																								
302.00		293.90	MP MARKER	B		302																											
302.30		294.20	INTRSECTN	L		N GLEN DR	CO		Y																								
			INTRSECTN	R		ELK-CHATTAROY RD	CO		Y																								
			INTRSECTN	C		MEDIAN XROAD	ST		Y																								
302.32		294.22	WYE CONN	R		ELK-CHATTAROY RD	CO		Y																								
302.46		294.36	ENT FROM	L		WEIGH STATION	ST		Y																								
302.51		294.41	EXIT TO	R		WEIGH STATION	ST		Y																								
302.57		294.47	WEIGH STA	L		NUMBER 66																											
302.62		294.52	WEIGH STA	R		NUMBER 0																											
302.64		294.54	EXIT TO	L		WEIGH STATION	ST		Y																								
302.89		294.79	ENT FROM	R		WEIGH STATION	ST		Y																								
303.03		294.93	MP MARKER	B		303																											
303.45		295.35	INTRSECTN	B		JIM HILL RD	CO		Y																								
			INTRSECTN	C		MEDIAN XROAD	ST		Y																								
304.00		295.90	MP MARKER	B		304																											
304.42		296.32	MISC FEATR	R		SGN ENT CHATTEROY																											
304.49		296.39	INTRSECTN	B		CHATTAROY RD	CO		Y																								
			INTRSECTN	C		MEDIAN XROAD	ST		Y																								
304.63		296.53	BEG BRIDGE	D		LITTLE SPOKANE RIVER	ST			2	2	\$\$W	31P	\$\$W	60S	BE	4A	24A	10A		55	1	02		R1			60	R				
			BRDG NUM			002/658N																											
304.64		296.54	BEG BRIDGE	I		LITTLE SPOKANE RIVER	ST			2	2	W	31P	W	450	\$\$	\$\$W	38P	\$\$W		69	1	02		R1			60	R				
			BRDG NUM			002/658S																											
304.66		296.56	END BRIDGE	D		LITTLE SPOKANE RIVER				2	2	10A	24A	4A	60S	BE	W	38P	W		62	1	02		R1			60	R				
304.67		296.57	END BRIDGE	I		LITTLE SPOKANE RIVER				2	2	10A	24A	4A	60S	BE	4A	24A	10A		48	1	02		R1			60	R				
304.68		296.58								2	2	10A	24A	4A	60S	DE	4A	24A	10A		48	1	02		R1			60	R				
304.77		296.67	MISC FEATR	L		SGN ENT CHATTAROY																											
304.97		296.87	INTRSECTN	R		RIVER ESTATES RD	CO		Y																								

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----				
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-	
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD	
301.41		293.31		.03	12							
302.30		294.20		.04	12	.21	12	.03	12			
302.46		294.36								.05	12	
302.64		294.54									.02	12
303.45		295.35		.03	12			.03	12			
304.49		296.39		.11	12	.03	12	.12	12			

SR 002 MAINLINE U.S. ROUTE - USSH COUNTY SPOKANE DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----														-----CLASSIFICATIONS-----														
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV			INCREAS/UNDI			SPC																				
: :LEFT/RIGHT INDICATOR				-UXING-		NBR	LFT	RHT		LFT	RHT	USE	TOT																			
: :				-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S										
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T		
304.97	296.87		INTRSECTN	L		SCHLOMER RD	CO	Y	2	2		10A	24A	4A	60S	DE	4A	24A	10A		48	1	02		R1		60	R				
			INTRSECTN	C		MEDIAN XROAD	ST	Y																								
305.02	296.92		MP MARKER	B		305																										
305.50	297.40		INTRSECTN	B		DENISON-CHATTAROY RD	CO	Y																								
			INTRSECTN	C		MEDIAN XROAD	ST	Y																								
305.96	297.86								1	2		10A	12A	4A	30S	DE	4A	24A	10A		36	1	02		R1		60	R				
306.00	297.90		MP MARKER	B		306																										
306.05	297.95								1	2		\$\$\$	\$\$\$	\$\$\$	\$\$\$\$	\$\$	10A	48A	10A		48	1	02		R1		60	R				
306.17	298.07		INTRSECTN	B		WESTWOOD RD	CO	Y																								
306.25	298.15								1	2							10A	36A	10A		36	1	02		R1		60	R				
306.32	298.22								1	1							8A	24A	8A		24	1	02		R1		60	R				
306.51	298.41		INTRSECTN	R		CALISPEL RD	CO	N																								
306.74	298.64		ENT/EXIT	L		BEAR LAKE CO PARK	CO	N																								
307.00	298.90		MP MARKER	R		307																										
307.32	299.22		INTRSECTN	L		FINDLEY RD	CO	N																								
307.99	299.89		INTRSECTN	L		WESTMORELAND RD	CO	N																								
308.00	299.90		MP MARKER	R		308																										
308.23	300.13		INTRSECTN	R		APEX RD	CO	N																								
308.38	300.28		BEG SU LN	R		CLIMBING			1	1							8A	24A	4A	12	36	1	02		R1		60	R				
309.00	300.90		MP MARKER	R		309																										
309.40	301.30		END SU LN	R		CLIMBING			1	1							8A	24A	8A	\$\$\$	24	1	02		R1		60	R				
			INTRSECTN	B		LAUREL RD	CO	N																								
309.60	301.50								1	1							8A	24A	8A		24	1	02		R1		40	R				
309.72	301.62		MISC FEATR	R		SGN ENT RIVERSIDE COMM																										
309.75	301.65		BEG SU LN	C		TWO WAY TURN			1	1							8A	24A	8A	13	37	1	02		R1		40	R				
310.00	301.90		MP MARKER	R		310																										
310.04	301.94								1	1							7A	24A	7A	13	37	1	02		R1		40	R				
310.10	302.00		END SU LN	C		TWO WAY TURN			1	1							7A	24A	7A	\$\$\$	24	1	02		R1		40	R				
310.16	302.06		INTRSECTN	B		DEER PARK-MILAN RD	CO	SG	Y																							
310.22	302.12		BEG SU LN	C		TWO WAY TURN			1	1							7A	24A	7A	13	37	1	02		R1		40	R				
310.35	302.25		END SU LN	C		TWO WAY TURN			1	1							7A	24A	7A	\$\$\$	24	1	02		R1		40	R				

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
304.97	296.87		.04	12		.02	12			
305.50	297.40		.12	12		.12	12		.08	12
306.17	298.07		.05	12	.02	12	.04	12		
306.74	298.64		.03	12						
307.99	299.89		.03	11						
309.40	301.30		.03	12		.03	12			
310.16	302.06		.04	13	.02	12	.03	13	.05	12

SR 002 MAINLINE

U.S. ROUTE - USSH

COUNTY SPOKANE

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----																											
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCREAS/UNDI			SPC		-----CLASSIFICATIONS-----																
: :LEFT/RIGHT INDICATOR				-UXING-			LFT RHT			LFT RHT			USE TOT		LEGAL																
: :				-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS RDY		SPEED																
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	RDY	MTCE	CITY	ST	SPEED	T	P	S			
310.51		302.41	ENT/EXIT	R		MOBILE HOME PARK	PV		Y	1	1						7A	24A	7A		24	1	02		R1		40	R			
310.57		302.47	MISC FEATR	L		SGN ENT RIVERSIDE COMM											7A	24A	7A		24	1	02		R1		60	R			
310.60		302.50															7A	24A	7A		24	1	02		R1		60	R			
310.91		302.81	INTRSECTN	L		BAILEY RD	CO			N																					
310.97		302.87	MP MARKER	R		311																									
311.25		303.15	BEG SU LN	L		CLIMBING		12A									3A	24A	7A	12	36	1	02		R1		60	R			
311.34		303.24	INTRSECTN	L		WEST BRANCH RD	CO			N																					
311.99		303.89	END SU LN	L		CLIMBING		12A									\$\$\$	48A	\$\$\$	\$\$\$	48	1	02		R1		60	R			
			BEG BRIDGE	B		W LITTLE SPOKANE RIVER	ST																								
						BRDG NUM 002/662																									
312.01		303.91	END BRIDGE	B		W LITTLE SPOKANE RIVER											7A	24A	3A		24	1	02		R1		60	R			
			MP MARKER	R		312																									
312.02		303.92	BEG SU LN	R		CLIMBING		12A									7A	24A	3A	12	36	1	02		R1		60	R			
			INTRSECTN	R		ELOIKA RD	CO			N																					
312.06		303.96	INTRSECTN	L		ELOIKA RD	CO			N																					
312.40		304.30	END SU LN	R		CLIMBING		12A									7A	24A	3A	\$\$\$	24	1	02		R1		60	R			
312.67		304.57	BEG SU LN	C		TWO WAY TURN		12A									7A	24A	3A	12	36	1	02		R1		60	R			
			INTRSECTN	L		ELOIKA LAKE RD	CO			Y																					
313.00		304.90	MP MARKER	R		313																									
313.36		305.26	END SU LN	C		TWO WAY TURN		12A									7A	24A	3A	\$\$\$	24	1	02		R1		60	R			
313.42		305.32	INTRSECTN	R		ELK TO HWY RD	CO			AF	Y																				
			INTRSECTN	L		BRIDGES RD	CO			AF	Y																				
313.49		305.39	BEG SU LN	C		TWO WAY TURN		12A									7A	24A	3A	12	36	1	02		R1		60	R			
313.80		305.70															7A	24A	7A	12	36	1	02		R1		60	R			
313.83		305.73	END SU LN	C		TWO WAY TURN		12A									7A	24A	7A	\$\$\$	24	1	02		R1		60	R			
314.00		305.90	MP MARKER	R		314																									
314.42		306.32	INTRSECTN	B		OREGON RD	CO			N																					
314.92		306.82															8A	26A	8A		26	1	02		R1		60	R			
314.94		306.84															8B	26B	8B		26	1	02		R1		60	R			
315.00		306.90	MP MARKER	B		315																									
315.04		306.94										1	2	8B	17B	3B	18S	DE	4B	24B	10B		41	1	02		R1		60	R	
315.25		307.15										1	2	10B	17B	4B	77S	DE	4B	24B	10B		41	1	02		R1		60	R	
315.31		307.21										2	2	10B	24B	4B	77S	DE	4B	24B	10B		48	1	02		R1		60	R	
315.47		307.37	END CTLSEC			CONTROL SECTION 3208																									

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
310.51		302.41				.02	12				
312.67		304.57		.05	12					.07	12
313.42		305.32		.03	12	.03	12	.04	12	.02	12
314.42		306.32		.03	11			.03	11		

SR 002 MAINLINE

U.S. ROUTE - USSH

COUNTY SPOKANE

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----																	
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV			INCRS/UNDI			SPC																				
: :LEFT/RIGHT INDICATOR				-UXING-		NBR	LFT	RHT	LFT	RHT	USE	TOT																				
: :				-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S										
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T		
315.47		307.37	LEAVE CO			SPOKANE						2	2	10B	24B	4B	77S	DE	4B	24B	10B			48	1	02			R1		60	R

SR 002 MAINLINE U.S. ROUTE - USSH COUNTY PEND OREILLE DOT DISTRICT 6

		-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----															
		:DIRECTION TO INVENTORY		-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC														
		: :LEFT/RIGHT INDICATOR		-UXING-			NBR LFT RHT			LFT RHT			USE TOT														
		: :		-XROAD-			LNS SHD RDY SHD			MEDIAN-			SHD RDY SHD			LNS RDY											
SRMP	B ARM	FEATURE	D LR	DESCRIPTION	OW	TC	L	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	CITY	ST	SPEED	T	P	S	
315.47	307.37	ENTER CO BEG CTLSEC		PEND OREILLE CONTROL SECTION 2601				2 2	10B	24B	4B	78S	DE	4B	24B	10B		48	1	02		R1	60	R			
315.71	307.61	INTRSECTN INTRSECTN	R C	ALLEN RD MEDIAN XROAD	CO ST		Y Y																				
316.00	307.90	MP MARKER	B	316																							
316.45	308.35	INTRSECTN INTRSECTN INTRSECTN	L R C	NICHOLSON RD KIRKPATRICK RD MEDIAN XROAD	CO CO ST		Y Y Y																				
316.76	308.66							2 2	10B	24B	4B	180S	DE	4B	24B	10B		48	1	02		R1	60	R			
317.00	308.90	MED XING	C	OFFICIAL																							
317.01	308.91	MP MARKER	B	317																							
317.38	309.28							2 2	10B	24B	4B	42S	DE	4B	24B	10B		48	1	02		R1	60	R			
317.66	309.56	INTRSECTN INTRSECTN	L C	FERTILE VALLEY RD MEDIAN XROAD	CO ST		Y Y																				
317.99	309.89	MP MARKER	B	318																							
318.19	310.09	ENT/EXIT INTRSECTN	L C	PEND OREILLE COUNTY PARK MEDIAN XROAD	CO ST		Y Y																				
319.00	310.90	MP MARKER	B	319																							
319.79	311.69							2 2	10B	24B	4B	160S	DE	4B	24B	10B		48	1	02		R1	60	R			
319.91	311.81	ENT/EXIT INTRSECTN	L C	MERICAL TRAIL (GATED) MEDIAN XROAD	CO ST		Y Y																				
319.97	311.87	MP MARKER	B	320																							
320.03	311.93							2 2	10B	24B	4B	42S	DE	4B	24B	10B		48	1	02		R1	60	R			
320.96	312.86	MP MARKER	B	321																							
321.03	312.93	INTRSECTN INTRSECTN	L C	DIAMOND-CARLTON RD MEDIAN XROAD	CO ST		N N																				
321.24	313.14	WYE CONN	L	SR 211	ST		Y																				
321.29	313.19	INTRSECTN INTRSECTN	L C	SR 211 MEDIAN XROAD	ST ST		Y Y																				
321.39	313.29							2 1	10B	24B	4B	42S	DE	4B	14B	10B		38	1	02		R1	60	R			
321.47	313.37							1 1	10B	14B	4B	42S	DE	4B	14B	10B		28	1	02		R1	60	R			
321.66	313.49	EQUATION		321.59 =321.66				1 1	\$\$\$	\$\$\$	\$\$\$	\$\$\$\$	\$\$	10B	28B	10B		28	1	02		R1	60	R			
321.76	313.59							1 1						8B	24B	8B		24	1	02		R1	60	R			
321.83	313.66							1 1						8A	24A	8A		24	1	02		R1	60	R			
321.99	313.82	MP MARKER	R	322																							
322.67	314.50	INTRSECTN	L	NORTHSHORE DIAMOND LK RD	CO		Y																				

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
		LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
321.24	313.14					.07	14		
321.29	313.19	.02	10						
322.67	314.50	.03	12						

SR 002 MAINLINE U.S. ROUTE - USSH COUNTY PEND OREILLE DOT DISTRICT 6

			-----WIDTH AND SURFACE INFORMATION-----																								
SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC	-----CLASSIFICATIONS----											
				D	LR	DESCRIPTION	OW	TC	L	NBR	LFT	RHT	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P
323.00	314.83	MP MARKER	R		323																						
323.13	314.96	INTRSECTN	R		SCOTIA RD	CO		Y																			
324.00	315.83	MP MARKER	R		324																						
324.30	316.13	INTRSECTN	R		CLEARVIEW CT	PV		N																			
324.43	316.26	INTRSECTN	R		CAMDEN RD	CO		N																			
324.87	316.70	BEG SU LN	C		TWO WAY TURN		12A																				
		INTRSECTN	L		LAKESIDE DR	CO		N																			
324.90	316.73	MISC FEATR	R		SGN ENT DIAMOND LAKE																						
324.94	316.77	INTRSECTN	L		LAKESIDE DR	CO		N																			
325.00	316.83	MP MARKER	R		325																						
325.52	317.35	INTRSECTN	L		ELU BEACH RD	CO		Y																			
325.63	317.46	INTRSECTN	L		SOUTH SHORE RD	CO		Y																			
325.70	317.53	MISC FEATR	L		SGN ENT DIAMOND LAKE																						
326.00	317.83	MP MARKER	R		326																						
326.23	318.06	END SU LN	C		TWO WAY TURN		12A																				
326.33	318.16	INTRSECTN	R		GREEN RD	CO		Y																			
		INTRSECTN	L		FARRS LN	CO		Y																			
326.99	318.82	MP MARKER	R		327																						
327.29	319.12	INTRSECTN	L		DIAMOND DR	CO		N																			
327.98	319.81	INTRSECTN	L		COYOTE TRAIL RD	CO		Y																			
328.00	319.83	MP MARKER	R		328																						
328.19	320.02	INTRSECTN	R		TELEPHONE RD	CO		N																			
328.60	320.43	INTRSECTN	L		SOUTH SHORE RD	CO		Y																			
329.00	320.83	MP MARKER	R		329																						
330.00	321.83	MP MARKER	R		330																						
330.23	322.06	INTRSECTN	B		GRAY RD	CO		N																			
331.00	322.83	MP MARKER	R		331																						
331.22	323.05	INTRSECTN	R		SCOTIA RD E	CO		Y																			
332.00	323.83	MP MARKER	R		332																						
332.50	324.33																										
332.76	324.59	ENTER CITY			NEWPORT																						
		INTRSECTN	L		CEMETERY RD	CO		Y																			
332.80	324.63	MISC FEATR	R		SGN ENT NEWPORT																						

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
		LGT	WD	LGT	WD	LGT	WD	LGT	WD
324.43	316.26			.02	12				
324.87	316.70	.03	12						
326.33	318.16	.04	12	.02	12				
327.98	319.81	.03	12						
331.22	323.05			.03	12				



SR 002 MAINLINE U.S. ROUTE - USSH COUNTY PEND OREILLE DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----									
SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC	TOT		CITY		ST	LEGAL		T	P	S	
				D	LR	DESCRIPTION	-UXING-	NBR	LFT	RHT	LFT	RHT	LNS	RDY	SHD	LNS	RDY	SHD	USE	RDY	MTCE	NBR				FC
332.81		324.64																								
332.98		324.81	INTRSECTN	L		7TH ST	CT	N																		
332.99		324.82	MP MARKER	R		333																				
333.30		325.13																								
333.45		325.28	INTRSECTN	L		CALISPEL AVE	CT	Y																		
333.52		325.35	INTRSECTN	L		FEA AVE	CT	Y																		
333.59		325.42	INTRSECTN	L		CASS AVE	CT	Y 1 1																		
333.66		325.49	INTRSECTN	L		SCOTT AVE	CT	Y																		
333.74		325.57	INTRSECTN	L		WARREN AVE	CT	Y																		
333.77		325.60	INTRSECTN	L		5TH ST	CT	Y																		
333.82		325.65	INTRSECTN	L		SPOKANE AVE	CT	Y 1 1																		
333.88		325.71																								
333.89		325.72	BEG ST	I		4TH ST																				
			INTRSECTN	L		4TH ST	CT	Y																		
			INTRSECTN	L		SR 2 CONEWPRT (COUPLT)	ST	Y																		
			MISC FEATR	D		COUPLT - CONEWPRT																				
333.90		325.73	BEG SU LN	R		BICYCLE																				
333.91		325.74	WYE CONN	L		SR 2 CONEWPRT	ST	Y																		
333.96		325.79	END ST	I		4TH ST																				
			BEG ST	I		UNION AVE																				
			INTRSECTN	R		UNION AVE	CT	Y																		
334.04		325.87	INTRSECTN	L		3RD ST	CT	Y																		
334.11		325.94	INTRSECTN	B		2ND ST	CT	Y																		
334.18		326.01	INTRSECTN	L		1ST ST	CT	Y																		
334.24		326.07	END SU LN	R		BICYCLE																				
			INTRSECTN	B		PINE ST	CT	Y																		
334.31		326.14	INTRSECTN	L		SPRUCE ST	CT	Y																		
334.37		326.20	WYE CONN	L		SR 2 CONEWPRT	ST	Y																		
334.38		326.21	END ST	I		UNION AVE																				
			BEG ST	I		WALNUT ST																				
			INTRSECTN	L		SR 2 CONEWPRT (COUPLT)	ST	Y																		
			MISC FEATR	D		COUPLT - CONEWPRT																				
334.39		326.22	RR XING	B		NUM 399590D GRADE																				
334.40		326.23	BEG SU LN	C		TWO WAY TURN																				
334.45		326.28	INTRSECTN	L		NEWPORT AVE	CT	Y																		

INTERSECTION DETAIL			-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B	ARM	L	R	L	R	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
333.45		325.28	.03	12						
333.96		325.79			.02	10				.03 10
334.37		326.20	.05	14						

SR 002 MAINLINE

U.S. ROUTE - USSH

COUNTY PEND OREILLE

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----														
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC																
: :LEFT/RIGHT INDICATOR				-UXING-			NBR LFT RHT			LFT RHT			USE TOT																
: :				-XROAD-			LNS SHD RDY SHD			MEDIAN-			SHD RDY SHD			LNS RDY													
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	MTCE	CITY	ST	LEGAL	T	P	S	
334.46		326.29										2	2				C	50A	C	10	60	1	02	0860	R1	25	R	B	*
334.47		326.30	END SU LN	C		TWO WAY TURN						2	2				C	60A	C	\$\$\$	60	1	02	0860	R1	25	R	B	*
334.50		326.33	MISC FEATR	R		SGN ENT OLD TOWN																							
334.51		326.34	END ST	I		WALNUT ST																							
			INTRSECTN	L		N STATE AVE						CT	SG	Y															
			INTRSECTN	R		SR 41						ST	SG	Y															
			MISC FEATR	I		IDAHO HWY 2 AHEAD																							
			END CTLSEC			CONTROL SECTION 2601																							
			END ROUTE																										

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
				LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
334.51		326.34		.03	12						



SR 002 COUplet DIVISN U.S. ROUTE - USSH COUNTY SPOKANE DOT DISTRICT 6

		-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----													
		:DIRECTION TO INVENTORY		-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC												
		: :LEFT/RIGHT INDICATOR		-UXING-			LFT RHT			LFT RHT			USE TOT												
		: :		-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS RDY												
SRMP	B ARM	FEATURE	D LR	DESCRIPTION	OW	TC	L	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	MTCE	CITY	ST	SPEED	T	P	S
289.19	0.00	BEG ROUTE		DIVISN				3						C 36A	C		36	1	02	1220	U1	30	L	P	*
		ENTER CITY		SR 2/EUCLID AVE TO SR 2																					
		BEG CTLSEC		SPOKANE																					
		BEG ST	I	DIVISION ST																					
		INTRSECTN	R	EUCLID AVE			CT	Y																	
		INTRSECTN	L	SR 2			ST	Y																	
289.20	0.01	TRAF RCDR	I	R103 0																					
289.32	0.13	INTRSECTN	R	WAVERLY PL			CT	Y																	
289.35	0.16							3						C 44A	C		44	1	02	1220	U1	30	L	P	*
289.36	0.17	INTRSECTN	R	CLEVELAND AVE			CT	Y																	
289.37	0.18							4						C 60A	C		60	1	02	1220	U1	30	L	P	*
289.43	0.24	INTRSECTN	R	BUCKEYE AVE			CT	SG	Y																
		INTRSECTN	L	NORTH FOOTHILLS DR			CT	SG	Y																
289.52	0.33	INTRSECTN	R	YORK AVE			CT	Y																	
289.53	0.34	MISC FEATR	R	BUS PULLOUT																					
289.56	0.37	INTRSECTN	L	JACKSON AVE			CT	Y																	
289.59	0.40	INTRSECTN	R	JACKSON AVE			CT	Y																	
289.67	0.48	INTRSECTN	B	CARLISLE AVE			CT	Y																	
289.72	0.53	INTRSECTN	R	MONTGOMERY AVE			CT	Y																	
289.74	0.55	INTRSECTN	L	MONTGOMERY AVE			CT	SG	Y																
289.79	0.60	INTRSECTN	R	MANSFIELD AVE			CT	Y																	
289.82	0.63	INTRSECTN	L	ERMINA AVE			CT	Y																	
289.85	0.66	INTRSECTN	R	KNOX AVE			CT	Y																	
289.89	0.70	INTRSECTN	L	BALDWIN AVE			CT	Y																	
289.91	0.72	INTRSECTN	R	SHANNON AVE			CT	Y																	
289.97	0.78	INTRSECTN	B	INDIANA AVE			CT	SG	Y																
290.01	0.82	MISC FEATR	R	BUS PULLOUT																					
290.04	0.85	INTRSECTN	B	NORA AVE			CT	Y																	
290.12	0.93	INTRSECTN	B	AUGUSTA AVE			CT	Y																	
290.19	1.00	INTRSECTN	B	MISSION AVE			CT	SG	Y																
290.27	1.08	INTRSECTN	B	SINTO AVE			CT	Y																	
290.34	1.15	INTRSECTN	B	SHARP AVE			CT	SG	Y																
290.42	1.23	INTRSECTN	L	BOONE AVE			CT	Y																	
290.45	1.26	INTRSECTN	R	BOONE AVE			CT	Y																	
290.46	1.27	MISC FEATR	R	BUS PULLOUT																					
290.50	1.31	INTRSECTN	L	DESMET AVE			CT	Y																	
290.58	1.39	INTRSECTN	B	CATALDO AVE			CT	Y																	
290.66	1.47							3						C 44A	C		44	1	02	1220	U1	30	L	P	*
290.70	1.51	WYE CONN	R	NORTH RIVER DR			CT	Y																	

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
				LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
290.70	1.51				.04	14					

STATE OF WASHINGTON - DEPARTMENT OF TRANSPORTATION  
 T R I P S S Y S T E M  
 STATE HIGHWAY LOG

SR 002 COUPLET  
 DIVISN

U.S. ROUTE - USSH COUNTY SPOKANE

DOT DISTRICT 6

		:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS----																			
		: :LEFT/RIGHT INDICATOR		-BRIDGE	DECREAS/DIV			INCRS/UNDI			SPC					LEGAL																		
		:		-UXING-	NBR	LFT	RHT	LFT	RHT	USE	TOT	MTCE	CITY	ST	SPEED		T	P	S															
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	MEDIAN-	SHD	RDY	SHD	W/S	W/S	W/S	LNS	RDY	WID	WID	A	SE	NBR	FC	D	IB	R	K	T
290.72	1.53		END ST	I		DIVISION ST					3				C 44A	C						44	1	02	1220	U1				30	L	P	*	
			INTRSECTN	L		SR 2 N BND	ST		Y																									
			INTRSECTN	B		NORTH RIVER DR	CT		Y																									
			END CTLSEC			CONTROL SECTION 3208																												
			END SECTN			DIVISN																												

INTERSECTION DETAIL

-----TURN LANES-----				-----ACCELERATION LANES-----			
L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
290.72	1.53	.04	11				



SR 020 MAINLINE

STATE ROUTE - SRSH

COUNTY FERRY

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS----																
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV			INCREAS/UNDI			SPC																				
: :LEFT/RIGHT INDICATOR				-UXING-		NBR	LFT	RHT	LFT	RHT	USE	TOT																				
: :				-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S										
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T		
297.23		296.61	BEG ROUTE			MAIN ROUTE				1	1						4B	22B	4B			22	4	02		R2			60	R		
			BEG CTLSEC			SR 101 TO SR 2/NEWPORT																										
			MISC FEATR	R		CONTROL SECTION 1003																										
						SGN ENT FERRY COUNTY																										
297.37		296.75								1	1						4B	24B	4B			24	4	02		R2			60	R		
297.40		296.78								1	1						4B	24B	4B			24	4	02		R2			55	R		
297.45		296.83	INTRSECTN	L		GRANITE CREEK RD	CO		N																							
297.64		297.02	INTRSECTN	L		TIMBERLAND DR	CO		N																							
297.90		297.28	INTRSECTN	R		SAGE RD	CO		N																							
298.00		297.38	MP MARKER	R		298																										
298.59		297.97								1	1						4B	24B	4B			24	4	02		R2			55	M		
298.99		298.37	MP MARKER	R		299																										
299.72		299.10	INTRSECTN	L		TROUT CREEK RD	CO		N																							
			INTRSECTN	R		SWAN LAKE RD	CO		N																							
299.99		299.37	MP MARKER	R		300																										
300.17		299.55	INTRSECTN	L		MARIAH LN	CO		N																							
300.58		299.96	INTRSECTN	L		FLAG HILL RD	CO		N																							
300.99		300.37	MP MARKER	R		301																										
301.01		300.39	INTRSECTN	R		LILLY CREEK RD	CO		N																							
301.43		300.81	INTRSECTN	L		FLAG HILL RD E	CO		N																							
301.72		301.10	ENTER CITY			REPUBLIC				1	1						4B	24B	4B			24	4	02	1075	R2			55	M P		
301.86		301.24	MISC FEATR	R		SGN ENT REPUBLIC																										
301.92		301.30	BEG ST	I		6TH ST				1	1						4B	24B	4B			24	4	02	1075	R2			55	R P *		
301.94		301.32	INTRSECTN	R		NEWTON ST	CT		N																							
301.98		301.36	INTRSECTN	R		KAUFFMAN ST	CT		N	1	1						4B	24B	4B			24	4	02	1075	R2			25	R P *		
301.99		301.37	MP MARKER	L		302				1	1						\$\$\$	45A	\$\$\$			45	4	02	1075	R2			25	R P *		
			INTRSECTN	L		KAUFFMAN ST	CT		Y																							
302.03		301.41	INTRSECTN	B		KEAN ST	CT		Y																							
302.08		301.46	END ST	I		6TH ST				1	1						C	50A	C			50	4	02	1075	R2			25	R B *		
			BEG ST	I		CLARK AVE																										
			INTRSECTN	L		CLARK AVE	CT		RF	Y																						
			INTRSECTN	R		6TH ST	CT		RF	Y																						
302.15		301.53	INTRSECTN	L		7TH ST	CT		Y																							
302.22		301.60	INTRSECTN	B		8TH ST	CT		Y																							
302.29		301.67	INTRSECTN	B		9TH ST	CT		Y																							
302.35		301.73	INTRSECTN	B		10TH ST	CT		Y	1	1						2A	22A	2A			22	4	02	1075	R2			25	R P *		
302.53		301.91	INTRSECTN	B		13TH ST	CT		N																							
302.56		301.94	BEG BRIDGE	B		OLD BN RR	ST			1	1						\$\$\$	26A	\$\$\$			26	4	02	1075	R2			25	R P *		
						BRDG NUM 020/703																										
302.60		301.98	END BRIDGE	B		OLD BN RR				1	1						4A	22A	4A			22	4	02	1075	R2			25	R P *		
302.64		302.02	WYE CONN	R		SR 21	ST		Y																							
302.65		302.03	INTRSECTN	R		SR 21	ST		Y																							
			INTRSECTN	L		CLARK AVE S	CT		Y																							

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----				
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-	
				LGT	WD	LGT	WD	LGT	WD	LGT	WD	
				----	----	----	----	----	----	----	----	
302.65		302.03		.01	13							
						.04	12					

SR 020 MAINLINE

STATE ROUTE - SRSH

COUNTY FERRY

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----																					
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-BRIDGE		DECREAS/DIV		INCRS/UNDI	SPC																								
				:DIRECTION TO INVENTORY		-UXING-		NBR	LFT	RHT		LFT	RHT	USE	TOT																					
				: :LEFT/RIGHT INDICATOR		-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S												
				: :		OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T							
302.66		302.04							1	1																										
302.70		302.08							1	1																										
302.85		302.23	INTRSECTN	R		HESSIE BLVD	CT	Y																												
302.86		302.24	INTRSECTN	L		HESSIE BLVD	CT	N																												
302.87		302.25	MISC FEATR	B		PED XING																														
302.99		302.37	MP MARKER	R		303																														
303.05		302.43	ENT/EXIT	R		HIGH SCHOOL	PV	N																												
303.33		302.71	MISC FEATR	L		SGN ENT REPUBLIC																														
303.34		302.72	LEAVE CITY			REPUBLIC			1	1																										
			END ST	I		CLARK AVE																														
303.47		302.85							1	1																										
304.00		303.38	MP MARKER	R		304			1	1																										
304.60		303.98	TRAF RCDR	B		S820 7																														
304.79		304.17	INTRSECTN	R		FAIRGROUND RD	CO	N																												
304.99		304.37	INTRSECTN	R		FAIRGROUND RD	CO	N	1	1																										
305.00		304.38	MP MARKER	R		305																														
305.10		304.48							1	1																										
305.24		304.59	EQUATION			305.21 =305.24			1	1																										
			INTRSECTN	L		SR 21	ST	Y																												
305.30		304.65	INTRSECTN	L		SMITH DR	CO	N																												
305.48		304.83							1	1																										
305.63		304.98	INTRSECTN	R		CREAMERY RD	CO	N																												
305.99		305.34	MP MARKER	R		306																														
306.25		305.60	INTRSECTN	L		HADLEY RD	CO	N																												
306.56		305.91							1	1																										
307.03		306.38	MP MARKER	R		307																														
307.77		307.12	INTRSECTN	L		YENTER RD	CO	N																												
308.02		307.37	MP MARKER	R		308																														
308.94		308.29	BEG SU LN	L		CHAIN UP	12A		1	1																										
308.96		308.31	BEG SU LN	R		CHAIN UP	12A		1	1																										
308.99		308.34	MP MARKER	R		309																														
309.02		308.37	END SU LN	L		CHAIN UP	12A		1	1																										
309.08		308.43	END SU LN	R		CHAIN UP	12A		1	1																										
309.33		308.68	BEG BRIDGE	B		O'BRIEN CREEK	ST		1	1																										
						BRDG NUM 020/710																														
309.34		308.69	END BRIDGE	B		O'BRIEN CREEK			1	1																										
309.60		308.95	INTRSECTN	R		HALL CREEK RD	CO	N																												

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----							
SRMP	B	ARM		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-				
				LGT	WD	LGT	WD	LGT	WD	LGT	WD				
305.24		304.59		.03	12							.06	12		









SR 020 MAINLINE

STATE ROUTE - SRSH

COUNTY STEVENS

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS-----																
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC																			
: :LEFT/RIGHT INDICATOR				-UXING-			LFT RHT			LFT RHT			USE																			
: :				-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS																			
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	RDY	MTCE	CITY	ST	SPEED	T	P	S				
342.36	341.71		ENTER CO			STEVENS																										
354.33	353.68		ENTER CITY			COLVILLE				1	1																					
			BEG CTLSEC			CONTROL SECTION 3334																										
			BEG ST	I		3RD ST																										
			INTRSECTN	B		SR 395																										
			END COINCI			SR 395																										
						MP229.64																										
354.40	353.75		INTRSECTN	B		OAK ST																										
354.47	353.82		INTRSECTN	B		ELM ST																										
354.53	353.88		INTRSECTN	B		MAPLE ST																										
354.60	353.95		INTRSECTN	B		WALNUT ST																										
354.65	354.00		INTRSECTN	B		CEDAR ST																										
354.74	354.09		INTRSECTN	B		HOFFSTETTER ST																										
354.87	354.22		INTRSECTN	R		ALDER ST																										
354.95	354.30																															
354.97	354.32		INTRSECTN	R		PINE AVE																										
			INTRSECTN	L		MADISON ST																										
354.98	354.33		MISC FEATR	L		SGN ENT COLVILLE																										
355.00	354.35																															
355.01	354.36		BEG SU LN	C		TWO WAY TURN																										
355.12	354.47		LEAVE CITY			COLVILLE																										
355.13	354.48																															
355.28	354.63		END SU LN	C		TWO WAY TURN																										
			INTRSECTN	R		SILKE RD																										
355.34	354.69		BEG SU LN	C		TWO WAY TURN																										
355.42	354.77		END SU LN	C		TWO WAY TURN																										
355.44	354.79		BEG SU LN	C		TWO WAY TURN																										
			INTRSECTN	L		ALADDIN RD																										
355.45	354.80		END ST	I		3RD ST																										
			ENTER CITY			COLVILLE																										
355.53	354.88		INTRSECTN	L		LAUNDRY RD																										
355.56	354.91		END SU LN	C		TWO WAY TURN																										
			ENT/EXIT	R		COLVILLE AIRPORT																										
355.60	354.95		BEG SU LN	C		TWO WAY TURN																										

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
				LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
354.33	353.68					.03	12				
354.97	354.32			.03	11	.03	11				
355.28	354.63					.03	11				
355.44	354.79			.03	11						
355.56	354.91					.03	11				

SR 020 MAINLINE STATE ROUTE - SRSH COUNTY STEVENS DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----																
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC							LEGAL		T	P	S									
: :LEFT/RIGHT INDICATOR				-UXING-			LFT RHT			LFT RHT			USE		TOT							SPEED		R	K	T							
: :				-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS		RDY		MTCE		CITY		ST	D		IB	R	K	T						
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T			
355.61		354.96															5A	41A	C	11	52	4	01	0250	R2			35	R	P			
355.67		355.02															3A	41A	8A	11	52	4	01	0250	R2			35	R	P			
355.68		355.03	END SU LN	C		TWO WAY TURN									11A		3A	24A	8A	\$\$\$	24	4	01	0250	R2			35	R	P			
			ENT/EXIT	R		COLVILLE HIGH SCHOOL	CT		Y																								
355.79		355.14	INTRSECTN	L		DEGRIEF RD	CT		Y	1	1						4A	22A	4A		22	4	01	0250	R2			35	R	P			
			INTRSECTN	R		EVERGREEN RD	CT		Y																								
355.83		355.18															4B	22B	4B		22	4	01	0250	R2			35	R	P			
355.86		355.21	LEAVE CITY			COLVILLE											4B	22B	4B		22	4	01	\$\$\$\$	R2			35	R	\$			
355.95		355.30															4B	22B	4B		22	4	01		R2			55	R				
356.95		356.30															4B	22B	18B		22	4	01		R2			55	R				
357.00		356.35	MP MARKER	R		357																											
			INTRSECTN	L		KNAPP RD	CO		N																								
357.07		356.42								1	1						4B	22B	4B		22	4	01		R2			55	R				
357.76		357.11	INTRSECTN	L		DOMINION VIEW RD	CO		N																								
357.97		357.32	MP MARKER	R		358																											
358.02		357.37	INTRSECTN	R		TIGER DRIVE RD	CO		N																								
358.21		357.56	INTRSECTN	L		PROUTY CORNER LOOP RD	CO		N																								
358.55		357.90	INTRSECTN	R		TIGER DRIVE RD	CO		N																								
358.69		358.04	INTRSECTN	L		MUMAU RD	CO		N																								
358.96		358.31	MP MARKER	R		359																											
359.13		358.48	INTRSECTN	R		DOLOMITE RD	CO		N																								
359.29		358.64	INTRSECTN	R		GRAHAM RD	CO		N																								
359.43		358.78	INTRSECTN	L		GARVEY RD	CO		N																								
359.94		359.29	MP MARKER	R		360																											
360.21		359.56	INTRSECTN	R		ARTMAN-GIBSON RD	CO		N																								
360.94		360.29	MP MARKER	R		361																											
361.66		361.01	INTRSECTN	L		HARDENBROOK RD	CO		N																								
362.00		361.35	MP MARKER	R		362																											
363.06		362.41	MP MARKER	R		363																											
363.11		362.46	INTRSECTN	L		DEUBEL RD	CO		N																								
363.61		362.86	EQUATION			363.51 =363.61				1	1						3B	24B	3B		24	4	01		R2			55	R				
			INTRSECTN	R		KITT-NARCISSE RD	CO		N																								
363.90		363.15	INTRSECTN	L		SEIGEL HILL RD	CO		N																								
364.00		363.25	MP MARKER	R		364																											
364.28		363.53	INTRSECTN	R		BIBLE RD	CO		N																								
364.87		364.12	INTRSECTN	R		STARVATION LAKE RD	CO		N																								
365.00		364.25	MP MARKER	R		365																											

INTERSECTION DETAIL			-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
355.68		355.03		.10	.12	.04	.12			



SR 020 MAINLINE

STATE ROUTE - SRSH

COUNTY STEVENS

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----																
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV			INCRS/UNDI			SPC																			
: :LEFT/RIGHT INDICATOR				-UXING-		NBR	LFT	RHT	LFT	RHT	USE	TOT																			
: :				-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S									
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
383.12		382.37	LEAVE CO			STEVENS						1	1				4B	22B	4B			22	4	01				R2		55	R







SR 020 MAINLINE STATE ROUTE - SRSH COUNTY PEND OREILLE DOT DISTRICT 6

			-----WIDTH AND SURFACE INFORMATION-----																-----CLASSIFICATIONS----																
			:DIRECTION TO INVENTORY		-BRIDGE		DECREAS/DIV			INCRS/UNDI			SPC							LEGAL		T	P	S											
			: :LEFT/RIGHT INDICATOR		-UXING-		NBR		LFT	RHT		LFT	RHT		USE	TOT						SPEED	T	P	S										
			: :		-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-		SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S											
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T					
417.02		416.27									1	1					2B	22B	2B		22	4	01		R2										
417.69		416.94	INTRSECTN	B		CORDES RD	CO		N																										
418.00		417.25	MP MARKER	R		418																													
418.45		417.70	INTRSECTN	R		KAPPS LN	CO		N																										
418.53		417.78	INTRSECTN	L		CAMAS FLAT RD	CO		N																										
418.63		417.88	INTRSECTN	L		TULE RD	CO		N																										
418.73		417.98									1	1					2B	22B	2B		22	4	01		R2										
418.87		418.12									1	1					6B	24B	6B		24	4	01		R2										
418.89		418.14	INTRSECTN	R		CUSICK MEADOW RD	CO		N																										
418.93		418.18	BEG BRIDGE	B		CALISPELL CREEK BRDG NUM 020/918	ST			1	1						\$\$W	38B	\$\$W		38	4	01		R2										
418.98		418.23	END BRIDGE	B		CALISPELL CREEK ENTER CITY				1	1						6B	24B	6B		24	4	01	0300	R2										
418.99		418.24	MP MARKER	R		419																													
419.01		418.26	INTRSECTN	L		MONUMENTAL WAY	CT		Y																										
419.02		418.27	INTRSECTN	L		WINCHESTER ST	CT		Y																										
419.02		418.27	LEAVE CITY			CUSICK				1	1						2B	22B	2B		22	4	01	\$\$\$\$	R2									\$	
419.18		418.43								1	1						2B	22B	2B		22	4	01		R2										
419.64		418.89	BEG BRIDGE	B		CATTLE PASS BRDG NUM 020/919.25	ST																												
419.65		418.90	END BRIDGE	B		CATTLE PASS																													
419.90		419.15	MP MARKER	R		419 9																													
420.79		420.04	INTRSECTN	R		BAUER RD	CO		N																										
420.99		420.24	MP MARKER	R		421																													
421.09		420.34	INTRSECTN	R		MCKENZIE RD	CO		N																										
421.09		420.34	INTRSECTN	L		5TH ST	CO		N																										
421.42		420.64	EQUATION			421.39 =421.42				1	1						4B	22B	4B		22	4	01		R2										
421.42		420.64	INTRSECTN	L		TRIANGLE RD	CO		N																										
421.44		420.66								1	1						4B	22B	4B		22	1	02		R2										
421.48		420.70	INTRSECTN	R		SR 211	ST		N																										
421.99		421.21	MP MARKER	R		422																													
422.19		421.41	INTRSECTN	L		SANITARY FILL RD	CO		N																										
422.78		422.00	ENT/EXIT	L		PONDERAY NEWSPRINT CO	PV		Y																										
423.00		422.22	MP MARKER	R		423																													
423.31		422.53	INTRSECTN	R		JARED RD	CO		N																										
423.54		422.76	INTRSECTN	L		BLACK RD	CO		N																										

INTERSECTION DETAIL			-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
-----	-----	-----	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
-----	-----	-----	---	---	---	---	---	---	---	---
421.48		420.70		.03	12					
422.78		422.00	.03	12		.03	12			



SR 020 MAINLINE

STATE ROUTE - SRSH

COUNTY PEND OREILLE

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----																		
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV			INCREAS/UNDI			SPC																					
: :LEFT/RIGHT INDICATOR				-UXING-		NBR	LFT	RHT	LFT	RHT	USE	TOT																					
: :				-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL														
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	S			
436.67		435.89															4B	22B	4B			22	1	02	0860	R2			25	R	B		
436.75		435.97															4B	22B	6B			22	1	02	0860	R2			25	R	B		
436.77		435.99	INTRSECTN	B		WARREN AVE	CT		Y																								
436.78		436.00	BEG ST	I		WALNUT ST				1	1						2B	28B	4B			28	1	02	0860	R2			25	R	P	*	
436.84		436.06	INTRSECTN	B		SPOKANE AVE	CT		Y	1	1						\$\$C	40B	\$\$C			40	1	02	0860	R2			25	R	P	*	
436.91		436.13	END ST	I		WALNUT ST																											
			INTRSECTN	L		WASHINGTON AVE	CT		SS	Y																							
			INTRSECTN	B		SR 2 CONEWPRT (COUPLT)	ST		SS	Y																							
			END CTLSEC			CONTROL SECTION 2631																											
			END ROUTE																														

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
436.91		436.13				.05	14				



















SR 021 MAINLINE

STATE ROUTE - SRSH

COUNTY LINCOLN

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----																	
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC							LEGAL		T	P	S										
: :LEFT/RIGHT INDICATOR				-UXING-			LFT RHT			LFT RHT			USE		TOT							SPEED		R	K	T								
: :				-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS		RDY		MTCE	CITY	ST	FC		D	IB	R	K	T								
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T				
91.38	91.33		BEG ST	I		BRUCE AVE SW				1	1						1B	20B	1B			20	3	01	1440	R3		30	R	P	*			
			INTRSECTN	R		PRINCE ST	CT		N																									
91.63	91.58		RR XING	B		NUM 66076P GRADE																												
91.66	91.61		END ST	I		BRUCE AVE SW				1	1						1A	20A	1A			20	3	01	1440	R3		30	R	P	*			
			BEG ST	I		WEST ST SW																												
			INTRSECTN	R		FRONT AVE SW	CT		Y																									
91.72	91.67		BEG BRIDGE	B		GOOSE CREEK	ST			1	1						\$\$C	26P	\$\$C			26	3	01	1440	R3		30	R	P	*			
			BRDG NUM 021/229																															
91.73	91.68		END BRIDGE	B		GOOSE CREEK				1	1						1A	20A	1A			20	3	01	1440	R3		30	R	P	*			
91.78	91.73		LEAVE CITY			WILBUR				\$	\$						\$\$\$	\$\$\$	\$\$\$			\$\$\$	\$	\$\$	\$\$\$\$	\$\$		\$\$	\$	\$	\$			
			END ST	I		WEST ST SW																												
			BEG COINCI			SR 002																												
			END CTLSEC			CONTROL SECTION 2231																												
			INTRSECTN	B		SR 2	ST	SS	Y																									
92.43	92.38		BEG CTLSEC			CONTROL SECTION 2208				1	1						5B	25B	8B			25	3	01		R3		60	R					
			INTRSECTN	B		SR 2	ST	SS	Y																									
			END COINCI			SR 002																												
			MP220.88																															
92.45	92.40		WYE CONN	B		SR 2	ST	Y	1	1							4B	24B	4B			24	3	01		R3		60	R					
92.57	92.52		INTRSECTN	R		COLE ST RD	CO		N																									
92.58	92.53		WYE CONN	R		COLE ST RD	CO		N																									
92.95	92.90		INTRSECTN	L		SR 174	ST	SS	N	1	1						4B	22B	5B			22	3	01		R3		55	R					
93.00	92.95		MP MARKER	R		93																												
93.09	93.04		INTRSECTN	B		WILLIAMS RD	CO		N																									
94.00	93.95		MP MARKER	R		94																												
94.11	94.06		INTRSECTN	B		ALDERSON RD	CO		N																									
94.88	94.83									1	1						2B	22B	2B			22	3	01		R3		55	R					
95.00	94.95		MP MARKER	R		95																												
95.55	95.50		INTRSECTN	L		JURGENSEN RD	CO		N																									
96.00	95.95		MP MARKER	R		96																												
97.00	96.95		MP MARKER	R		97																												
97.14	97.09		INTRSECTN	B		KRAUSE RD	CO		N																									
98.01	97.96		MP MARKER	R		98																												
98.92	98.87		INTRSECTN	R		EFTER RD	CO		N																									
98.99	98.94		MP MARKER	R		99																												
99.24	99.19									1	1						2B	22B	2B			22	3	01		R3		30	R					
99.38	99.33									1	1						2B	22B	2B			22	3	01		R3		30	M					
100.00	99.95		MP MARKER	R		100																												

INTERSECTION DETAIL

-----TURN LANES-----				-----ACCELERATION LANES-----								
L NEAR		R NEAR		L FAR		R FAR		LEFT--	L-CNTR	R-CNTR	RIGHT-	
SRMP	B	ARM	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
92.95	92.90				.02	11						











SR 021 MAINLINE STATE ROUTE - SRSH COUNTY FERRY DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----																		
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC																				
: :LEFT/RIGHT INDICATOR				-UXING-			LFT RHT			LFT RHT			USE TOT																				
: :				-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS RDY																				
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	CITY	ST	SPEED	T	P	S				
153.27		153.22				BRDG NUM 021/324.25				1	1						2B	22B	2B			22	4	02		R3		55	R				
153.28		153.23	END BRIDGE	B		SCATTER CREEK																											
153.31		153.26								1	1						1B	21B	1B			21	4	02		R3		55	R				
153.36		153.31	INTRSECTN	L		SCATTER CREEK RD	CO		N																								
154.02		153.97	MP MARKER	R		154																											
154.55		154.50	INTRSECTN	R		MCMANN CREEK RD	CO		N																								
155.00		154.95	MP MARKER	R		155																											
155.06		155.01	BEG BRIDGE	B		GOLDEN HARVEST CREEK	ST																										
						BRDG NUM 021/325.25																											
155.07		155.02	END BRIDGE	B		GOLDEN HARVEST CREEK																											
156.00		155.95	MP MARKER	R		156																											
156.36		156.31								1	1						6B	21B	6B			21	4	02		R3		55	R				
157.00		156.95	MP MARKER	R		157																											
157.81		157.76								1	1						2B	21B	2B			21	4	02		R3		55	R				
158.00		157.95	MP MARKER	R		158																											
158.32		158.27	INTRSECTN	R		ADAMS RD	CO		N																								
159.00		158.95	MP MARKER	R		159																											
159.01		158.96	ENT/EXIT	L		D.O.T. MAINTENANCE SHOP	ST		N	1	1						1B	21B	1B			21	4	02		R3		55	R				
159.55		159.50	INTRSECTN	L		PENDRY RD	CO		N																								
159.61		159.56	BEG BRIDGE	B		GRANITE CREEK	ST			1	1						\$\$C	31B	\$\$C			31	4	02		R3		55	R				
						BRDG NUM 021/326																											
159.62		159.57	END BRIDGE	B		GRANITE CREEK				1	1						2B	21B	2B			21	4	02		R3		55	R				
159.68		159.63	INTRSECTN	R		HESSIE BLVD	CO		N																								
159.88		159.83	MISC FEATR	R		SGN ENT REPUBLIC																											
159.89		159.84	ENTER CITY			REPUBLIC				1	1						2B	21B	2B			21	4	02	1075	R3		55	R	P			
160.00		159.95	MP MARKER	R		160																											
160.06		160.01								1	1						3B	22B	3B			22	4	02	1075	R3		35	R	P			
160.07		160.02	INTRSECTN	L		15TH ST	CT		N																								
160.09		160.04	WYE CONN	L		SR 20	ST		Y																								
160.10		160.05	LEAVE CITY			REPUBLIC				\$	\$						\$\$\$	\$\$\$	\$\$\$			\$\$\$	\$	\$\$	\$\$\$\$	\$\$		\$\$	\$	\$			
			BEG COINCI			SR 020																											
			END CTLSEC			CONTROL SECTION 1001																											
			INTRSECTN	B		SR 20	ST		Y																								
162.66		162.61	BEG CTLSEC			CONTROL SECTION 1030				1	1						3A	22A	3A			22	4	02		R3		55	R				
			INTRSECTN	B		SR 20	ST	SS	Y																								
			END COINCI			SR 020																											
						MP305.24																											
162.68		162.63	INTRSECTN	R		SMITH DR	CO		N																								
162.73		162.68								1	1						3B	22B	3B			22	4	02		R3		55	R				
162.81		162.76	INTRSECTN	L		PINE GROVE ST	CO		N																								
162.98		162.93	INTRSECTN	R		SMITH DR	CO		N																								
163.02		162.97	MP MARKER	R		163																											
163.53		163.48	INTRSECTN	R		OLD KETTLE FALLS RD	CO		Y																								

INTERSECTION DETAIL			-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
-----	-----	-----	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
163.53		163.48				.04	12			

SR 021 MAINLINE

STATE ROUTE - SRSR

COUNTY FERRY

DOT DISTRICT 6

		:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----																						
		: :LEFT/RIGHT INDICATOR		-BRIDGE	DECREAS/DIV			INCREAS/UNDI			SPC																										
		: :		-UXING-	NBR	LFT	RHT		LFT	RHT	USE	TOT																									
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	MEDIAN-	SHD	RDY	SHD	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S							
												WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T										
163.56		163.51																																			
163.75		163.70																																			
163.93		163.88	INTRSECTN	L		LUMBERMILL RD	CO			Y																											
164.02		163.97	MP MARKER	R		164																															
164.20		164.15																																			
165.02		164.97	MP MARKER	R		165																															
165.33		165.28	BEG BRIDGE	B		SAN POIL RIVER BRDG NUM 021/331	ST				1	1																									
165.34		165.29	END BRIDGE	B		SAN POIL RIVER					1	1																									
165.37		165.32	INTRSECTN	R		FISH HATCHERY RD	CO			N																											
			INTRSECTN	L		W CURLEW LAKE RD	CO			N																											
166.00		165.95	MP MARKER	R		166																															
166.42		166.37	INTRSECTN	L		W HERRON CREEK RD	CO			N																											
166.69		166.64	INTRSECTN	R		HERRON CREEK RD	CO			N																											
167.00		166.95	MP MARKER	R		167																															
167.05		167.00	INTRSECTN	L		CURLEW DR	CO			N																											
167.78		167.73	INTRSECTN	L		AIRPORT RD	CO			N																											
168.00		167.95	MP MARKER	R		168																															
168.40		168.35	INTRSECTN	R		WOLF CREEK RD	CO			Y																											
168.57		168.52	INTRSECTN	R		WOLF CAMP RD	CO			N																											
168.58		168.53																																			
168.62		168.57	ENT/EXIT	L		CURLEW LAKE STATE PARK	ST			N																											
168.68		168.63	INTRSECTN	L		OSPNEY LN	PV			N																											
169.00		168.95	MP MARKER	R		169																															
169.39		169.34	INTRSECTN	L		DOLLAR BAR BEACH RD	CO			N																											
169.77		169.72	INTRSECTN	L		PINE POINT RD	CO			N																											
170.00		169.95	MP MARKER	R		170																															
170.53		170.48	INTRSECTN	L		KIWANIS RD	CO			N																											
171.00		170.95	MP MARKER	R		171																															
171.66		171.61	INTRSECTN	R		LAMBERT CREEK RD	CO			N																											
172.00		171.95	MP MARKER	R		172																															
172.18		172.13	BEG BRIDGE	B		LAMBERT CREEK BRDG NUM 021/332.25	ST																														
172.19		172.14	END BRIDGE	B		LAMBERT CREEK																															
172.27		172.22	INTRSECTN	L		W CURLEW LAKE RD	CO			N																											
172.83		172.78	BEG BRIDGE	B		CURLEW CREEK BRDG NUM 021/333	ST				1	1																									

INTERSECTION DETAIL

		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
163.93		163.88	.03	11						



































SR 025 MAINLINE

STATE ROUTE - SRSH

COUNTY STEVENS

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS----								
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-BRIDGE		DECREAS/DIV		INCRS/UNDI	SPC	TOT				LEGAL	T	P	S				
				:DIRECTION TO INVENTORY			-UXING-	NBR	LFT	RHT	LFT	RHT	USE		MTCE	CITY	ST	SPEED						
				: :LEFT/RIGHT INDICATOR			-XROAD-	LNS	SHD	RDY	SHD	SHD	RDY	RDY	A	SE	NBR	FC	D	IB	R	K	T	
				: :			OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID			
77.08		77.08	ENT/EXIT	L		BRADBURY BEACH	PV	N	1	1				2B	24B	2B		24	4	02		R2	55	R
77.14		77.14	INTRSECTN	R		SILVER QUEEN RD	CO	N																
77.98		77.98	MP MARKER	L		78																		
78.39		78.39	BEG BRIDGE	B		COLVILLE RIVER	ST		1	1				\$\$C	24B	\$\$C		24	4	02		R2	55	R
			BRDG NUM			025/112																		
78.42		78.42	END BRIDGE	B		COLVILLE RIVER			1	1				2B	24B	2B		24	4	02		R2	55	R
78.99		78.99	MP MARKER	R		79																		
79.44		79.44	INTRSECTN	R		GUN CLUB RD	PV	N																
79.58		79.58	INTRSECTN	L		SANITARY LANDFILL RD	CO	N																
79.96		79.96	INTRSECTN	R		HILLCREST LOOP RD	CO	N																
80.00		80.00	MP MARKER	R		80																		
80.07		80.07	INTRSECTN	R		HILLCREST LOOP RD	CO	N																
80.25		80.25	INTRSECTN	L		SERENE DR	CO	N																
80.54		80.54	INTRSECTN	B		OLD KETTLE RD	CO	N																
81.00		81.00	MP MARKER	R		81																		
81.03		81.03	UXING	B		BN RR	ST																	
			RR XING	B		BRDG NUM 025/114																		
			NUM 59319X			STRUCTURE																		
81.04		81.04	WYE CONN	L		SR 395	ST	Y	1	1				7A	31A	7A		31	4	02		R2	55	R
81.07		81.07	INTRSECTN	B		SR 395	ST	SS	Y	1	1			4B	22B	3B		22	4	02		R2	55	R
81.11		81.11	WYE CONN	R		SR 395	ST	Y																
82.03		82.03	MP MARKER	R		82																		
82.79		82.79							1	1				2B	22B	3B		22	4	02		R2	55	R
82.93		82.93	MP MARKER	R		83																		
			INTRSECTN	R		GOLD EDGE MINE RD	CO	N																
83.31		83.31							1	1				3B	22B	3B		22	4	02		R2	55	R
83.36		83.34	EQUATION			083.34 =083.36																		
83.45		83.43							1	1				2B	22B	2B		22	4	02		R2	55	R
84.03		84.01	MP MARKER	R		84																		
84.70		84.68	INTRSECTN	R		PINGSTON CREEK RD	CO	N																
84.99		84.97	MP MARKER	R		85																		
85.83		85.81	MISC FEATR	R		SGN ENT MARCUS																		
85.87		85.85	ENTER CITY			MARCUS			1	1				2B	22B	2B		22	4	02	0740	R2	45	R P *
			BEG ST	I		CIDER ST																		
85.88		85.86	INTRSECTN	L		DELICIOUS ST	CT	Y																
85.99		85.97	INTRSECTN	L		NORTHERN SPY ST	CT	Y																
86.00		85.98	MP MARKER	R		86																		
86.17		86.15	INTRSECTN	L		WINESAP ST	CT	Y																
86.28		86.26	INTRSECTN	L		JONATHAN ST	CT	Y																
86.42		86.40	INTRSECTN	L		OVERLOOK BLVD	CT	Y																
86.46		86.44							1	1				2B	22B	2B		22	4	02	0740	R2	55	R P *
86.65		86.63	INTRSECTN	L		MARCUS CAMPGROUND RD	CT	N																
86.72		86.70	LEAVE CITY			MARCUS			1	1				2B	22B	2B		22	4	02	\$\$\$\$	R2	55	R \$ \$







SR 026 MAINLINE

STATE ROUTE - SRSH

COUNTY ADAMS

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS-----															
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV			INCREAS/UNDI			SPC																			
: :LEFT/RIGHT INDICATOR				-UXING-		NBR	LFT	RHT	LFT	RHT	USE	TOT																			
: :				-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL												
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	T	P	S	
60.80		60.80	BEG ROUTE			MAIN ROUTE				1	1						8A	24A	8A		24	2	01		R1					R	
			BEG CTLSEC			SR 90/VANTAGE TO SR 195																									
			CONTROL SECTION 0134																												
60.81		60.81	ON RAMP	L		SR 395	ST		Y	1	1						8A	24A	8A		24	2	01		R1		65			R	
			OFF RAMP	R		SR 395	ST		Y																						
60.93		60.93	BEG BRIDGE	B		SR 395	ST			1	1						\$\$W	40P	\$\$W		40	2	01		R1		65			R	
			BRDG NUM 026/121																												
60.98		60.98	END BRIDGE	B		SR 395				1	1						8A	24A	8A		24	2	01		R1		65			R	
61.10		61.10	OFF RAMP	L		SR 395	ST		Y																						
			ON RAMP	R		SR 395	ST		Y																						
61.47		61.47	ENT/EXIT	L		REST AREA	ST		Y																						
61.58		61.58								1	1						8B	24B	8B		24	2	01		R1		65			R	
61.75		61.75	INTRSECTN	R		PENCE RD	CO		N																						
			INTRSECTN	L		LOBE RD	CO		N																						
61.78B		61.78	BEG EQ			BEGIN BACK																									
61.78		61.86	EQUATION			061.86B=061.78				1	1						8B	22B	8B		22	2	01		R1		65			R	
61.99		62.07	MP MARKER	R		62																									
62.99		63.07	MP MARKER	R		63																									
63.64		63.72	INTRSECTN	R		HOEFEL RD	CO		N																						
63.99		64.07	MP MARKER	R		64																									
64.67		64.75	INTRSECTN	L		WILLIAMS RD	CO		N																						
64.99		65.07	MP MARKER	R		65																									
65.36		65.44	BEG BRIDGE	B		DRY WASH	ST			1	1						\$\$C	26P	\$\$C		26	2	01		R1		65			R	
			BRDG NUM 026/124																												
65.38		65.46	END BRIDGE	B		DRY WASH				1	1						8B	22B	8B		22	2	01		R1		65			R	
65.66		65.74	INTRSECTN	B		FOULKES RD	CO		N																						
65.99		66.07	MP MARKER	R		66																									
66.99		67.07	MP MARKER	R		67																									
67.99		68.07	MP MARKER	R		68																									
69.59		69.67	INTRSECTN	B		LONGMEIR RD	CO		N																						
69.99		70.07	MP MARKER	R		70																									
70.59		70.67	INTRSECTN	B		SR 21	ST		N																						
70.99		71.07	MP MARKER	R		71																									
71.99		72.07	MP MARKER	R		72																									
72.06		72.14	BEG BRIDGE	B		NEDWICKES CULVERT	ST																								

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
				LGT	WD	LGT	WD	LGT	WD	LGT	WD
				---	---	---	---	---	---	---	---
60.81		60.81				.04	12				
61.10		61.10		.04	12			.02	12		
61.47		61.47		.03	11						

SR 026 MAINLINE

STATE ROUTE - SRSH

COUNTY ADAMS

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS-----																			
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC																						
: :LEFT/RIGHT INDICATOR				-UXING-			LFT RHT			LFT RHT			USE TOT																						
: :				-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS RDY		MTCE		CITY		ST		SPEED		T P S												
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T					
72.06		72.14				BRDG NUM 026/130C				1	1						8B	22B	8B			22	2	01		R1		65	R						
72.07		72.15	END BRIDGE	B		NEDWICKES CULVERT																													
72.99		73.07	MP MARKER		R	73																													
73.60		73.68	INTRSECTN		B	DEWALD RD	CO		N																										
73.99		74.07	MP MARKER		R	74																													
74.99		75.07	MP MARKER		R	75																													
75.55		75.63	INTRSECTN		B	THIEL RD	CO		N																										
75.99		76.07	MP MARKER		R	76																													
76.99		77.07	MP MARKER		R	77																													
77.56		77.64	INTRSECTN		B	MARCELLUS RD	CO		N																										
78.00		78.08	MP MARKER		R	78																													
79.00		79.08	MP MARKER		R	79																													
79.14		79.22	INTRSECTN		R	HAMPTON RD	CO		N																										
80.00		80.08	MP MARKER		R	80																													
80.27		80.35	INTRSECTN		B	SAGE RD	CO		N																										
80.83		80.91	INTRSECTN		R	GUIER RD	CO		N																										
81.00		81.08	MP MARKER		R	81																													
81.58		81.66	INTRSECTN		L	WATSON RD	CO		N																										
82.00		82.08	MP MARKER		R	82																													
82.49		82.57	INTRSECTN		L	WATSON RD	CO		N	1	1						8B	20B	8B			20	2	01		R1		65	R						
82.51		82.59	MISC FEATR		R	SGN ENT WASHTUCNA																													
82.52		82.60	ENTER CITY			WASHTUCNA				1	1						8B	22B	8B			22	2	01	1390	R1		65	R	B					
82.99		83.07	INTRSECTN		R	SR 260	ST		Y																										
			INTRSECTN		L	SR 261	ST		Y																										
83.08		83.16	MP MARKER		R	83																													
83.21		83.29	INTRSECTN		R	SNYDER RD	CT		N																										
83.29		83.37	LEAVE CITY			WASHTUCNA				1	1						8B	22B	8B			22	2	01	\$\$\$\$	R1		65	R	\$					
83.56		83.64	MISC FEATR		L	SGN ENT WASHTUCNA																													
84.00		84.08	MP MARKER		R	84																													
84.14		84.22	RR XING	B		NUM 898569S STRUCTURE				1	1						\$\$W	38P	\$\$W			38	2	01		R1		65	R						
			BEG BRIDGE	B		BN RR	ST																												
						BRDG NUM 026/135																													
84.17		84.25	END BRIDGE	B		BN RR				1	1						7B	24B	7B			24	2	01		R1		65	R						
85.01		85.09	MP MARKER		R	85																													
86.02		86.10	MP MARKER		R	86																													
86.38		86.46	INTRSECTN		L	MULLAN RD	CO		N																										
87.00		87.08	MP MARKER		R	87																													

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
				LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
82.99		83.07		.04	12		.03	12			







SR 026 MAINLINE

STATE ROUTE - SRSH

COUNTY WHITMAN

DOT DISTRICT 6

		-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS-----												
		:DIRECTION TO INVENTORY		-BRIDGE-			DECREAS/DIV			INCRS/UNDI			SPC													
		: :LEFT/RIGHT INDICATOR		-UXING-			LFT RHT			LFT RHT			USE TOT													
		: :		-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS RDY													
SRMP	B ARM	FEATURE	D LR	DESCRIPTION	OW	TC	L	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A SE	CITY	ST	LEGAL	T	P	S	
																				NBR	FC	D	IB	R	K	T
115.43	115.51							1	1					6B	22B	6B			22	2	02		R1		65	R
116.02	116.10	MP MARKER	R	116																						
116.31	116.39	INTRSECTN	L	SCHOLTZ RD	CO		N																			
116.74	116.82							1	1					6B	24B	6B			24	2	02		R1		65	R
116.87	116.95							1	1					6A	24A	6A			24	2	02		R1		65	R
116.92	117.00	INTRSECTN	R	SR 127	ST		Y	1	1					10A	23A	10A			23	2	02		R1		65	R
		INTRSECTN	L	DUSTY RD	CO		Y																			
116.96	117.04							1	1					10B	23B	10B			23	2	02		R1		65	R
117.00	117.08	MP MARKER	R	117																						
117.20	117.28	BEG BRIDGE	B	BIG ALKALI CREEK	ST			1	1					\$\$C	40B	\$\$C			40	2	02		R1		65	R
				BRDG NUM 026/269																						
117.22	117.30	END BRIDGE	B	BIG ALKALI CREEK				1	1					10B	22B	10B			22	2	02		R1		65	R
117.59	117.67	INTRSECTN	L	YOUNG RD	CO		N																			
117.89	117.97							1	1					4B	22B	4B			22	2	02		R1		65	R
118.01	118.09	MP MARKER	R	118																						
118.16	118.24	INTRSECTN	R	BRINK RD	CO		N																			
119.00	119.08	MP MARKER	R	119																						
119.14	119.22	BEG BRIDGE	B	ALKALI FLAT CREEK	ST			1	1					\$\$C	40B	\$\$C			40	2	02		R1		65	R
				BRDG NUM 026/271																						
119.16	119.24	END BRIDGE	B	ALKALI FLAT CREEK				1	1					4B	22B	4B			22	2	02		R1		65	R
119.97	120.05	INTRSECTN	L	HELEN REPP RD	CO		N																			
120.02	120.10	MP MARKER	R	120																						
121.03	121.11	MP MARKER	R	121																						
121.67	121.75	INTRSECTN	R	PENAWAWA RD	CO		N																			
122.02	122.10	MP MARKER	R	122																						
122.50	122.58							1	1					4B	22B	4B			22	2	02		R1		55	R
123.03	123.11	MP MARKER	R	123																						
124.05	124.13	MP MARKER	R	124																						
124.52	124.60	INTRSECTN	L	C J OCHS RD	CO		N																			
124.86	124.94							1	1					4B	23B	4B			23	2	02		R1		55	R
124.94	125.02	BEG BRIDGE	B	UNION FLAT CREEK	ST			1	1					\$\$W	32P	\$\$W			32	2	02		R1		55	R
				BRDG NUM 026/275																						
124.99	125.07	END BRIDGE	B	UNION FLAT CREEK				1	1					4B	23B	4B			23	2	02		R1		55	R
125.07	125.15	MP MARKER	R	125																						
125.16	125.24	INTRSECTN	R	SOMMERS RD	CO		Y																			
		INTRSECTN	L	UNION FLAT CREEK RD	CO		Y																			

INTERSECTION DETAIL

		-----TURN LANES-----				-----ACCELERATION LANES-----			
		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B ARM	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
116.92	117.00	.05	12						
125.16	125.24	.03	11						

SR 026 MAINLINE

STATE ROUTE - SRSH

COUNTY WHITMAN

DOT DISTRICT 6

		-----WIDTH AND SURFACE INFORMATION-----															-----CLASSIFICATIONS----									
		:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCREAS/UNDI			SPC											
		: :LEFT/RIGHT INDICATOR				-UXING-			LFT RHT			LFT RHT			USE TOT											
		: :				-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS RDY											
SRMP	B ARM	FEATURE	D LR	DESCRIPTION	OW	TC	L	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A SE	CITY	ST	SPEED	T	P	S	
125.17	125.25							1	1					4B	23B	4B	23	2	02		R1	55	R			
125.26	125.34	BEG BRIDGE	B	UNION FLAT CREEK BRANCH	ST			1	1					\$\$C	32B	\$\$C	32	2	02		R1	55	R			
				BRDG NUM 026/277																						
125.27	125.35	END BRIDGE	B	UNION FLAT CREEK BRANCH				1	1					4B	23B	4B	23	2	02		R1	55	R			
125.86	125.94							1	1					4B	24B	4B	24	2	02		R1	55	R			
125.89	125.97	BEG BRIDGE	B	RELIEF	ST			1	1					4B	23B	4B	23	2	02		R1	55	R			
				BRDG NUM 026/278.25																						
125.90	125.98	END BRIDGE	B	RELIEF				1	1					4B	24B	4B	24	2	02		R1	55	R			
126.02	126.10	MP MARKER	R	126																						
126.05	126.13	BEG BRIDGE	B	UNION FLAT CREEK BRANCH	ST			1	1					\$\$C	32B	\$\$C	32	2	02		R1	55	R			
				BRDG NUM 026/279																						
126.06	126.14	END BRIDGE	B	UNION FLAT CREEK BRANCH				1	1					4B	24B	4B	24	2	02		R1	55	R			
126.15	126.23	INTRSECTN	R	FILAN RD	CO		N																			
127.03	127.11	MP MARKER	R	127																						
128.05	128.13	MP MARKER	R	128																						
129.07	129.15	MP MARKER	R	129																						
129.30	129.38	INTRSECTN	R	COLFAX AIRPORT RD	CO		N																			
		INTRSECTN	L	FAIRGROUNDS RD	CO		N																			
129.56	129.64	BEG BRIDGE	B	REBEL FLAT CREEK	ST			1	1					\$\$W	40B	\$\$W	40	2	02		R1	55	R			
				BRDG NUM 026/281																						
129.57	129.65	END BRIDGE	B	REBEL FLAT CREEK				1	1					4B	24B	4B	24	2	02		R1	55	R			
129.69	129.77	INTRSECTN	L	ENDICOTT RD	CO		N																			
129.72	129.80	WYE CONN	L	ENDICOTT EAST RD	CO		N																			
130.01	130.09	MP MARKER	R	130																						
131.03	131.11	MP MARKER	R	131																						
132.04	132.12	MP MARKER	R	132																						
132.05	132.13	UXING	B	UP RR	ST																					
				BRDG NUM 026/283																						
		RR XING	B	NUM 808035M STRUCTURE																						
132.15	132.23	INTRSECTN	R	WEST SUMMIT RD	CO		N																			
132.25	132.33	INTRSECTN	L	MORLEY RD	CO		N																			
132.81	132.89							1	1					4B	24B	4B	24	2	02		R1	35	R			
132.94	133.02	BEG BRIDGE	B	PALOUSE RIVER	ST			1	1					\$\$C	24A	\$\$C	24	2	02		R1	35	R			
				BRDG NUM 026/285																						
133.06	133.14	END BRIDGE	B	PALOUSE RIVER				1	1					4A	24A	4A	24	2	02		R1	35	R			
		MP MARKER	R	133																						
133.14	133.22	MISC FEATR	R	SGN ENT COLFAX																						

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----			
		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B ARM	LGT	WD	LGT	WD	LGT	WD	LGT	WD
129.30	129.38			.04	12				





SR 027 MAINLINE

STATE ROUTE - SRSH

COUNTY WHITMAN

DOT DISTRICT 6

		-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS-----													
		:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV		INCRS/UNDI		SPC				LEGAL		T P S									
		: :LEFT/RIGHT INDICATOR				-UXING-		LFT RHT		LFT RHT		USE TOT		MTCE		CITY		ST									
		: :				-XROAD-		SHD RDY SHD		SHD RDY SHD		LNS RDY		A SE		NBR		FC									
SRMP	B ARM	FEATURE	D LR	DESCRIPTION	OW	TC	L	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T
0.00B	0.00	BEG ROUTE		MAIN ROUTE				1	1					6A	24A	10A			24	2	01		U1		45	R	
		BEG EQ		SR 195/PULLMAN TO SR 290																							
		BEG CTLSEC		BEGIN BACK																							
		BEG CTLSEC		CONTROL SECTION 3820																							
		INTRSECTN	B	SR 195				ST	Y																		
0.08B	0.08	INTRSECTN	L	HARMS RD				CO	Y																		
0.09B	0.09	MISC FEATR	R	SGN ENT PULLMAN						1	1			6A	24A	6A			24	2	01		U1		45	R	
0.29B	0.29	INTRSECTN	L	HARMS RD				CO	N																		
0.34B	0.34	ENTER CITY		PULLMAN						1	1			6A	24A	6A			24	2	01	1025	U1		45	R	B
0.55B	0.55	INTRSECTN	L	BALDWIN DR				CT	Y																		
0.79B	0.79	END CTLSEC		CONTROL SECTION 3820																							
		BEG CTLSEC		CONTROL SECTION 3806																							
0.87B	0.87									1	1			6A	24A	6A			24	2	01	1025	U1		35	R	B
0.99B	0.99	MP MARKER	R	1																							
1.16B	1.16	INTRSECTN	R	FAIRMONT RD				CT	N	1	1			6A	40A	\$\$C			40	2	01	1025	U1		35	R	B
1.17B	1.17	END CTLSEC		CONTROL SECTION 3806																							
		BEG CTLSEC		CONTROL SECTION 3820																							
1.20B	1.20	BEG SU LN	C	TWO WAY TURN						1	1			6A	28A	C	12		40	2	01	1025	U1		35	R	B
1.21B	1.21	ENT/EXIT	R	SHOPPING CENTER				PV	N																		
1.25B	1.25	END SU LN	C	TWO WAY TURN						1	1			6A	40A	C \$\$\$			40	2	01	1025	U1		35	R	B
1.26B	1.26	BEG ST	I	S GRAND AVE						1	1			6A	40A	C			40	2	01	1025	U1		35	R	B *
		INTRSECTN	R	BISHOP BLVD				CT	SG	Y																	
1.30B	1.30	BEG SU LN	C	TWO WAY TURN						1	1			6A	28A	C	12		40	2	01	1025	U1		35	R	B *
1.33B	1.33									1	1			\$\$C	34A	C	12		46	2	01	1025	U1		35	R	B *
1.36B	1.36	ENT/EXIT	R	BUSINESS				PV	Y																		
1.39B	1.39									1	1																
1.45B	1.45									1	1			\$\$C	34A	C	12		46	2	01	1025	U1		35	R	B *
1.51B	1.51	ENT/EXIT	L	MOBILE HOME PARK				PV	Y																		
1.62B	1.62	END SU LN	C	TWO WAY TURN						1	1			C	46A	C \$\$\$			46	2	01	1025	U1		35	R	B *
1.66B	1.66	INTRSECTN	B	CRESTVIEW ST SE				CT	SG	Y																	
1.69B	1.69	BEG SU LN	C	TWO WAY TURN						1	1			C	32A	C	11		43	2	01	1025	U1		35	R	B *
1.77B	1.77									1	1			C	32A	C	11		43	2	01	1025	U1		35	R	X *
1.80B	1.80	END SU LN	C	TWO WAY TURN						1	1			C	43A	C \$\$\$			43	2	01	1025	U1		35	R	X *
1.83B	1.83	INTRSECTN	L	DAISY ST				CT	N																		

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----			
		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--
		LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
1.16B	1.16			.02	11				
1.26B	1.26			.04	12				
1.36B	1.36		.06	12					
1.66B	1.66	.03	12	.03	12				
1.83B	1.83	.02	11						

SR 027 MAINLINE

STATE ROUTE - SRSH

COUNTY WHITMAN

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----													
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC																	
: :LEFT/RIGHT INDICATOR				-UXING-			LFT RHT			LFT RHT			USE TOT																	
: :				-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS RDY																	
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	SPEED	T	P	S	
1.84B	1.84		BEG SU LN	C		TWO WAY TURN											C 32A	C	11	43	2	01	1025	U1	35	R	X	*		
1.90B	1.90		END SU LN	C		TWO WAY TURN											C 43A	C	\$\$\$	43	2	01	1025	U1	35	R	X	*		
1.91B	1.91		INTRSECTN	R		ROCKY WAY	CT		Y	1	1						C 43A	C		43	2	01	1025	U1	25	R	X	*		
1.98B	1.98		INTRSECTN	L		CENTER ST SW	CT		Y																					
2.10B	2.10									1	1						C 44A	C		44	2	01	1025	U1	25	R	X	*		
2.12B	2.12		INTRSECTN	L		BLAINE ST	CT		Y	1	2						C 44A	C		44	2	01	1025	U1	25	R	B	*		
2.22B	2.22		INTRSECTN	L		SW MCKENZIE ST	CT		Y	1	1						C 53A	C		53	2	01	1025	U1	25	R	B	*		
2.27B	2.27		LEAVE CITY			PULLMAN											\$ \$\$\$	\$		\$\$\$	\$	\$\$\$	\$	\$\$\$	\$	\$	\$	\$	\$	
			END ST	I		S GRAND AVE																								
			BEG COINCI			SR 270					MP002.40																			
			END CTLSEC			CONTROL SECTION 3820																								
			INTRSECTN	R		SR 270-PARADISE ST	ST	SG	Y																					
0.00	2.40		ENTER CITY			PULLMAN				1	2						C 56A	C		56	2	01	1025	U1	25	R	P	*		
			EQUATION			002.40B=000.00																								
			BEG CTLSEC			CONTROL SECTION 3806																								
			BEG ST	I		GRAND AVE																								
			INTRSECTN	L		SR 270-DAVIS WAY	ST	SG	Y																					
			INTRSECTN	R		OLSON ST	CT	SG	Y																					
			END COINCI			SR 270					MP002.27																			
0.01	2.41		WYE CONN	L		SR 270-DAVIS WAY	ST		Y																					
0.03	2.43									2	2						C 56A	C		56	2	01	1025	U1	25	R	P	*		
0.04	2.44		BEG SU LN	C		TWO WAY TURN				2	2						C 45A	C	11	56	2	01	1025	U1	25	R	P	*		
0.05	2.45		RR XING	B		NUM 808010S GRADE																								
0.08	2.48		BEG BRIDGE	B		S FORK PALOUSE RIVER	ST																							
						BRDG NUM 027/002																								
0.10	2.50		END BRIDGE	B		S FORK PALOUSE RIVER				2	2						C 56A	C	11	67	2	01	1025	U1	25	R	P	*		
			END SU LN	C		TWO WAY TURN					11A																			
0.13	2.53		INTRSECTN	B		WHITMAN ST	CT	SG	Y																					
0.20	2.60									2	2						C 44A	C		44	2	01	1025	U1	35	R	P	*		
0.24	2.64									2	2						C 44P	C		44	2	01	1025	U1	35	R	P	*		
0.29	2.69		BEG BRIDGE	B		MISSOURI FLAT CREEK	ST																							
						BRDG NUM 027/003																								

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
1.91B	1.91					.03	11				
1.98B	1.98			.03	11						
2.27B	2.27					.05	15				
0.00	2.40					.03	12				
0.01	2.41							.02	12		
0.13	2.53			.03	11			.03	11		



SR 027 MAINLINE

STATE ROUTE - SRSH

COUNTY WHITMAN

DOT DISTRICT 6

		-----WIDTH AND SURFACE INFORMATION-----															-----CLASSIFICATIONS-----									
		:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC											
		: :LEFT/RIGHT INDICATOR				-UXING-			LFT RHT			LFT RHT			USE		LEGAL									
		: :				-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS		T P S									
SRMP	B ARM	FEATURE	D LR	DESCRIPTION	OW	TC	L	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	RDY	MTCE	CITY	ST	SPEED	T	P	S	
0.30	2.70	END BRIDGE	B	MISSOURI FLAT CREEK				2	2					C	44P	C		44	2	01	1025	U1	35	R	P	*
0.37	2.77	INTRSECTN	L	RITCHIE ST				CT	Y																	
0.59	2.99	INTRSECTN	L	NYE ST				CT	Y																	
0.60	3.00	BEG SU LN	C	TWO WAY TURN		11P				2	2			C	44P	C	11	55	2	01	1025	U1	35	R	P	*
0.68	3.08									2	1			C	44P	C	11	55	2	01	1025	U1	35	R	P	*
0.71	3.11	END SU LN	C	TWO WAY TURN		11P				2	1			C	44P	C	\$\$\$	44	2	01	1025	U1	35	R	P	*
0.74	3.14	INTRSECTN	B	STADIUM WAY				CT	SG	Y	2	1		C	44P	C		44	2	01	1025	U2	35	R	R	*
0.80	3.20									1	1			C	44P	C		44	2	01	1025	U2	35	R	R	*
0.85	3.25									1	1			5A	22A	3A		22	2	01	1025	U2	35	R	P	*
0.95	3.35	INTRSECTN	L	TURNER DR				CT	Y																	
1.00	3.40	MP MARKER	R	1																						
1.31	3.71	INTRSECTN	L	LARRY ST				CT	Y																	
1.33	3.73	BEG SU LN	C	TWO WAY TURN		11A				1	1			5A	22A	3A	11	33	2	01	1025	U2	35	R	P	*
1.34	3.74									1	1			5A	22A	3A	11	33	2	01	1025	U2	45	R	P	*
1.44	3.84	END SU LN	C	TWO WAY TURN		11A				1	1			5A	22A	3A	\$\$\$	22	2	01	1025	U2	45	R	P	*
1.52	3.92	END ST	I	GRAND AVE						1	1			3A	22A	3A		22	2	01	1025	U2	45	R	P	*
		BEG ST	I	N GRAND AVE																						
		INTRSECTN	B	TERRE VIEW ST				CT	SG	Y																
1.59	3.99									1	1			3A	22A	3A		22	2	01	1025	U2	55	R	P	*
1.70	4.10									1	1			3A	22A	3A		22	2	01	1025	U3	55	R	P	*
1.99	4.39	MP MARKER	R	2																						
2.20	4.60	INTRSECTN	L	PULLMAN-ALBION RD				CT	N																	
		INTRSECTN	R	WHELAN RD				CT	N																	
2.27	4.67	END ST	I	N GRAND AVE						1	1			3A	22A	3A		22	2	01	1025	U3	55	R	P	\$
2.28	4.68	LEAVE CITY		PULLMAN						1	1			3A	22A	3A		22	2	01	\$\$\$\$	R3	55	R	\$	
2.33	4.73	MISC FEATR	L	SGN ENT PULLMAN																						
3.01	5.41	MP MARKER	R	3																						
4.02	6.42	MP MARKER	R	4																						
4.60	7.00	INTRSECTN	L	REID RD				CO	N																	
4.80	7.20	INTRSECTN	L	VERNIER RD				CO	N																	
5.01	7.41	MP MARKER	R	5																						
5.29	7.69	INTRSECTN	L	ROSE CREEK RD				CO	N																	
6.00	8.40	MP MARKER	R	6																						

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----			
		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
		LGT	WD	LGT	WD	LGT	WD	LGT	WD
0.59	2.99	.02	11						
0.74	3.14	.05	11	.02	11			.06	11
0.95	3.35	.02	11						
1.31	3.71	.04	11						
1.52	3.92	.05	11					.04	11

SR 027 MAINLINE STATE ROUTE - SRSR COUNTY WHITMAN DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS----									
SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-BRIDGE			DECREAS/DIV			INCREAS/UNDI			SPC	TOT					LEGAL				
				D	LR	OW	TC	L	NBR	LFT	RHT	SHD	RDY	SHD	W/S	W/S	W/S	LNS	RDY	MTCE	CITY	ST	SPEED	T	P
				: :LEFT/RIGHT INDICATOR		-XROAD-			MEDIAN-			SHD RDY SHD			LNS	RDY	A	SE	NBR	FC	D	IB	R	K	T
				:											WID	WID									
6.17		8.57																							
6.73		9.13	INTRSECTN	R	ZAKARISON RD	CO	N									3A	22A	3A							
7.00		9.40	MP MARKER	R	7																				
7.75		10.15	INTRSECTN	R	ESTES RD	CO	N																		
8.00		10.40	MP MARKER	R	8																				
8.55		10.95	INTRSECTN	R	VIOLA RD	CO	N																		
8.73		11.13	BEG BRIDGE	B	FOUR MILE CREEK BRDG NUM 027/005C	ST																			
8.74		11.14	END BRIDGE	B	FOUR MILE CREEK																				
8.86		11.20	EQUATION		008.80 =008.86		1 1									4B	22B	4B							
8.87		11.21	INTRSECTN	L	PALOUSE-ALBION RD	CO	N 1 1									3B	22B	3B							
9.00		11.34	MP MARKER	R	9																				
9.99		12.33	MP MARKER	R	10																				
10.12		12.46	INTRSECTN	R	L WEST RD	CO	N																		
10.16		12.50	BEG BRIDGE	B	N FORK FOUR MILE CREEK BRDG NUM 027/007C	ST																			
10.17		12.51	END BRIDGE	B	N FORK FOUR MILE CREEK																				
10.24		12.58	INTRSECTN	L	PARVIN RD	CO	N																		
10.97		13.31	MP MARKER	R	11																				
11.33		13.67	INTRSECTN	R	MADER RD	CO	N																		
11.59		13.93	BEG BRIDGE	B	NO NAME CREEK BRDG NUM 027/009C	ST																			
11.60		13.94	END BRIDGE	B	NO NAME CREEK																				
11.75		14.09	INTRSECTN	L	CLEAR CREEK RD	CO	N																		
11.99		14.33	MP MARKER	R	12																				
12.63		14.97	INTRSECTN	L	OLSON RD	CO	N																		
12.99		15.33	MP MARKER	R	13																				
13.65		15.99	INTRSECTN	R	LEISTNER RD	CO	N																		
13.90		16.24	MP MARKER	R	14																				
14.00		16.34	INTRSECTN	L	B BEESON RD	CO	N																		
14.51		16.85	INTRSECTN	R	KOENIG RD	CO	N																		
14.52		16.86	MISC FEATR	R	SGN ENT PALOUSE																				
14.54		16.88	ENTER CITY		PALOUSE		1 1									3B	22B	3B							
14.60		16.94					1 1									3B	22B	3B							
14.68		17.02					1 1									3B	22B	3B							
14.75		17.09	INTRSECTN	L	SPOKANE ST	CT	Y																		
14.81		17.10	EQUATION		014.76 =014.81																				
14.93		17.22	INTRSECTN	B	NUM 66183E GRADE																				
14.96		17.25	MP MARKER	R	PALOUSE COVE RD	CT	Y																		
15.01		17.30	INTRSECTN	R	SHADY LN	CT	Y																		
15.02		17.31	BEG BRIDGE	B	N PALOUSE RIVER BRDG NUM 027/012	ST	1 1									\$\$C	24A	\$\$C							

SR 027 MAINLINE

STATE ROUTE - SRSH

COUNTY WHITMAN

DOT DISTRICT 6

		-----WIDTH AND SURFACE INFORMATION-----														-----CLASSIFICATIONS-----										
		:DIRECTION TO INVENTORY		-BRIDGE			DECREAS/DIV			INCREAS/UNDI			SPC													
		: :LEFT/RIGHT INDICATOR		-UXING-			LFT RHT			LFT RHT			USE		LEGAL											
		: :		-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS		T P S											
SRMP	B ARM	FEATURE	D LR	DESCRIPTION	OW	TC	L	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	MTCE	CITY	ST	SPEED	T	P	S	
15.06	17.35	END BRIDGE	B	N PALOUSE RIVER				1	1					C	60A	C			60	2	01	0955	R3	25	R	B
15.08	17.37	BEG ST	I	BRIDGE ST				1	1					C	60A	C			60	2	01	0955	R3	25	R	B *
		INTRSECTN	L	MAIN ST	CT	AF	Y																			
		INTRSECTN	R	SR 272	ST	AF	Y																			
15.14	17.43	INTRSECTN	B	WHITMAN ST	CT		Y																			
		RR XING	B	NUM 857869B GRADE																						
15.15	17.44							1	1					C	60A	C			60	2	01	0955	R3	25	R	P *
15.16	17.45	INTRSECTN	R	BRIDGE ST	CT		Y	1	1					C	27A	C			27	2	01	0955	R3	25	R	P *
15.29	17.58	INTRSECTN	L	N DIVISION ST	CT		Y																			
15.33	17.62	END ST	I	BRIDGE ST																						
		BEG ST	I	DIVISION																						
		INTRSECTN	L	SR 272	ST		Y																			
		INTRSECTN	R	CHURCH ST	CT		Y																			
15.38	17.67	INTRSECTN	R	ALDER ST	CT		Y																			
15.44	17.73	INTRSECTN	R	MOHR ST	CT		Y																			
15.46	17.75							1	1					2A	26A	C			26	2	01	0955	R3	25	R	P *
15.50	17.79	END ST	I	DIVISION				1	1					2A	26A	C			26	2	01	0955	R3	35	R	P \$
		INTRSECTN	R	CANNON ST	CT		Y																			
15.51	17.80							1	1					3G	24A	3G			24	2	01	0955	R3	35	R	P
15.70	17.99	MISC FEATR	L	SGN ENT PALOUSE																						
15.71	18.00	INTRSECTN	R	TIDWELL RD #1570	CT		N																			
15.72	18.01							1	1					4G	24B	4G			24	2	01	0955	R3	35	R	P
15.77	18.06	LEAVE CITY		PALOUSE				1	1					4G	22B	4G			22	2	01	\$\$\$\$	R3	55	R	\$
16.00	18.29	MP MARKER	R	16																						
16.90	19.19	INTRSECTN	R	TIDWELL RD #1570	CO		N																			
17.00	19.29	MP MARKER	R	17																						
18.00	20.29	MP MARKER	R	18																						
18.72	21.01	INTRSECTN	R	B HOWARD RD #1550	CO		N																			
18.99	21.28	MP MARKER	R	19																						
19.55	21.84	INTRSECTN	R	GRINNELL RD #1490	CO		N																			
19.64	21.93	INTRSECTN	R	LADOW BUTTE RD #1500	CO		N																			
20.01	22.30	MP MARKER	R	20																						
20.21	22.50	INTRSECTN	L	ALTERGOTT RD #2420	CO		N																			
20.27	22.56	BEG BRIDGE	B	CEDAR CREEK	ST			1	1					\$\$C	26B	\$\$C			26	2	01		R3	55	R	
				BRDG NUM 027/016																						
20.28	22.57	END BRIDGE	B	CEDAR CREEK				1	1					4G	22B	4G			22	2	01		R3	55	R	
20.99	23.28	MP MARKER	R	21																						
21.99	24.28	MP MARKER	R	22																						
22.97	25.26	INTRSECTN	L	SUNRISE RD #2440	CO		N																			
23.01	25.30	MP MARKER	R	23																						
23.03	25.32	INTRSECTN	R	HEMMINGWAY RD #1520	CO		N																			
23.54	25.83	INTRSECTN	R	BAILEY RD #1510	CO		N																			
23.76	26.05	BEG BRIDGE	B	SILVER CREEK	ST			1	1					\$\$C	24B	\$\$C			24	2	01		R3	55	R	



SR 027 MAINLINE

STATE ROUTE - SRSR

COUNTY WHITMAN

DOT DISTRICT 6

		:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----																							
		: :LEFT/RIGHT INDICATOR		-BRIDGE-		DECREAS/DIV			INCRS/UNDI			SPC																									
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	NBR	LFT	RDY	SHD	RHT	SHD	W/S	W/S	W/S	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S						
										D	I	W/S	W/S	W/S		WD/S	BR	W/S	W/S	W/S		WID	WID	A	SE	NBR	FC	D	IB	R	K	T					
29.46		31.80									1	1																									
29.53		31.87	INTRSECTN	L		ROBERTSON RD	CO																														
29.71		32.05	INTRSECTN	R		FARMINGTON RD	CO																														
30.00		32.34	MP MARKER	R		30																															
30.01		32.35	RR XING	B		NUM 58593H GRADE																															
30.15		32.49	INTRSECTN	L		PERINGER RD	CO																														
30.68		33.02	MISC FEATR	R		SGN ENT BELMONT																															
30.88		33.22	INTRSECTN	L		BLACK RD	CO																														
30.99		33.33	MP MARKER	R		31																															
31.10		33.44	MISC FEATR	L		SGN ENT BELMONT																															
31.36		33.70	INTRSECTN	R		AUVIL-WAGNER RD	CO																														
31.55		33.89	INTRSECTN	R		ZIMMERMAN RD	CO																														
31.84		34.18	INTRSECTN	R		ZIMMERMAN RD	CO																														
32.00		34.34	MP MARKER	R		32																															
32.99		35.33	MP MARKER	R		33																															
33.42		35.76	INTRSECTN	R		KELLEY RD	CO																														
33.80		36.14									1	1																									
33.82		36.16	INTRSECTN	R		COKELY RD	CO																														
33.96		36.30	MP MARKER	R		34																															
34.03		36.37	RR XING	B		NUM 808024A STRUCTURE					1	1																									
			BEG BRIDGE	B		UP RR	ST																														
			BRDG NUM 027/027																																		
34.09		36.43	END BRIDGE	B		UP RR					1	1																									
34.12		36.46	INTRSECTN	R		WARNER RD	CO																														
34.28		36.60	EQUATION			034.26 =034.28																															
34.39		36.71									1	1																									
34.99		37.31	MP MARKER	R		35																															
35.48		37.80									1	1																									
35.50		37.82									1	1																									
35.52		37.84	BEG BRIDGE	B		MCCOY CREEK	ST				1	1																									
			BRDG NUM 027/028																																		
35.53		37.85	END BRIDGE	B		MCCOY CREEK					1	1																									
35.56		37.88									1	1																									
35.67		37.99	RR XING	B		NUM 58585R GRADE																															
35.68		38.00	INTRSECTN	L		HUME RD	CO																														
35.93		38.25	MISC FEATR	R		SGN ENT OAKESDALE																															
35.95		38.27									1	1																									
35.96		38.28	ENTER CITY			OAKESDALE					1	1																									
			INTRSECTN	L		GARDENER RD	CT																														
35.98		38.30	MP MARKER	R		36																															
36.29		38.61	INTRSECTN	L		FRONT ST	CT																														
36.31		38.63									1	1																									
36.32		38.64	BEG ST	I		STEPTOE AVE					1	1																									



SR 027 MAINLINE

STATE ROUTE - SRSH

COUNTY WHITMAN

DOT DISTRICT 6

			-----WIDTH AND SURFACE INFORMATION-----																																
			:DIRECTION TO INVENTORY		-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC		-----CLASSIFICATIONS----																			
			: :LEFT/RIGHT INDICATOR		-UXING-			LFT RHT			LFT RHT			USE		TOT		CITY		ST		LEGAL		T P S											
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	LNS	RDY	MTCE	A	SE	NBR	FC	D	IB	R	K	T				
44.01		46.33	MP MARKER	R		44					1	1					3B	20B	3B			20	2	02		R3		55	R						
44.38		46.70	INTRSECTN	R		BANCROFT RD	CO		N																										
45.00		47.32	MP MARKER	R		45																													
45.97		48.29	INTRSECTN	R		WINSLOW RD	CO		N																										
46.00		48.32	MP MARKER	R		46																													
46.97		49.29	MP MARKER	R		47																													
47.06B		49.38	BEG EQ			BEGIN BACK																													
47.06		49.42	EQUATION			047.10B=047.06																													
			INTRSECTN	L		MORRIS RD	CO		N																										
47.08		49.44	INTRSECTN	L		PRINCE RD	CO		N																										
			INTRSECTN	R		FUTTER RD	CO		N																										
47.65		50.01	MISC FEATR	R		SGN ENT TEKOA																													
47.78		50.14	ENTER CITY			TEKOA				1	1						3B	20B	3B			20	2	02	1285	R3		25	R	P					
47.79		50.15	INTRSECTN	B		LINE ST	CT		Y																										
47.83		50.19								1	1						6B	24B	7B			24	2	02	1285	R3		25	R	P					
47.86		50.22	INTRSECTN	L		DEZIRE ST	CT		Y																										
			INTRSECTN	R		BLUFF ST	CT		Y																										
47.88		50.24	INTRSECTN	L		WATER ST	CT		Y																										
47.90		50.26	BEG BRIDGE	B		HANGMAN CREEK	ST			1	1						\$\$W	36B	\$\$C			36	2	02	1285	R3		25	R	P					
						BRDG NUM 027/037																													
47.92		50.28	END BRIDGE	B		HANGMAN CREEK				1	1						3B	24B	9B			24	2	02	1285	R3		25	R	P					
47.95		50.31	MP MARKER	R		48																													
47.97		50.33	INTRSECTN	R		RAMSEY ST	CT		Y																										
47.99		50.35								1	1						1B	22B	1B			22	2	02	1285	R3		25	R	P					
48.05		50.37	EQUATION			048.01 =048.05																													
			INTRSECTN	R		PARK ST	CT		Y																										
48.11		50.43	BEG ST	I		MAIN ST				1	1						\$\$C	60A	\$\$C			60	2	02	1285	R3		25	R	B	*				
			INTRSECTN	L		MAIN ST	CT	YS	Y																										
			INTRSECTN	L		RAMSEY ST	CT	YS	Y																										
48.17		50.49	END ST	I		MAIN ST				1	1						C	42A	C			42	2	02	1285	R3		25	R	B	*				
			BEG ST	I		CROSBY ST																													
			INTRSECTN	R		MAIN ST	CT	SS	Y																										
			INTRSECTN	R		CROSBY ST	CT	SS	Y																										
48.25		50.55	EQUATION			048.23 =048.25																													
			INTRSECTN	B		HENKLE ST	CT		Y																										
48.32		50.62	INTRSECTN	B		WARREN ST	CT		Y																										
48.37		50.67	INTRSECTN	B		CONNELL ST	CT		Y																										
48.38		50.68								1	1						6G	24A	6G			24	2	02	1285	R3		25	R	P	*				
48.43		50.73	INTRSECTN	R		E SEAMAN ST	CT		Y																										
48.47		50.77	BEG BRIDGE	B		N. HANGMAN CREEK	ST			1	1						\$\$C	28A	\$\$C			28	2	02	1285	R3		25	R	P	*				
						BRDG NUM 027/039																													
48.49		50.79	END BRIDGE	B		N. HANGMAN CREEK				1	1						6G	24A	6G			24	2	02	1285	R3		25	R	P	*				
48.50		50.80	END ST	I		CROSBY ST				1	1						8G	22B	8G			22	2	02	1285	R3		25	R	B	*				











SR 027 MAINLINE

STATE ROUTE - SRSH

COUNTY SPOKANE

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----																
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC																				
: :LEFT/RIGHT INDICATOR				-UXING-			NBR LFT RHT			LFT RHT			USE TOT																				
: :				-XROAD-			LNS SHD RDY SHD			SHD RDY SHD			LNS RDY		MTCE CITY ST					LEGAL													
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T			
76.21		78.51								1	1						8B	22B	8B		22	1	02		R3				55	R			
76.43		78.73	INTRSECTN	R		JACKSON RD	CO		N																								
76.61		78.91	INTRSECTN	L		PALOUSE HWY	CO		Y																								
77.03		79.33	MP MARKER	R		77																											
77.10		79.40	INTRSECTN	L		E MICA CEMETERY RD	CO		N																								
77.30		79.60	TRAF RCDR	B		P30 0																											
77.66		79.96	INTRSECTN	B		GIBBS RD	CO		N																								
77.70		80.00	WYE CONN	L		GIBBS RD	CO		N																								
78.01		80.31	INTRSECTN	R		BELMONT RD	CO		Y																								
78.03		80.33	MP MARKER	R		78																											
78.18		80.48	INTRSECTN	R		DARKNELL RD	CO		Y																								
78.69		80.99	INTRSECTN	R		HIDDEN HOLLOW DR	CO		Y																								
			INTRSECTN	L		DARKNELL RD	CO		Y																								
79.01		81.31	MP MARKER	R		79																											
79.30		81.60	INTRSECTN	L		DISHMAN-MICA RD	CO		Y																								
79.57		81.87	RR XING	B		NUM 809141Y STRUCTURE			1	1							\$\$C	28B	\$\$C		28	1	02		R3				55	R			
			BEG BRIDGE	B		UP RR	ST																										
			BRDG NUM 027/119																														
79.60		81.90	END BRIDGE	B		UP RR			1	1							8B	22B	8B		22	1	02		R3				55	R			
80.00		82.30	MP MARKER	R		80																											
80.25		82.55	INTRSECTN	L		VICARI RD	CO		N																								
80.27		82.57	BEG SU LN	L		TRUCK CLIMBING SHOULD08B			1	1							\$\$\$	22B	8B	8	30	1	02		R3				55	R			
80.95		83.25	MP MARKER	R		81																											
81.12		83.42	INTRSECTN	R		RANCH PARK LN	CO		Y																								
81.80		84.10	END SU LN	L		TRUCK CLIMBING SHOULD08B			1	1							8B	22B	8B	\$\$\$	22	1	02		R3				55	R			
82.03		84.33	INTRSECTN	R		46TH AVE	CO		Y	1	1						8B	22B	8B		22	1	02		U2				55	R			
			INTRSECTN	L		SAN JUAN LN	PV		Y																								
82.05		84.35	MP MARKER	R		82																											
82.09		84.39	BEG SU LN	C		TWO WAY TURN		12B		1	1						8B	22B	8B	12	34	1	02		U2				55	R			
82.30		84.60	END SU LN	C		TWO WAY TURN		12B		1	1						8B	22B	8B	\$\$\$	22	1	02		U2				55	R			
82.36		84.66	INTRSECTN	L		COPPER RIVER LN	CO		Y																								
82.50		84.80							1	1							8B	22B	8B		22	1	02		U2				45	R			
82.65		84.95	INTRSECTN	R		BELLE TERRE AVE	CO		Y																								

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
76.61		78.91		.03	12						
78.01		80.31				.03	12				
79.30		81.60		.04	12						
82.03		84.33		.03	12	.03	12				
82.36		84.66		.03	12			.09	12		
82.65		84.95				.03	12				

SR 027 MAINLINE

STATE ROUTE - SRSH

COUNTY SPOKANE

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----													
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCREAS/UNDI			SPC																	
: :LEFT/RIGHT INDICATOR				-UXING-			LFT RHT			LFT RHT			USE																	
: :				-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS																	
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	RDY	MTCE	CITY	ST	LEGAL	T	P	S		
																						A	SE	NBR	FC	D	IB	R	K	T
82.70		85.00								1	1						8B	22B	8B		22	1	02		U2		45	R		
82.96		85.26								1	2						8B	36B	8B		36	1	02		U2		45	R		
83.00		85.30	MP MARKER	R		83																								
83.02		85.32								2	2						8B	48B	8B		48	1	02		U2		45	R		
83.05		85.35	ENT/EXIT	R		BUSINESS	PV		Y																					
83.06		85.36	ENT FROM	R		BUSINESS	PV		Y																					
83.10		85.40								2	2						8A	48A	8A		48	1	02		U2		45	R		
83.14		85.44	ENTER CITY			SPOKANE VALLEY				2	2						8A	48A	8A		48	1	02	1221	U2		45	R	B	
83.15		85.45	INTRSECTN	B		32ND AVE	CT	SG	Y	2	2						8A	51A	9A		51	1	02	1221	U1		45	R	B	
83.19		85.49								2	2	9A	23A		13A UP		\$\$\$	23A	10A		46	1	02	1221	U1		45	R	B	
83.40		85.70	INTRSECTN	B		28TH AVE	CT		Y																					
			INTRSECTN	C		MEDIAN XROAD	ST		Y																					
83.72		86.02	INTRSECTN	L		25TH AVE	CT		Y	2	2	\$\$\$	\$\$\$		\$\$\$\$	\$\$	8A	50A	8A		50	1	02	1221	U1		45	R	B	
			INTRSECTN	R		24TH AVE	CT		Y																					
			INTRSECTN	C		MEDIAN XROAD	ST		Y																					
83.96		86.26	MP MARKER	R		84																								
84.33		86.63								2	2						8A	50A	8A		50	1	02	1221	U1		35	R	B	
84.43		86.73	INTRSECTN	B		16TH AVE	CT	SG	Y	2	2					\$\$C	66A	8A		66	1	02	1221	U1		35	R	R		
84.49		86.79	INTRSECTN	L		PINES RD SB	CT		Y																					
84.51		86.81	INTRSECTN	R		SALTESE RD NB	CT		Y	2	2					C	61A	\$\$C		61	1	02	1221	U1		35	R	P		
84.56		86.86	BEG SU LN	C		TWO WAY TURN				2	2					C	48A	C	13	61	1	02	1221	U1		35	R	P		
			INTRSECTN	R		14TH AVE	CT		Y																					
84.68		86.98	INTRSECTN	B		12TH AVE	CT		Y																					
84.81		87.11	INTRSECTN	L		10TH AVE	CT		Y																					
84.83		87.13	MP MARKER	R		85																								
84.87		87.17	INTRSECTN	L		9TH AVE	CT		Y																					
84.94		87.24	INTRSECTN	B		8TH AVE	CT		Y																					
85.06		87.36	INTRSECTN	L		6TH AVE	CT		Y																					
85.19		87.49	INTRSECTN	B		4TH AVE	CT		Y																					
85.25		87.55	INTRSECTN	R		3RD AVE	CT		Y																					
85.33		87.63	END SU LN	C		TWO WAY TURN				2	2					C	61A	C	\$\$\$	61	1	02	1221	U1		35	R	P		
85.36		87.66	INTRSECTN	B		1ST AVE	CT		Y																					

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
83.05		85.35									
83.15		85.45		.04	13						
83.40		85.70		.04	13						
83.72		86.02		.04	13						
84.43		86.73		.04	13						
85.36		87.66		.02	13						

SR 027 MAINLINE

STATE ROUTE - SRSH

COUNTY SPOKANE

DOT DISTRICT 6

		-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----																
		:DIRECTION TO INVENTORY		-BRIDGE			DECREAS/DIV			INCREAS/UNDI			SPC															
		: :LEFT/RIGHT INDICATOR		-UXING-			NBR LFT RHT			LFT RHT			USE TOT															
		: :		-XROAD-			LNS SHD RDY SHD			SHD RDY SHD			LNS RDY															
SRMP	B ARM	FEATURE	D LR	DESCRIPTION	OW	TC	L	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	CITY	ST	SPEED	T	P	S		
85.37	87.67							2	2					C	61A	C		61	1	02	1221	U1	35	R	P			
85.44	87.74	INTRSECTN	B	SPRAGUE AVE	CT	SG	Y																					
85.53	87.83	INTRSECTN	R	RIVERSIDE AVE	CT		Y																					
85.57	87.87	INTRSECTN	B	MAIN AVE	CT		Y																					
85.61	87.91	BEG SU LN	C	TWO WAY TURN				2	2					C	48A	C	13	61	1	02	1221	U1	35	R	P			
85.70	88.00	INTRSECTN	B	VALLEY WAY	CT		Y																					
85.77	88.07	INTRSECTN	R	OLIVE AVE	CT		Y																					
85.82	88.12	INTRSECTN	L	ALKI AVE	CT		Y																					
85.87	88.17	END SU LN	C	TWO WAY TURN				2	2					C	61A	C \$\$\$		61	1	02	1221	U1	35	R	P			
85.94	88.24	INTRSECTN	B	BROADWAY AVE	CT	SG	Y																					
86.01	88.31	MP MARKER	R	86																								
86.02	88.32	BEG SU LN	C	TWO WAY TURN				2	2					C	48A	C	13	61	1	02	1221	U1	35	R	P			
86.06	88.36	INTRSECTN	L	CATALDO DR	CT		Y																					
86.13	88.43	INTRSECTN	R	DESMET AVE	CT		Y																					
86.19	88.49	INTRSECTN	B	BOONE AVE	CT		Y																					
86.32	88.62	INTRSECTN	R	SINTO AVE	CT		Y																					
86.38	88.68	END SU LN	C	TWO WAY TURN				2	2					C	61A	C \$\$\$		61	1	02	1221	U1	35	R	P			
		INTRSECTN	B	MAXWELL AVE	CT		Y																					
86.45	88.75	INTRSECTN	B	MISSION AVE	CT	SG	Y	2	2					C	75A	C		75	1	02	1221	U1	35	R	P			
86.49	88.79							2	2					8A	75A	C		75	1	02	1221	U1	35	R	P			
86.51	88.81	INTRSECTN	R	NORA AVE	CT		Y																					
86.53	88.83	ON RAMP	L	SR 90 EB	ST	SG	Y																					
86.54	88.84	OFF RAMP	R	SR 90 EB	ST	SG	Y	2	2					10A	73A	C		73	1	02	1221	U1	35	R	P			
		WYE CONN	L	SR 90 EB ON RAMP	ST	SG	Y																					
86.61	88.91	BEG BRIDGE I		SR 90	ST			2	2	W	32A	W	60	\$\$W	44A	W		76	1	02	1221	U1	35	R	P			
		BEG BRIDGE D		BRDG NUM 027/124E																								
				SR 90	ST																							
				BRDG NUM 027/124W																								
86.63	88.93	END BRIDGE I		SR 90				2	2	10A	27A	\$	8A	CU	\$	48A	C		75	1	02	1221	U1	35	R	P		
		END BRIDGE D		SR 90																								
86.69	88.99							2	2	10A	27A		8A	CU		75A	C		102	1	02	1221	U1	35	R	P		
86.70	89.00	WYE CONN	R	INDIANA AVE	CT		Y																					

INTERSECTION DETAIL

		-----TURN LANES-----				-----ACCELERATION LANES-----			
		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B ARM	LGT	WD	LGT	WD	LGT	WD	LGT	WD
85.44	87.74	.06	11						
85.57	87.87	.02	13						
85.94	88.24	.05	11						
86.38	88.68								
86.45	88.75	.03	11						
86.54	88.84								
86.70	89.00			.04	14				

SR 027 MAINLINE

STATE ROUTE - SRSH

COUNTY SPOKANE

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----																				
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC							LEGAL																	
: :LEFT/RIGHT INDICATOR				-UXING-			LFT RHT			LFT RHT			USE		TOT					SPEED																	
: :				-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS		RDY					T P S																	
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	CITY	NBR	ST	FC	D	IB	R	K	T					
86.72		89.02	OFF RAMP	L		SR 90 WB	ST	SG	Y	2	2	10A	27A		8A	CU				65A		C						92	1	02	1221	U1		35	R	P	
			INTRSECTN	L		MONTGOMERY DR	CT	SG	Y																												
			INTRSECTN	R		INDIANA AVE	CT	SG	Y																												
86.73		89.03	WYE CONN	R		INDIANA AVE	CT		Y																												
			WYE CONN	L		MONTGOMERY DR	CT		Y																												
86.74		89.04	RR XING	B		NUM 662519S GRADE																															
86.75		89.05								2	2	\$\$\$	\$\$\$		\$\$\$\$	\$\$	C	60A		C			60	1	02	1221	U1						35	R	P		
86.78		89.08	BEG SU LN	C		TWO WAY TURN		11A		2	2						C	49A		C	11	60	1	02	1221	U1						35	R	P			
86.85		89.15	END SU LN	C		TWO WAY TURN		11A		2	2						C	60A		C	\$\$\$	60	1	02	1221	U1						35	R	P			
			INTRSECTN	B		MANSFIELD AVE	CT		Y																												
86.96		89.26								2	2						C	48A		C		48	1	02	1221	U1						35	R	P			
87.00		89.30	MP MARKER	R		87																															
87.14		89.44	INTRSECTN	L		MARIETTA AVE	CT		Y																												
87.24		89.54	INTRSECTN	L		BUCKEYE AVE	CT		Y																												
87.30		89.60	INTRSECTN	B		GRACE AVE	CT		Y																												
87.38		89.68								2	2						C	60A		C		60	1	02	1221	U1						35	R	P			
87.46		89.76	INTRSECTN	R		MIRABEAU PKWY	CT		Y																												
			ENT/EXIT	L		TRENT ELEMENTARY SCHOOL	CT		Y																												
87.53		89.83	BEG SU LN	C		TWO WAY TURN		12A		2	2						C	48A		C	12	60	1	02	1221	U1						35	R	P			
87.56		89.86	EXIT TO	R		PINECROFT WAY	CT		Y																												
87.57		89.87	ENT FROM	R		PINECROFT WAY	CT		Y																												
87.59		89.89	END SU LN	C		TWO WAY TURN		12A		2	2						C	48A		C	\$\$\$	48	1	02	1221	U1						35	R	P			
87.65		89.95	RR XING	B		NUM 066367E GRADE																															
87.68		89.98	WYE CONN	L		SR 290	ST		Y	1	2						C	36A		C		36	1	02	1221	U1						35	R	P			
87.70		90.00	INTRSECTN	B		SR 290	ST	SG	Y																												
			END CTLSEC			CONTROL SECTION 3230																															
			END ROUTE																																		

INTERSECTION DETAIL

		-----TURN LANES-----				-----ACCELERATION LANES-----			
		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B ARM	LGT	WD	LGT	WD	LGT	WD	LGT	WD
86.72	89.02	.03	13						
86.85	89.15			.03	11				
87.46	89.76	.02	12						







SR 028 MAINLINE STATE ROUTE - SRSH COUNTY LINCOLN DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS----						
SRMP B ARM		FEATURE	DIRECTION TO INVENTORY : : LEFT/RIGHT INDICATOR : :	DESCRIPTION	-BRIDGE -UXING- -XROAD- OW TC L	NBR LNS D I	DECREAS/DIV LFT RHT SHD RDY SHD W/S W/S W/S	MEDIAN- WD/S BR	INCRS/UNDI LFT RHT SHD RDY SHD W/S W/S W/S	SPC USE TOT LNS RDY WID WID	MTCE A SE	CITY NBR	ST FC	LEGAL SPEED D IB	T R	P K	S T				
104.00	108.07					1 1				6B 22B 6B				22 3 02			R2	60 R			
104.01	108.08	MP MARKER	R	104																	
104.47	108.54	INTRSECTN	R	LOWE RD	CO	N 1 1				6B 22B 6B				22 3 01			R2	60 R			
105.02	109.09	MP MARKER	R	105																	
105.19	109.26	INTRSECTN	L	DUCK LAKE LAMONA RD	CO	N															
105.61	109.68	INTRSECTN	R	COAL COULEE RD	CO	N															
106.01	110.08	MP MARKER	R	106																	
106.59	110.66	INTRSECTN	B	KAPUTA RD E	CO	N															
107.02	111.09	MP MARKER	R	107																	
108.01	112.08	MP MARKER	R	108																	
108.70	112.77	INTRSECTN	B	DOGGETT RD	CO	N															
109.01	113.08	MP MARKER	R	109																	
109.87	113.94	INTRSECTN	L	SALO RD	CO	N															
		INTRSECTN	R	MOHLER RD	CO	N															
110.00	114.07	MP MARKER	R	110																	
111.01	115.08	MP MARKER	R	111																	
111.45	115.52	INTRSECTN	B	KUPER RD	CO	N															
112.00	116.07	MP MARKER	R	112																	
113.00	117.07	MP MARKER	R	113																	
114.00	118.07	MP MARKER	R	114																	
115.00	119.07	MP MARKER	R	115																	
115.41	119.48	INTRSECTN	L	DUCK LAKE RD	CO	N															
		INTRSECTN	R	BETHEL RD	CO	N															
116.00	120.07	MP MARKER	R	116																	
116.58	120.65	INTRSECTN	R	BETHEL RD	CO	N															
117.01	121.08	MP MARKER	R	117																	
117.10	121.17	INTRSECTN	L	TIMM RD	CO	N															
117.28	121.35	BEG BRIDGE	B	DRY RUN	ST	1 1				\$\$C 32B \$\$C				32 3 01			R2	60 R			
				BRDG NUM 028/216																	
117.29	121.36	END BRIDGE	B	DRY RUN		1 1				6B 22B 6B				22 3 01			R2	60 R			
117.64	121.71	ENTER CITY		HARRINGTON		1 1				6B 22B 6B				22 3 01	0545	R2		45 R B			
		MISC FEATR	R	SGN ENT HARRINGTON																	
117.70	121.77	INTRSECTN	R	MAIN ST	CT	Y 1 1				8B 22B 8B				22 3 01	0545	R2		45 L B			
117.73	121.80	WYE CONN	R	MAIN ST	CT	Y															
117.98	122.05	INTRSECTN	R	W LINDEN ST	CT	Y															
		INTRSECTN	L	COFFEE POT RD	CT	Y															
118.00	122.07	MP MARKER	R	118																	
118.02	122.09	BEG BRIDGE	B	COAL CREEK	ST	1 1				\$\$C 39B \$\$C				39 3 01	0545	R2		45 L P			
				BRDG NUM 028/218C																	
118.03	122.10	END BRIDGE	B	COAL CREEK		1 1				8B 22B 8B				22 3 01	0545	R2		45 L B			
118.12	122.19	INTRSECTN	R	SR 23	ST	Y															
118.17	122.24	MISC FEATR	L	SGN ENT HARRINGTON																	
118.30	122.37	LEAVE CITY		HARRINGTON		1 1				8B 22B 8B				22 3 01	\$\$\$\$	R2		45 L \$			



SR 028 MAINLINE

STATE ROUTE - SRSH

COUNTY LINCOLN

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----																	
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV			INCREAS/UNDI			SPC																				
: :LEFT/RIGHT INDICATOR				-UXING-		NBR	LFT	RHT	LFT	RHT	USE	TOT																				
: :				-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S										
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T		
131.16	135.23																7A	24A	7A			24	3	01	0310	R2			30	L	B	*
131.18	135.25		END ST	I		TWELFTH ST																										
			INTRSECTN	B		SR 2																										
			END CTLSEC			CONTROL SECTION 2205																										
			END ROUTE																													

INTERSECTION DETAIL

		-----TURN LANES-----				-----ACCELERATION LANES-----			
		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B ARM	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
131.18	135.25			.03	12				











SR 041 MAINLINE

STATE ROUTE - SRSH

COUNTY PEND OREILLE

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS-----																
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC																			
: :LEFT/RIGHT INDICATOR				-UXING-			NBR		LFT	RHT		LFT		RHT	USE	TOT																
: :				-XROAD-			LNS	SHD	RDY	SHD	MEDIAN-		SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED		T	P	S							
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T		
0.00	0.00		BEG ROUTE			MAIN ROUTE				1	1						C	44A	C		44	1	02	0860	R2		35	R	P	*		
			ENTER CITY			SR 2 TO IDAHO STATE LINE																										
			BEG CTLSEC			NEWPORT																										
			BEG ST	I		STATE AVE																										
			INTRSECTN	L		IDAHO HWY 2-WALNUT ST				CT		SG		Y																		
			INTRSECTN	R		SR 2				ST		SG		Y																		
0.07	0.07		INTRSECTN	L		E 3RD N				CT				N																		
0.08	0.08		BEG SU LN	C		TWO WAY TURN		12A									C	32A	C	12	44	1	02	0860	R2		35	R	P	*		
0.14	0.14		INTRSECTN	R		PINE ST				CT				Y																		
			INTRSECTN	L		E 2ND N				CT				Y																		
0.20	0.20		INTRSECTN	L		N WASHINGTON AVE				CT				N																		
			INTRSECTN	R		1ST ST				CT				N																		
0.21	0.21		END SU LN	C		TWO WAY TURN		12A									C	44A	C	\$\$\$	44	1	02	0860	R2		35	R	P	*		
0.31	0.31		RR XING	B		NUM 0000000 STRUCTURE											C	28A	C		28	1	02	0860	R2		35	R	P	*		
			BEG BRIDGE	B		BN RR				ST																						
						BRDG NUM 041/010																										
0.34	0.34		END BRIDGE	B		BN RR											C	40A	C		40	1	02	0860	R2		35	R	P	*		
0.41	0.41		END ST	I		STATE AVE																										
			INTRSECTN	R		4TH ST				CT				Y																		
			INTRSECTN	L		E 4TH S				CT				Y																		
			END CTLSEC			CONTROL SECTION 2602																										
			END ROUTE																													

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
0.00	0.00							.05	13		
0.41	0.41			.02	11						

















SR 090 MAINLINE

INTERSTATE - ISSH

COUNTY LINCOLN

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----											
SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-BRIDGE			DECREAS/DIV			INCREAS/UNDI			SPC													
				D	LR	DESCRIPTION	OW	TC	L	NBR	LFT	RHT	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	TOT	MTCE	CITY	ST	LEGAL	T	P	S
239.11	236.82		ENTER CO BEG CTLSEC MISC FEATR MISC FEATR			LINCOLN CONTROL SECTION 2201 SGN ENT LINCOLN COUNTY SGN ENT ADAMS COUNTY				2	2	10A	24A	4A	68S	DE	4A	24A	10A		48	3	02		R5		70	R
239.36	237.07									2	2	10A	24A	4A	68S	GR	4A	24A	10A		48	3	02		R5		70	R
239.60	237.31									2	2	10A	24A	4A	68S	DE	4A	24A	10A		48	3	02		R5		70	R
239.69	237.40									2	2	10A	24A	4A	68S	GR	4A	24A	10A		48	3	02		R5		70	R
239.82	237.53									2	2	10A	24A	4A	68S	DE	4A	24A	10A		48	3	02		R5		70	R
239.90	237.61		MP MARKER	B		240																						
239.99	237.70									2	2	10A	24A	4A	450S	DE	4A	24A	10A		48	3	02		R5		70	R
240.59	238.30									2	2	10A	24A	4A	180S	DE	4A	24A	10A		48	3	02		R5		70	R
240.90	238.61		MP MARKER	B		241																						
241.27	238.98		MED XING	C		OFFICIAL																						
241.61	239.32		EXIT TO	R		REST AREA		ST	Y																			
241.81	239.52		ENT FROM	L		REST AREA		ST	Y																			
241.86	239.57		REST AREA	R		SPRAGUE LAKE CS 220192 T631 MAJOR																						
241.90	239.61		MP MARKER	B		242																						
242.25	239.96		REST AREA	L		SPRAGUE LAKE CS 220191 T632 MAJOR																						
242.29	240.00		ENT FROM	R		REST AREA		ST	Y																			
242.39	240.10									2	2	10A	24A	4A	75S	DE	4A	24A	10A		48	3	02		R5		70	R
242.57	240.28		EXIT TO	L		REST AREA		ST	Y																			
242.61	240.32									2	2	10A	24A	4A	75S	BE	4A	24A	10A		48	3	02		R5		70	R
242.66	240.37		BEG BRIDGE	I		SPRAGUE RD BRDG NUM 090/403S		ST		2	2	\$\$C	38P	\$\$C	75O	\$\$	\$\$C	38A	\$\$C		76	3	02		R5		70	R
			BEG BRIDGE	D		SPRAGUE RD BRDG NUM 090/403N		ST																				
242.68	240.39		END BRIDGE	I		SPRAGUE RD				2	2	10A	24A	4A	75S	BE	4A	24A	10A		48	3	02		R5		70	R
			END BRIDGE	D		SPRAGUE RD																						
242.72	240.43									2	2	10A	24A	4A	75S	DE	4A	24A	10A		48	3	02		R5		70	R
242.75	240.46		MED XING	C		OFFICIAL																						
242.90	240.61		MP MARKER	B		243																						
243.91	241.62		MP MARKER	B		244																						
244.80	242.51		MED XING	C		OFFICIAL																						
244.86	242.57		ON RAMP	L		SR 23		ST	Y																			
244.91	242.62		MP MARKER	B		245																						
244.95	242.66		ENTER CITY			SPRAGUE				2	2	10A	24A	4A	75S	DE	4A	24A	10A		48	3	02	1225	R5		70	R P
245.04	242.75		OFF RAMP	R		SR 23		ST	Y																			
245.06	242.77		MISC FEATR	L		GORE (S124486)																						
245.12	242.83		LEAVE CITY			SPRAGUE				2	2	10A	24A	4A	75S	DE	4A	24A	10A		48	3	02	\$\$\$\$	R5		70	R \$
			MISC FEATR	R		GORE (P124504)																						
245.21	242.92									2	2	10A	24A	4A	75S	BE	4A	24A	10A		48	3	02		R5		70	R
245.25	242.96		ENTER CITY			SPRAGUE				2	2	10A	24A	4A	75S	BE	4A	24A	10A		48	3	02	1225	R5		70	R P



















SR 090 MAINLINE INTERSTATE - ISSH COUNTY SPOKANE DOT DISTRICT 6

Table with columns: SRMP, B, ARM, FEATURE, D, LR, DESCRIPTION, -BRIDGE, -UXING, -XROAD, OW, TC, L, DECREASE/DIV, NBR, LFT, RDY, SHD, W/S, RHT, W/S, W/S, MEDIAN, WD, S, BR, INCREAS/UNDI, LFT, RDY, SHD, W/S, W/S, W/S, SPC, USE, LNS, RDY, WID, TOT, RDY, MTCE, A, SE, CITY, NBR, ST, FC, LEGAL, SPEED, T, P, R, K, S. Rows contain detailed project data for SR 090, including bridge numbers and lane configurations.







SR 090 MAINLINE INTERSTATE - ISSH COUNTY SPOKANE DOT DISTRICT 6

Table with multiple columns: SRMP, B, ARM, FEATURE, D, LR, DESCRIPTION, -BRIDGE, DECREASE/DIV, INCREASE/UNDI, SPC, CLASSIFICATIONS, etc. It contains a list of road segments with their respective attributes.



SR 127 MAINLINE STATE ROUTE - SRSH COUNTY WHITMAN DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----													
SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC													
				D	LR	DESCRIPTION	OW	TC	L	NBR	LFT	RHT	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S
10.00	10.00		BEG ROUTE			MAIN ROUTE			1	1				8A	24A	8A			24	2	02		R1		55	R		
			BEG CTLSEC			SR 12/DODGE TO SR 26																						
			MP MARKER	R		CONTROL SECTION 3812																						
10.15	10.15		INTRSECTN	R		CENTRAL FERRY RD	CO	Y																				
			ENT/EXIT	L		CENTRAL FERRY STATE PARK ST	ST	Y																				
10.35	10.35		RR XING	B		NUM 871997T STRUCTURE			1	1				\$\$C	40A	\$\$C			40	2	02		R1		55	R		
			BEG BRIDGE	B		CAMAS PRAIRIE RR	ST																					
						BRDG NUM 127/101																						
10.40	10.40		END BRIDGE	B		CAMAS PRAIRIE RR			1	1				8A	24A	8A			24	2	02		R1		55	R		
10.51	10.51		INTRSECTN	R		HOPKINS RD	CO	N																				
11.00	11.00		MP MARKER	R		11																						
11.03	11.03								1	1				4A	24A	4A			24	2	02		R1		55	R		
11.23	11.23		BEG BRIDGE	B		CORRAL CREEK	ST																					
						BRDG NUM 127/102.25																						
11.24	11.24		END BRIDGE	B		CORRAL CREEK																						
12.00	12.00		MP MARKER	R		12																						
13.00	13.00		MP MARKER	R		13																						
13.87	13.87		BEG SU LN	R		TRUCK CLIMBING SHOULD11A			1	1				4A	24A	\$\$\$	11	35	2	02		R1		55	R			
14.00	14.00		MP MARKER	R		14																						
14.02	14.02		END SU LN	R		TRUCK CLIMBING SHOULD11A			1	1				4A	24A	4A	\$\$\$	24	2	02		R1		55	R			
15.00	15.00		MP MARKER	R		15																						
16.00	16.00		MP MARKER	R		16																						
17.00	17.00		MP MARKER	R		17																						
18.00	18.00		MP MARKER	R		18																						
19.00	19.00		MP MARKER	R		19																						
19.45	19.45								1	1				4B	24B	4B			24	2	02		R1		55	R		
19.53	19.53		INTRSECTN	L		BIG ALKALI RD	CO	N																				
19.77	19.77								1	1				4B	24B	4B			24	2	02		R1		60	R		
20.00	20.00		MP MARKER	R		20																						
20.44	20.44		INTRSECTN	R		PENEWAWA RD	CO	N																				
21.00	21.00		MP MARKER	R		21																						
22.00	22.00		MP MARKER	R		22																						
22.40	22.40		BEG BRIDGE	B		BIG ALKALI CREEK	ST		1	1				\$\$W	32B	\$\$W			32	2	02		R1		60	R		
						BRDG NUM 127/104																						
22.41	22.41		END BRIDGE	B		BIG ALKALI CREEK			1	1				4B	24B	4B			24	2	02		R1		60	R		
22.90	22.90		INTRSECTN	L		ZARING CUT OFF RD	CO	N																				

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B	ARM		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
				LGT	WD	LGT	WD	LGT	WD	LGT	WD
10.15	10.15			.02	12			.03	12		







SR 174 MAINLINE

STATE ROUTE - SRSH

COUNTY LINCOLN

DOT DISTRICT 6

			-----WIDTH AND SURFACE INFORMATION-----														-----CLASSIFICATIONS-----														
			:DIRECTION TO INVENTORY		-BRIDGE			DECREAS/DIV			INCREAS/UNDI			SPC																	
			: :LEFT/RIGHT INDICATOR		-UXING-			NBR LFT RHT			LFT RHT			USE TOT		LEGAL															
			: :		-XROAD-			LNS SHD RDY SHD			MEDIAN-			SHD RDY SHD			LNS RDY		MTCE CITY ST SPEED T P S												
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
40.66		40.66	END CTLSEC END ROUTE			CONTROL SECTION 2237				1	1						4B	24B	4B			24	3	01			R3			60	R













SR 195 MAINLINE

U.S. ROUTE - USSH COUNTY WHITMAN

DOT DISTRICT 6

		-----WIDTH AND SURFACE INFORMATION-----															-----CLASSIFICATIONS-----										
		:DIRECTION TO INVENTORY		-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC														
		: :LEFT/RIGHT INDICATOR		-UXING-			LFT RHT			LFT RHT			USE TOT														
		: :		-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS RDY														
SRMP	B ARM	FEATURE	D LR	DESCRIPTION	OW	TC	L	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	CITY	ST	LEGAL	T	P	S	
																					NBR	FC	D	IB	R	K	T
27.04	25.19							1	1					24A			16	40	2	01		R1		60	R		
27.09	25.24	END SU LN	R	TRUCK CLIMBING SHOULD08A				1	1					24A	8A		8	32	2	01		R1		60	R		
27.48	25.63	END SU LN	L	TRUCK CLIMBING SHOULD08A				1	1					8A	24A	8A	\$\$\$	24	2	01		R1		60	R		
28.00	26.15	MP MARKER	R	28																							
28.22	26.37	INTRSECTN	L	CAROTHERS RD	CO		Y																				
28.49	26.64	INTRSECTN	R	FULFS RD #5410	CO		N																				
28.99	27.14	MP MARKER	R	29																							
29.33	27.48	INTRSECTN	L	BABBITT RD #8450	CO		N																				
29.41	27.56	INTRSECTN	R	OLD ALBION RD #5505	CO		N																				
29.86	28.01	INTRSECTN	L	BAR RD #8340	CO		N																				
29.99	28.14	MP MARKER	R	30																							
30.74	28.89	INTRSECTN	L	HAMILTON HILL RD #8300	CO		Y																				
		INTRSECTN	R	ALBION RD #5400	CO		Y																				
30.98	29.13	MP MARKER	R	31																							
31.98	30.13	MP MARKER	R	32																							
32.23	30.38	INTRSECTN	L	HOFER RD #8050	CO		Y																				
32.98	31.13	MP MARKER	R	33																							
33.03	31.18	INTRSECTN	R	SHAWNEE RD #5250	CO		Y																				
33.46	31.61	INTRSECTN	L	PRUNE ORCHARD RD #8280	CO		N																				
33.98	32.13	MP MARKER	R	34																							
34.38	32.53							2	1					2A	36A	8A		36	2	01		R1		60	R		
34.90	33.05							2	1					4A	36A	7A		36	2	01		R1		60	R		
34.99	33.14	MP MARKER	R	35																							
35.01	33.16	INTRSECTN	R	PARVIN RD #5000	CO		Y																				
35.07	33.22	BEG SU LN	C	TWO WAY TURN	12A			2	1					4A	36A	7A	12	48	2	01		R1		60	R		
35.12	33.27	END SU LN	C	TWO WAY TURN	12A			2	1					4A	36A	7A	\$\$\$	36	2	01		R1		60	R		
35.86	34.01	INTRSECTN	L	BENNETT RD #8040	CO		N																				
35.87	34.02							2	1					4A	36A	7A		36	2	01		R1		45	R		
35.99	34.14	MP MARKER	R	36																							
36.91	35.06	ENTER CITY		COLFAX				2	1					4A	36A	7A		36	2	01	0230	R1		45	R	P	
36.95	35.10	MISC FEATR	R	SGN ENT COLFAX																							
36.97	35.12	MP MARKER	R	37																							
37.05	35.20							2	1					4A	36A	7A		36	2	01	0230	R1		25	R	P	
37.10	35.25							2	1					\$\$\$	40A	4A		40	2	01	0230	R1		25	R	P	

INTERSECTION DETAIL

		-----TURN LANES-----				-----ACCELERATION LANES-----			
		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B ARM	LGT	WD	LGT	WD	LGT	WD	LGT	WD
28.22	26.37	.03	14						
30.74	28.89	.03	14	.03	14				
33.03	31.18			.03	12				
35.01	33.16			.04	11				

SR 195 MAINLINE U.S. ROUTE - USSH COUNTY WHITMAN DOT DISTRICT 6

Main data table with columns: SRMP, B, ARM, FEATURE, D, LR, DESCRIPTION, -BRIDGE, DECREASE/DIV, INCREASE/UNDI, SPC, CLASSIFICATIONS, etc.

INTERSECTION DETAIL table with columns: SRMP, B, ARM, TURN LANES (L NEAR, R NEAR, L FAR, R FAR), ACCELERATION LANES (LEFT, L-CNTR, R-CNTR, RIGHT), LGT, WD.

SR 195 MAINLINE

U.S. ROUTE - USSH

COUNTY WHITMAN

DOT DISTRICT 6

		-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----												
		:DIRECTION TO INVENTORY		-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC				LEGAL										
		: :LEFT/RIGHT INDICATOR		-UXING-			LFT RHT			LFT RHT			USE		TOT		CITY		ST								
		: :		-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS		RDY		MTCE		FC								
SRMP	B ARM	FEATURE	D LR	DESCRIPTION	OW	TC	L	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	S
38.15	36.29							2	2					C	56A	C		56	2	01	0230	R1	25	R	P	*	
38.17	36.31	INTRSECTN	B	NORTH ST	CT		Y																				
38.23	36.37	INTRSECTN	B	LAST ST	CT		Y																				
38.28	36.42	BEG BRIDGE	B	S FORK PALOUSE RIVER	ST			2	2					C	44A	C		44	2	01	0230	R1	25	R	P	*	
				BRDG NUM 195/025																							
38.30	36.44	END BRIDGE	B	S FORK PALOUSE RIVER				2	2					C	48A	C		48	2	01	0230	R1	25	R	X	*	
38.37	36.51	INTRSECTN	R	HARRISON ST	CT		Y																				
38.38	36.52	RR XING	B	NUM 810209G GRADE																							
38.41	36.55	INTRSECTN	R	TYLER ST	CT		Y	2	2					C	36A	C		36	2	01	0230	R1	25	R	X	*	
38.46	36.60							2	1					C	36A	C		36	2	01	0230	R1	25	R	X	*	
38.47	36.61	END ST	I	MAIN ST				2	1					C	36A	C		36	2	01	0230	R1	25	R	X	\$	
		INTRSECTN	R	FIRST ST	CT		Y																				
38.48	36.62	INTRSECTN	L	SR 26 SPCOLFAX (SPUR)	ST		Y	1	1					C	36A	C		36	2	01	0230	R1	25	R	P		
38.50	36.64	BEG BRIDGE	B	N FORK PALOUSE RIVER	ST			1	1					C	26A	C		26	2	01	0230	R1	25	R	P		
				BRDG NUM 195/027																							
38.55	36.69	END BRIDGE	B	N FORK PALOUSE RIVER				1	1					4A	20A	4A		20	2	01	0230	R1	25	R	P		
38.58	36.72	INTRSECTN	L	SR 26 EB	ST		N	1	1					4A	22A	8A		22	2	01	0230	R1	35	R	P		
38.60	36.74	INTRSECTN	L	SR 26 WB	ST		N																				
39.03	37.17	MP MARKER	R	39																							
39.04	37.18	BEG SU LN	R	CLIMBING		12A		1	1					4A	22A	8A	12	34	2	01	0230	R1	35	R	P		
39.08	37.22	INTRSECTN	R	CEDAR ST	CT		Y																				
39.21	37.35	LEAVE CITY		COLFAX				1	1					4A	22A	8A	12	34	2	01	\$\$\$\$	R1	35	R	\$		
39.31	37.45							1	1					4A	22A	8A	12	34	2	01		R1	55	R			
39.70	37.84	EXIT TO	R	SCENIC VIEWPOINT	ST		N																				
39.78	37.92	ENT FROM	R	SCENIC VIEWPOINT	ST		N																				
40.03	38.17	MP MARKER	R	40																							
40.04	38.18							1	1					8A	22A	6A	12	34	2	01		R1	55	R			
40.50	38.64							1	1					8A	22A	6A	12	34	2	01		R1	60	R			
40.99	39.13	MP MARKER	R	41																							
41.73	39.87	END SU LN	R	CLIMBING		12A		1	1					8A	22A	6A	\$\$\$	22	2	01		R1	60	R			
41.76	39.90	EXIT TO	R	GRAIN ELEVATOR	PV		N																				
41.88	40.02	ENT FROM	R	GRAIN ELEVATOR	PV		N	1	1					7A	23A	7A		23	2	01		R1	60	R			
41.99	40.13	MP MARKER	R	42																							

INTERSECTION DETAIL

		-----TURN LANES-----				-----ACCELERATION LANES-----			
		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B ARM	LGT	WD	LGT	WD	LGT	WD	LGT	WD
38.37	36.51			.03	11				
38.41	36.55			.01	11				
38.47	36.61			.02	11				
38.48	36.62	.02	12						
39.08	37.22				.02	12			

SR 195 MAINLINE U.S. ROUTE - USSH COUNTY WHITMAN DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS-----													
SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC	TOT		MTCE		CITY	ST	LEGAL		T	P	S			
				D	LR	DESCRIPTION	OW	TC	L	NBR	LFT	RHT	SHD	RDY	SHD	W/S	W/S	W/S	W/S	RDY	RDY	A	SE	NBR	FC	D	IB	R	K
42.35		40.49																											
42.43		40.57	INTRSECTN	R		CRUMBAKER RD	CO		N																				
42.81		40.95	INTRSECTN	L		BILL WILSON RD	CO		N																				
43.00		41.14	MP MARKER	R		43																							
43.33		41.47	INTRSECTN	L		DANAHER RD	CO		N																				
43.37		41.51	INTRSECTN	R		CO RD	CO		N																				
43.58		41.72	BEG SU LN	C		TWO WAY TURN				12A																			
43.85		41.99	END SU LN	C		TWO WAY TURN				12A																			
			ENT/EXIT	R		D.O.T. MAINTENANCE AREA	ST		Y																				
43.94		42.08	ENT/EXIT	R		D.O.T. MAINTENANCE AREA	ST		Y																				
43.99		42.13	MP MARKER	R		44																							
44.24		42.38	BEG BRIDGE B	B		DRY CREEK	ST																						
						BRDG NUM 195/030																							
44.25		42.39	END BRIDGE B	B		DRY CREEK																							
44.40		42.54																											
44.64		42.78	INTRSECTN	R		DRY CREEK RD	CO		Y																				
45.00		43.14	MP MARKER	R		45																							
45.10		43.24	INTRSECTN	R		HUME RD	CO		N																				
45.99		44.13	MP MARKER	R		46																							
46.99		45.13	MP MARKER	R		47																							
47.80		45.94	MISC FEATR	R		SGN ENT STEPTOE																							
47.99		46.13	INTRSECTN	L		SR 23	ST		Y																				
			INTRSECTN	R		ROBERT SCHOLZ RD	CO		Y																				
48.00		46.14	MP MARKER	R		48																							
48.19		46.33	MISC FEATR	L		SGN ENT STEPTOE																							
48.45		46.59	BEG BRIDGE B	B		OLD BN RR	ST																						
						BRDG NUM 195/034																							
48.48		46.62	END BRIDGE B	B		OLD BN RR																							
48.97		47.11	INTRSECTN	L		TOLLETT RD	CO		N																				
			INTRSECTN	R		TENNESSEE FLAT RD	CO		N																				
49.00		47.14	MP MARKER	R		49																							
49.76		47.90	INTRSECTN	L		MCMEEKIN RD	CO		N																				
50.00		48.14	MP MARKER	R		50																							
51.00		49.14	MP MARKER	R		51																							
51.04		49.18	INTRSECTN	L		G FELLER RD	CO		N																				

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B	ARM		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
				LGT	WD	LGT	WD	LGT	WD	LGT	WD
43.85		41.99				.09	14				
44.64		42.78			.07	12	.02	12			
47.99		46.13		.04	13	.04	13				











SR 195 MAINLINE U.S. ROUTE - USSH COUNTY SPOKANE DOT DISTRICT 6

		-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----														
		:DIRECTION TO INVENTORY		-BRIDGE			DECREAS/DIV			INCRAS/UNDI			SPC	TOT		MTCE		CITY	ST	LEGAL		T	P	S		
		: :LEFT/RIGHT INDICATOR		-UXING-			NBR	LFT	RHT			LFT	RHT	USE			A	SE	NBR	FC	D	IB	R	K	T	
SRMP	B ARM	FEATURE	D LR	DESCRIPTION	OW	TC	L	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID								
76.49	74.40							1	1					10A	24A	6A		24	2	02			R1	60	R	
76.55	74.46	BEG BRIDGE	B	BRADSHAW RD				1	1					\$SW	40A	\$SW		40	2	02			R1	60	R	
				BRDG NUM 195/109																						
76.58	74.49	END BRIDGE	B	BRADSHAW RD				1	1					10A	24A	6A		24	2	02			R1	60	R	
77.21	75.12	MP MARKER	R	77																						
78.21	76.12	MP MARKER	R	78																						
78.93	76.84	INTRSECTN	B	CHENEY SPANGLE RD	CO		Y																			
78.94	76.85	WYE CONN	R	CHENEY SPANGLE	CO		Y																			
79.21	77.12	MP MARKER	R	79																						
80.10	78.01	INTRSECTN	B	WATT RD	CO		Y																			
80.21	78.12	MP MARKER	B	80				1	1	8A	12A		25A	UP	\$\$\$	12A	6A		24	1	01			R1	60	R
80.27	78.18							1	1	8A	12P	4P	78S	DE	4A	12A	7A		24	1	01			R1	60	R
80.96	78.37	EQUATION		080.46 =080.96				2	2	10A	24P	4A	78S	DE	4A	24A	10A		48	1	01			R1	60	R
81.00	78.41	MP MARKER	R	81																						
81.11	78.52	INTRSECTN	R	CORN WALL RD	CO		Y																			
		INTRSECTN	C	MEDIAN XROAD	ST		Y																			
81.27	78.68							2	2	10A	24P	4A	78S	JE	4A	24A	10A		48	1	01			R1	60	R
81.46	78.87	UXING	I	BN RR	ST																					
				BRDG NUM 195/112E																						
		RR XING	I	NUM 58994H STRUCTURE																						
81.48	78.89	RR XING	D	NUM 58993B STRUCTURE				2	2	\$\$C	30P	\$\$C	78O	\$\$	4A	24A	10A		54	1	01			R1	60	R
		BEG BRIDGE	D	BN RR	ST																					
				BRDG NUM 195/112W																						
81.53	78.94	END BRIDGE	D	BN RR				2	2	10A	24P	4A	80S	GR	4A	24A	10A		48	1	01			R1	60	R
81.78	79.19							2	2	10A	24P	4A	80S	DE	4A	24A	10A		48	1	01			R1	60	R
82.00	79.41	MP MARKER	B	82																						
82.05	79.46	INTRSECTN	C	MEDIAN XROAD	ST		Y																			
		INTRSECTN	R	SPANGLE CREEK RD	CO		Y																			
		INTRSECTN	L	CAMERON RD	CO		Y																			
82.34	79.75							2	2	10A	24P	4A	80S	DE	4A	24P	10A		48	1	01			R1	60	R
82.51	79.92							2	2	10A	24P	4A	78S	DE	4A	24P	10A		48	1	01			R1	60	R
82.72	80.13							2	2	11A	24A	4A	78S	DE	4A	24P	10A		48	1	01			R1	60	R
82.94	80.35	INTRSECTN	B	SMYTHE RD	CO		Y																			
		INTRSECTN	C	MEDIAN XROAD	ST		Y																			
83.02	80.43	MP MARKER	B	83																						
83.81	81.22							2	2	11A	24A	4A	78S	DE	3A	24P	10A		48	1	01			R1	60	R

INTERSECTION DETAIL

		-----TURN LANES-----				-----ACCELERATION LANES-----			
		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B ARM	LGT	WD	LGT	WD	LGT	WD	LGT	WD
78.93	76.84	.04	11						
80.10	78.01	.03	11	.04	11				



















SR 211 MAINLINE

STATE ROUTE - SRSH

COUNTY PEND OREILLE

DOT DISTRICT 6

			-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----															
			:DIRECTION TO INVENTORY			-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC																
			: :LEFT/RIGHT INDICATOR			-UXING-			NBR LFT RHT			LFT RHT			USE TOT		LEGAL														
			: :			-XROAD-			LNS SHD RDY SHD			MEDIAN-			SHD RDY SHD			LNS RDY		MTCE CITY ST SPEED T P S											
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
15.19	15.18		INTRSECTN END ROUTE	B	SR	20	ST	SS	N	1	1						4B	22B	4B			22	1	02		R2				55	R

























STATE OF WASHINGTON - DEPARTMENT OF TRANSPORTATION
TRIP SYSTEM
STATE HIGHWAY LOG

SR 261 MAINLINE STATE ROUTE - SRSR COUNTY ADAMS DOT DISTRICT 6

Table with columns: SRMP, B, ARM, FEATURE, D, LR, DESCRIPTION, and various metrics (NBR, LFT, RHT, SHD, RDY, W/S, W, S, BR, LNS, RDY, SHD, W/S, W, S, W, S, USE, TOT, LNS, RDY, WID, WID, MTCE, CITY, ST, FC, SPEED, T, P, S, K, T). The table lists various road features and markers along the route.







SR 263 MAINLINE

STATE ROUTE - SRSH

COUNTY FRANKLIN

DOT DISTRICT 6

			-----WIDTH AND SURFACE INFORMATION-----														-----CLASSIFICATIONS-----											
SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC													
				D	LR	OW	TC	L	NBR	LFT	RHT	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S	
0.00	0.00		BEG ROUTE						1	1				2B	22B	2B			22	2	01		R3			50	L	
			BEG CTLSEC																									
			MISC FEATR B																									
0.02	0.02		INTRSECTN	R																								
0.12	0.12		INTRSECTN	R																								
0.18	0.18		INTRSECTN	R																								
0.39	0.39		INTRSECTN	R																								
0.43	0.43		INTRSECTN	L																								
1.00	1.00		MP MARKER	R																								
1.09	1.09									1	1																	
2.00	2.00		MP MARKER	R																								
2.64	2.64									1	1																	
3.00	3.00		MP MARKER	R																								
3.06	3.06		BEG SU LN	R																								
											11B		1	1														
3.28	3.28		END SU LN	R																								
											11B		1	1														
3.31	3.31		INTRSECTN	R																								
3.39	3.39		INTRSECTN	R																								
3.95	3.95		INTRSECTN	R																								
4.00	4.00		MP MARKER	R																								
5.00	5.00		MP MARKER	R																								
6.00	6.00		MP MARKER	R																								
7.00	7.00		MP MARKER	R																								
8.00	8.00		MP MARKER	R																								
8.42	8.42		INTRSECTN	R																								
8.54	8.54		INTRSECTN	L																								
8.83	8.83		ENTER CITY																									
			BEG ST	I																								
			MISC FEATR	R																								
9.00	9.00		MP MARKER	R																								
9.01	9.01		INTRSECTN	L																								
9.03	9.03		INTRSECTN	R																								
9.05	9.05		WYE CONN	L																								
9.06	9.06		INTRSECTN	L																								
9.11	9.11		BEG BRIDGE B																									

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
3.31		3.31			.03	11				







SR 270 MAINLINE

STATE ROUTE - SRSH

COUNTY WHITMAN

DOT DISTRICT 6

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----										
							:DIRECTION TO INVENTORY		-BRIDGE		DECREAS/DIV			INCRS/UNDI			SPC		MTCE		CITY		ST		LEGAL		
				: :LEFT/RIGHT INDICATOR		-UXING-		NBR	LFT	RHT			LFT	RHT	USE	TOT	A	SE	NBR	FC	D	IB	T	P	S		
				: :		-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY										
				: :		OW TC L		D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID										
3.14		3.14							2	2					C 72A	C	72	2	01	1025	U1		35	R	P	*	
3.16		3.16	WYE CONN	L		STADIUM WAY		CT		Y																	
3.18		3.18	INTRSECTN	L		STADIUM WAY		CT	SG	Y																	
3.19		3.19	WYE CONN	L		STADIUM WAY		CT		Y																	
3.22		3.22	BEG SU LN	C		TWO WAY TURN	12A								C 64A	C	12	76	2	01	1025	U1		35	R	P	*
3.25		3.25													C 52A	C	12	64	2	01	1025	U1		35	R	P	*
3.43		3.43	END SU LN INTRSECTN	C R		TWO WAY TURN BISHOP BLVD	12A								8A 44A	8A \$\$\$	44	44	2	01	1025	U1		35	R	P	*
3.76		3.76													8A 44A	8A	44	44	2	01	1025	U1		55	R	P	*
3.95		3.95	INTRSECTN	L		FOREST WAY		CT		Y																	
3.97		3.97	BEG SU LN	C		TWO WAY TURN	14A								8A 44A	8A	14	58	2	01	1025	U1		55	R	P	*
4.02		4.02	MP MARKER	R		4																					
4.05		4.05													8A 48A	8A	14	62	2	01	1025	U1		55	R	P	*
4.44		4.44	END SU LN	C		TWO WAY TURN	14A								8A 62A	8A \$\$\$	62	62	2	01	1025	U1		55	R	P	*
4.50		4.50	END ST INTRSECTN	I L		E MAIN ST TERRE VIEW DR									8A 62A	8A	62	62	2	01	1025	U1		55	R	P	\$
4.51		4.51	INTRSECTN	R		PVT RD																					
4.58		4.58	BEG SU LN	C		TWO WAY TURN	14A								8A 48A	8A	14	62	2	01	1025	U1		55	R	P	
4.99		4.99	MP MARKER	R		5																					
5.56		5.56	MISC FEATR	L		SGN ENT PULLMAN																					
5.59		5.59	LEAVE CITY			PULLMAN									8A 48A	8A	14	62	2	01	\$\$\$\$	U1		55	R	\$	
5.73		5.73	ENT/EXIT	L		PVT RD		PV		Y																	
5.90		5.90													8A 48A	8A	14	62	2	01		R1		55	R		
5.99		5.99	MP MARKER	R		6																					
7.02		7.02	MP MARKER	R		7																					
7.36		7.36	INTRSECTN	R		SUNSHINE RD		CO		N																	
8.03		8.03	MP MARKER	R		8																					
8.68		8.68	INTRSECTN	R		GARRISON RD		CO		N																	
8.85		8.85													8A 48A	8A	14	62	2	01		R1		45	R		
8.91		8.91	INTRSECTN	R		GARRISON RD		CO		N																	

INTERSECTION DETAIL			-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
3.16		3.16					.03	12		
3.18		3.18	.04	12						
3.19		3.19				.04	12			
3.43		3.43			.04	12				
3.95		3.95	.03	12		.03	12			
4.50		4.50	.03	14		.11	12			
4.51		4.51			.03	14				
8.68		8.68		.03	14					

SR 270 MAINLINE

STATE ROUTE - SRSH

COUNTY WHITMAN

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----																	
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC																			
: :LEFT/RIGHT INDICATOR				-UXING-			NBR LFT RHT			LFT RHT			USE TOT																			
: :				-XROAD-			LNS SHD RDY SHD			SHD RDY SHD			LNS RDY																			
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	MTCE	CITY	ST	LEGAL	T	P	S				
8.94		8.94															8A	48A	8A	14	62	2	01		R1			45	R			
9.01		9.01	END SU LN	C		TWO WAY TURN											8A	62A	8A	\$\$\$	62	2	01		R1			45	R			
9.03		9.03	MP MARKER	R		9																										
9.07		9.07	INTRSECTN	L		PULLMAN AIRPORT RD																										
9.08		9.08	BEG SU LN	C		TWO WAY TURN											8A	48A	8A	14	62	2	01		R1			45	R			
9.41		9.41	INTRSECTN	R		CO RD																										
9.85		9.85	CHG SU LN	C		TWO WAY TURN											6A	48A	6A	12	60	2	01		R1			45	R			
9.89		9.89	END SU LN	C		TWO WAY TURN											6A	48A	6A	\$\$\$	48	2	01		R1			45	R			
			BORDER STA	R		IDAHO STATE LINE																										
						OWNER USC																										
						CONTROL SECTION 3831																										
			END CTLSEC																													
			END ROUTE																													

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
9.07		9.07		.03	14			.10	12		



























SR 290 MAINLINE

STATE ROUTE - SRSH

COUNTY SPOKANE

DOT DISTRICT 6

		-----WIDTH AND SURFACE INFORMATION-----																											
		:DIRECTION TO INVENTORY					-BRIDGE		DECREAS/DIV			INCRS/UNDI			SPC		-----CLASSIFICATIONS----												
		: :LEFT/RIGHT INDICATOR					-UXING-		NBR	LFT	RHT	LFT	RHT	LFT	RHT	USE	TOT			LEGAL									
SRMP	B ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	CITY	ST	SPEED	T	P	S	
2.94	2.87									2	2					C	48A	C		48	1	02	1220	U1	35	L	P	*	
3.00	2.93	INTRSECTN		L	MYRTLE ST			CT		Y																			
3.07	3.00	INTRSECTN		L	FLORIDA ST			CT		Y																			
3.20	3.13									2	2					C	40A	C		40	1	02	1220	U1	35	L	P	*	
3.22	3.15	INTRSECTN		B	HAVANA ST			CT		Y	2	1			C	40A	C		40	1	02	1220	U1	35	L	P	*		
3.34	3.27	INTRSECTN		L	MISSION AVE			CT	SG	Y	2	1			8A	44A	8A		44	1	02	1220	U1	35	L	B	*		
3.35	3.28	WYE CONN		L	MISSION AVE			CT		Y																			
3.36	3.29	INTRSECTN		L	HOUGH ST			CT		Y	2	2			8A	44A	8A		44	1	02	1220	U1	35	L	B	*		
3.48	3.41	INTRSECTN		L	LANGLEY ST			CT		Y																			
3.59	3.52	INTRSECTN		L	WATERWORKS RD			CT	AF	Y																			
3.76	3.69	INTRSECTN		L	BYRD ST			CT		Y																			
3.88	3.81	INTRSECTN		L	WALDO ST			CT		Y																			
4.00	3.93	INTRSECTN		B	AIRPORT ST			CT		Y																			
4.15	4.08	INTRSECTN		L	KOREN ST			CT		Y																			
4.22	4.15									2	2				\$\$	C	63P	\$\$	C		63	1	02	1220	U1	35	L	B	*
4.27	4.20	WYE CONN		R	FANCHER WAY			CT		Y																			
4.29	4.22	INTRSECTN		B	FANCHER WAY			CT	SG	Y																			
4.31	4.24	LEAVE CITY ENTER CITY WYE CONN			SPOKANE SPOKANE VALLEY FANCHER WAY					2	2				C	63P	C		63	1	02	1221	U1	40	L	P	*		
				R	FANCHER WAY			CT		Y																			
4.32	4.25									2	2				C	63A	C		63	1	02	1221	U1	40	L	P	*		
4.34	4.27	BEG SU LN		C	TWO WAY TURN		13A			2	2				C	50A	C	13	63	1	02	1221	U1	40	L	P	*		
4.37	4.30	MISC FEATR		L	SGN ENT SPOKANE																								
4.41	4.34	INTRSECTN		B	DICKEY RD			CT		Y																			
4.66	4.59	INTRSECTN		B	DOLLAR RD			CT		Y																			
4.80	4.73									2	2				C	47A	6A	13	60	1	02	1221	U1	40	L	P	*		
4.92	4.85	INTRSECTN		L	BRADLEY RD			CT		Y																			
4.96	4.89	INTRSECTN		L	DORA RD			CT		Y	2	2			C	52A	6A	13	65	1	02	1221	U1	40	L	P	*		
4.99	4.92	MP MARKER		R	5																								
5.04	4.97	INTRSECTN		L	COLEMAN RD			CT		Y																			
5.13	5.06	INTRSECTN		L	LILY RD			CT		Y																			
5.19	5.12	INTRSECTN		L	GIRARD RD			CT		Y																			
5.23	5.16	END SU LN INTRSECTN		C L	TWO WAY TURN BOWMAN RD		13A			2	2				C	65A	6A	\$\$\$	65	1	02	1221	U1	40	L	P	*		
								CT		Y																			
5.27	5.20									2	2				C	70A	\$\$	C		70	1	02	1221	U1	40	L	P	*	
5.30	5.23	INTRSECTN		B	PARK RD			CT	SG	Y																			

INTERSECTION DETAIL

		-----TURN LANES-----				-----ACCELERATION LANES-----			
		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L--CNTR	R--CNTR	RIGHT-
SRMP	B ARM	LGT	WD	LGT	WD	LGT	WD	LGT	WD
4.27	4.20			.05	14				
4.29	4.22	.03	13	.03	13				
5.30	5.23	.03	13	.05	13				





SR 290 MAINLINE

STATE ROUTE - SRSH

COUNTY SPOKANE

DOT DISTRICT 6

		-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS----													
SRMP	B ARM	FEATURE	D LR	DESCRIPTION	-BRIDGE	NBR		DECREAS/DIV			INCRS/UNDI			SPC	TOT	CITY			ST	LEGAL		T	P	S			
					-UXING-	LNS	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	SE	NBR	FC	D	I	B	R	K	T	
					OW TC L	D I	W/S	W/S	W/S		WD/S	BR	W/S	W/S	W/S	WID	WID	A									
8.74	8.67	END BRIDGE	D	SPOKANE RIVER		2	2	C	26A		17A	UP	C	22A	4A		48	1	02	1221	U1			50	L	P	*
8.81	8.74	BEG SU LN	C	TWO WAY TURN	13A			\$	\$\$\$		\$\$\$	\$\$	C	52A	6A	13	65	1	02	1221	U1			50	L	P	*
8.91	8.84	INTRSECTN	L	WOODLAWN RD		CT	Y																				
9.00	8.93	MP MARKER	R	9																							
9.02	8.95	INTRSECTN	L	MCDONALD RD		CT	Y																				
9.08	9.01						2	2					8A	44A	6A	13	57	1	02	1221	U1			50	L	P	*
9.42	9.35	INTRSECTN	L	AVALON RD		CT	Y																				
9.45	9.38	END SU LN	C	TWO WAY TURN	13A		2	2					8A	57A	6A	\$\$\$	57	1	02	1221	U1			50	L	P	*
9.51	9.44	INTRSECTN	B	EVERGREEN RD		CT	SG	Y																			
9.57	9.50	BEG SU LN	C	TWO WAY TURN	13A		2	2					8A	44A	6A	13	57	1	02	1221	U1			50	L	P	*
9.76	9.69	INTRSECTN	L	BEST RD		CT	Y																				
9.87	9.80	INTRSECTN	L	ELLEN RD		CT	Y																				
9.95	9.88	MP MARKER	R	10																							
10.02	9.95	INTRSECTN	L	ADAMS RD		CT	Y																				
10.14	10.07	INTRSECTN	L	BURNS RD		CT	Y																				
10.27	10.20	END SU LN	C	TWO WAY TURN	13A		2	2					8A	48A	8A	\$\$\$	48	1	02	1221	U1			50	L	P	*
		INTRSECTN	L	PROGRESS RD		CT	Y																				
10.33	10.26	ON RAMP	L	SULLIVAN RD		ST	Y																				
10.35	10.28	OFF RAMP	R	SULLIVAN RD		ST	Y	2	2				10A	48A	4A		48	1	02	1221	U1			50	L	P	*
10.42	10.35	MISC FEATR	R	GORE (P101035)																							
10.43	10.36	MISC FEATR	L	GORE (S101033)																							
10.53	10.46	UXING	B	SULLIVAN RD BRDG NUM 290/018		ST																					
10.63	10.56	MISC FEATR	R	GORE (Q101074)																							
10.64	10.57	MISC FEATR	L	GORE (R101074)																							
10.74	10.67	ON RAMP	R	SULLIVAN RD		ST	Y	2	2				8A	48A	4A		48	1	02	1221	U1			50	L	P	*
		OFF RAMP	L	SULLIVAN RD		ST	Y																				
11.00	10.93	MP MARKER	R	11																							
11.12	11.05	INTRSECTN	L	LILLIAN RD		CT	N																				
11.54	11.47	INTRSECTN	B	FLORA RD		CT	Y																				
11.69	11.62						2	2					8A	48A	10A		48	1	02	1221	U1			50	L	P	*
12.00	11.93	MP MARKER	R	12																							
12.24	12.17	INTRSECTN	L	MONTE DELREY DR		CT	Y																				
12.39	12.32						2	2					10A	48A	10A		48	1	02	1221	U1			50	L	P	*
12.50	12.43	INTRSECTN	R	BARKER RD		CT	Y	1	1				10A	24A	10A		24	1	02	1221	U2			50	L	P	*

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B ARM			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
				LGT	WD	LGT	WD	LGT	WD	LGT	WD
9.51	9.44			.03	12	.01	13	.03	12		
11.54	11.47			.03	12	.03	13	.03	12		
12.24	12.17			.04	12						
12.50	12.43			.06	12	.04	12				



SR 290 MAINLINE

STATE ROUTE - SRSH

COUNTY SPOKANE

DOT DISTRICT 6

			-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----																
:DIRECTION TO INVENTORY			-BRIDGE		DECREAS/DIV			INCRS/UNDI			SPC																			
: :LEFT/RIGHT INDICATOR			-UXING-		NBR	LFT	RHT	LFT	RHT	USE	TOT																			
: :			-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S									
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T

18.38 18.31 END ROUTE

SR 291 MAINLINE STATE ROUTE - SRSH COUNTY SPOKANE DOT DISTRICT 6

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----														-----CLASSIFICATIONS-----										
							-BRIDGE-		NBR		DECREAS/DIV			INCREAS/UNDI			SPC		L		A		ST		S		LEGAL	T	P	S	
								-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S					
								OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T
0.00		0.00	BEG ROUTE			MAIN ROUTE		2	2	C	60P			2P	CU		24P		C		84	1	02	1220	U1		35	R	P	*	
			ENTER CITY			SR 2/SPOKANE TO SR 231																									
			BEG CTLSEC			SPOKANE																									
			BEG ST	I		CONTROL SECTION 3236																									
			BEG ST	I		FRANCIS ST																									
			INTRSECTN	B		SR 2		ST	SG	Y																					
0.03		0.03						2	2	C	48P			2P	CU		24P		C		72	1	02	1220	U1		35	R	P	*	
0.06		0.06						2	2	C	48A			2P	CU		24A		C		72	1	02	1220	U1		35	R	P	*	
0.07		0.07	INTRSECTN	B		ATLANTIC ST		CT	Y																						
0.09		0.09						2	2	C	37A			2P	CU		24A		C		61	1	02	1220	U1		35	R	P	*	
0.13		0.13	BEG SU LN	C		TWO WAY TURN	12A	2	2	\$	\$\$\$		\$\$\$	\$\$\$	\$\$\$		C	51A	C	12	63	1	02	1220	U1		35	R	P	*	
			INTRSECTN	B		NORMANDIE ST		CT	Y																						
0.19		0.19	INTRSECTN	B		CALISPEL ST		CT	Y																						
0.26		0.26	INTRSECTN	B		WHITEHOUSE ST		CT	Y																						
0.32		0.32	INTRSECTN	B		WASHINGTON ST		CT	Y																						
0.38		0.38	INTRSECTN	B		STEVENS ST		CT	Y																						
0.44		0.44	END SU LN	C		TWO WAY TURN	12A	2	2								C	63A	C	\$\$\$	63	1	02	1220	U1		35	R	P	*	
			INTRSECTN	B		HOWARD ST		CT	Y																						
0.50		0.50	INTRSECTN	B		WALL ST		CT	SG	Y																					
0.56		0.56	INTRSECTN	L		POST ST		CT	Y																						
0.57		0.57	BEG SU LN	C		TWO WAY TURN	11A	2	2								C	63A	C	11	74	1	02	1220	U1		35	R	P	*	
0.60		0.60	INTRSECTN	L		LINCOLN ST		CT	Y																						
0.61		0.61	END SU LN	C		TWO WAY TURN	11A	2	2								C	63A	C	\$\$\$	63	1	02	1220	U1		35	R	P	*	
0.66		0.66	INTRSECTN	B		MONROE ST		CT	SG	Y																					
0.72		0.72	INTRSECTN	L		BUFFALO ST		CT	N																						
0.76		0.76	INTRSECTN	B		MADISON ST		CT	Y																						
0.79		0.79	BEG SU LN	C		TWO WAY TURN	13A	2	2								C	50A	C	13	63	1	02	1220	U1		35	R	P	*	
0.83		0.83	INTRSECTN	L		JEFFERSON ST		CT	Y																						
0.89		0.89	INTRSECTN	L		ADAMS ST		CT	Y																						
0.99		0.99	INTRSECTN	B		CEDAR ST		CT	Y																						
1.05		1.05	END SU LN	C		TWO WAY TURN	13A	2	2								C	50A	C	\$\$\$	50	1	02	1220	U1		35	R	P	*	

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----					
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-	
		LGT		LGT		LGT		LGT		LGT	
		WD		WD		WD		WD		WD	
0.00		0.00			.09	24	.03	12			
0.13		0.13	.02	12							
0.44		0.44			.01	11					
0.50		0.50	.03	11	.03	11					
0.56		0.56	.02	11							
0.66		0.66	.03	11	.05	11					
0.76		0.76	.03	11	.02	11					



STATE OF WASHINGTON - DEPARTMENT OF TRANSPORTATION
TRIPS SYSTEM
STATE HIGHWAY LOG

SR 291 MAINLINE

STATE ROUTE - SRSH

COUNTY SPOKANE

DOT DISTRICT 6

Table with columns: SRMP, B, ARM, FEATURE, D, LR, DESCRIPTION, -BRIDGE, -UXING-, -XROAD-, OW, TC, L, NBR, D, I, DECREASE/DIV, SHD, RDY, SHD, W/S, W/S, W/S, MEDIAN-, WD/S, BR, INCREAS/UNDI, SHD, RDY, SHD, W/S, W/S, W/S, SPC, USE, TOT, LNS, RDY, WID, WID, CLASSIFICATIONS (MTCE, CITY, ST, SPEED, T, P, S), LEGAL (D, IB, R, K, T).

INTERSECTION DETAIL

Table with columns: SRMP, B, ARM, L NEAR LGT, W, R NEAR LGT, W, L FAR LGT, W, R FAR LGT, W, ACCELERATION LANES (LEFT, L-CNTR, R-CNTR, RIGHT) LGT, W.

SR 291 MAINLINE

STATE ROUTE - SRSH

COUNTY SPOKANE

DOT DISTRICT 6

Table with columns: SRMP, B, ARM, FEATURE, D, LR, DESCRIPTION, -BRIDGE-, -UXING-, -XROAD-, -XROAD-, NBR, LNS, L, D, W/S, L, R, W/S, L, W/S, W/S, MEDIAN-, WD/S, BR, W/S, L, R, W/S, L, R, W/S, WID, WID, MTCE, A, SE, CITY, NBR, ST, FC, LEGAL, D, IB, T, P, R, K, S. Includes rows for intersections like FRANCIS ST, NINE MILE RD, ROYAL DR, etc.

INTERSECTION DETAIL table with columns: SRMP, B, ARM, L NEAR, R NEAR, L FAR, R FAR, LEFT, L-CNTR, R-CNTR, RIGHT. Includes rows for intersections like 3.07, 3.10, 3.41, etc.

SR 291 MAINLINE

STATE ROUTE - SRSH

COUNTY SPOKANE

DOT DISTRICT 6

					-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----						
SRMP	B	ARM	FEATURE	DESCRIPTION	-BRIDGE	DECREAS/DIV			INCRS/UNDI			SPC	TOT	MTCE		CITY	ST	LEGAL		T	P	S
				:DIRECTION TO INVENTORY	-UXING-	NBR	LFT	RHT		LFT	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T
				:LEFT/RIGHT INDICATOR	-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY							
				: :	OW	TC	L	D	I	WD/S	BR	W/S	W/S	W/S	WID	WID						
5.24		5.24										6A	42A	6A	42	1	02	U2	50	R	*	
5.26		5.26	BEG SU LN	C TWO WAY TURN								10A	34A	6A	14	48	1	02	U2	50	R	*
5.35		5.35										8A	24A	8A	14	38	1	02	U2	50	R	*
5.53		5.53	INTRSECTN	L BURCHWOOD AVE	CO		Y															
			INTRSECTN	R BURCHWOOD CT	CO		Y															
5.65		5.65	INTRSECTN	L DOGWOOD AVE	CO		Y															
5.72		5.72	INTRSECTN	L JOHANNSEN AVE	CO		Y															
6.00		6.00	MP MARKER	R 6																		
6.16		6.16	INTRSECTN	L KENDICK RD	CO		Y															
6.28		6.28	END SU LN	C TWO WAY TURN								8A	24A	8A	\$\$\$	24	1	02	U2	50	R	*
6.33		6.33	INTRSECTN	L RIDGECREST AVE	CO		Y	1	1			8A	38A	8A		38	1	02	U2	50	R	*
			INTRSECTN	R RIDGECREST LN	CO		Y															
6.45		6.45										8A	24A	8A		24	1	02	U2	50	R	*
6.96		6.96	MP MARKER	R 7																		
7.51		7.51										8A	24A	8A		24	1	02	R3	50	R	*
8.00		8.00	MP MARKER	R 8								8A	24A	8A		24	1	02	R3	35	R	*
8.51		8.51	MISC FEATR	R SGN ENT NINE MILE FALLS																		
8.56		8.56										4A	22A	4A		22	1	02	R3	35	R	*
8.60		8.60	BEG SU LN	C TWO WAY TURN								4A	22A	4A	11	33	1	02	R3	35	R	*
8.68		8.68	END SU LN	C TWO WAY TURN								4A	22A	4A	\$\$\$	22	1	02	R3	35	R	*
8.69		8.69	INTRSECTN	R RUTTER PKWY	CO		Y															
8.75		8.75	BEG SU LN	C TWO WAY TURN								4A	26A	\$\$\$C	11	37	1	02	R3	35	R	*
8.85		8.85										4A	22A	4A	11	33	1	02	R3	35	R	*
8.87		8.87	END SU LN	C TWO WAY TURN								6A	22A	4A	\$\$\$	22	1	02	R3	35	R	*
8.92		8.92	MISC FEATR	L SGN ENT NINE MILE FALLS																		
9.00		9.00	END ST	I NINE MILE RD								6A	22A	4A		22	1	02	R3	35	R	\$
			MP MARKER	R 9																		
9.20		9.20	INTRSECTN	L CHARLES RD	CO		Y															
9.22		9.22	MISC FEATR	R RIVERSIDE ST PARK BDY																		
9.31		9.31										4A	22A	4A		22	1	02	R3	35	R	
9.36		9.36										2A	22A	2A		22	1	02	R3	35	R	
9.58		9.58	ENT/EXIT	L RIVERSIDE STATE PARK	ST		N															
9.80		9.80										2A	22A	2A		22	1	02	R3	50	R	
9.91		9.91	MISC FEATR	L RIVERSIDE ST PARK BDY																		
9.92		9.92	INTRSECTN	L SHOEMAKER LN	PV		N															

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--	
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
6.33		6.33		.03	11	.06	11	.03	11			
8.69		8.69				.03	12	.04	11			
9.20		9.20		.06	11			.03	12			





















SR 395 MAINLINE U.S. ROUTE - USSH COUNTY SPOKANE DOT DISTRICT 6

Main table with columns for SRMP, B, ARM, FEATURE, D, LR, DESCRIPTION, -BRIDGE, DECREASE/DIV, INCREASE/UNDI, SPC, and CLASSIFICATIONS. It lists various road segments and their characteristics.

INTERSECTION DETAIL table with columns for SRMP, B, ARM, L NEAR, R NEAR, L FAR, R FAR, ACCELERATION LANES, LEFT, L-CNTR, R-CNTR, and RIGHT. It provides specific intersection data.

SR 395 MAINLINE

U.S. ROUTE - USSH COUNTY SPOKANE

DOT DISTRICT 6

Main table with columns: SRMP, B, ARM, FEATURE, D, LR, DESCRIPTION, -BRIDGE, DECREASE/DIV, INCREASE/UNDI, SPC, CLASSIFICATIONS, etc.

INTERSECTION DETAIL

Summary table with columns: SRMP, B, ARM, L NEAR, R NEAR, L FAR, R FAR, ACCELERATION LANES (LEFT, L-CNTR, R-CNTR, RIGHT)

SR 395 MAINLINE U.S. ROUTE - USSH COUNTY SPOKANE DOT DISTRICT 6

Table with columns: SRMP, B, ARM, FEATURE, D, LR, DESCRIPTION, -BRIDGE, NBR, DECREASE/DIV, INCREASE/UNDI, SPC, USE, TOT, CLASSIFICATIONS, etc. Includes rows for various road features like INTRSECTN, WYE CONN, and BRIDGE.

INTERSECTION DETAIL table with columns: SRMP, B, ARM, L NEAR, R NEAR, L FAR, R FAR, ACCELERATION LANES, LEFT, L-CNTR, R-CNTR, RIGHT.





SR 395 MAINLINE U.S. ROUTE - USSH COUNTY SPOKANE DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----																										
				:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC		-----CLASSIFICATIONS----											
				: :LEFT/RIGHT INDICATOR				-UXING-			LFT RHT			LFT RHT			USE TOT													
				: :				-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS RDY													
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	MTCE	A	SE	CITY	ST	SPEED	T	P	S
174.87	179.63		INTRSECTN	L	S	DRAGOON DR	CO	N	1	1							3A	22A	3A	11	33	1	02		R1	60	R			
174.98	179.74		END SU LN	C	TWO WAY TURN	11A			1	1							3A	22A	3A	\$\$\$	22	1	02		R1	60	R			
175.00	179.76		MP MARKER	R	175																									
175.04	179.80		INTRSECTN	R	NORTH RD		CO	N																						
			INTRSECTN	L	N DRAGOON DR		CO	N																						
175.07	179.83								1	1							8A	22A	8A		22	1	02		R1	60	R			
175.13	179.89		BEG SU LN	R	CLIMBING	12A			1	1							8A	22A	8A	12	34	1	02		R1	60	R			
175.20	179.96								1	1							8A	23A	4A	12	35	1	02		R1	60	R			
175.31	180.07		INTRSECTN	R	NORTH RD		CO	N																						
175.94	180.70		MP MARKER	R	176																									
176.32	181.08		INTRSECTN	L	STALEY RD		CO	Y																						
			INTRSECTN	R	DENISON-CHATTARROY RD		CO	Y																						
176.62	181.38		END SU LN	R	CLIMBING	12A			1	1							8A	23A	4A	\$\$\$	23	1	02		R1	60	R			
176.63	181.39		INTRSECTN	B	DENISON RD		CO	N																						
176.75	181.51								1	1							7A	24A	8A		24	1	02		R1	60	R			
176.92	181.68		INTRSECTN	B	HAMILTON RD		CO	N	1	1							7A	24A	5A		24	1	02		R1	60	R			
177.00	181.76		MP MARKER	R	177																									
177.19	181.95		INTRSECTN	R	YUKON RD		CO	N																						
177.34	182.10								1	1							10A	24A	10A		24	1	02		R1	60	R			
177.52	182.28		INTRSECTN	L	OWENS RD		CO	Y																						
177.58	182.34		BEG SU LN	R	TRUCK CLIMBING SHOULD	10A			1	1							10A	24A	\$\$\$	10	34	1	02		R1	60	R			
177.99	182.75		MP MARKER	R	178																									
178.47	183.23		END SU LN	R	TRUCK CLIMBING SHOULD	10A			1	1							10A	24A	10A	\$\$\$	24	1	02		R1	60	R			
178.70	183.46		INTRSECTN	L	BURROUGHS RD		CO	Y																						
			INTRSECTN	R	DALTON RD		CO	Y																						
179.00	183.76		MP MARKER	R	179																									
179.39	184.15								1	1							8A	22A	8A		22	1	02		R1	60	R			
179.46	184.22		WYE CONN	R	SHORT RD		CO	Y	1	1							6A	23A	10A		23	1	02		R1	60	R			
179.53	184.29		INTRSECTN	B	SHORT RD		CO	Y	1	1							8A	22A	8A		22	1	02		R1	60	R			
179.89	184.65		INTRSECTN	R	H ST		CO	Y																						
			INTRSECTN	L	CLEVELAND RD		CO	Y																						
179.90	184.66		ENTER CITY		DEER PARK				1	1							8A	22A	8A		22	1	02	0320	R1	60	R	B		
179.97	184.73		LEAVE CITY		DEER PARK				1	1							8A	22A	8A		22	1	02	\$\$\$\$	R1	60	R	\$		

INTERSECTION DETAIL			-----TURN LANES-----				-----ACCELERATION LANES-----			
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM	LGT	WD	LGT	WD	LGT	WD	LGT	WD
175.04	179.80		.03	11		.03	11			
176.32	181.08		.03	14		.03	14			
177.52	182.28		.03	12						
178.70	183.46		.03	12		.03	12			
179.89	184.65		.03	12	.11	12	.03	12		

SR 395 MAINLINE U.S. ROUTE - USSH COUNTY SPOKANE DOT DISTRICT 6

Table with columns: SRMP, B, ARM, FEATURE, D, LR, DESCRIPTION, -BRIDGE, -UXING-, -XROAD-, OW, TC, L, NBR, DECREASES/DIV, LFT, RHT, W/S, W/S, W/S, MEDIAN-, WD/S, BR, INCREAS/UNDI, SHD, RDY, SHD, W/S, W/S, W/S, SPC, USE, TOT, LNS, RDY, MTCE, CITY, ST, LEGAL, SPEED, T, P, S. Includes rows for MP MARKER, BEG BRIDGE, END BRIDGE, INTRSECTN, and CLIMBING.

INTERSECTION DETAIL table with columns: SRMP, B, ARM, TURN LANES (L NEAR, R NEAR, L FAR, R FAR), ACCELERATION LANES (LEFT, L-CNTR, R-CNTR, RIGHT). Includes rows for intersections at 180.46, 181.06, 182.00, 182.12, and 182.82.

SR 395 MAINLINE U.S. ROUTE - USSH COUNTY STEVENS DOT DISTRICT 6

		-----WIDTH AND SURFACE INFORMATION-----														-----CLASSIFICATIONS----														
		:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR : :				-BRIDGE -UXING- -XROAD-			NBR LNS			DECREAS/DIV LFT RHT SHD RDY SHD W/S W/S W/S			INCRS/UNDI LFT RHT SHD RDY SHD W/S W/S W/S			SPC USE	TOT RDY	MTCE A SE	CITY NBR	ST FC	LEGAL D IB	T R	P K	S T				
SRMP	B ARM	FEATURE	D LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	WID	WID	WID	WID	WID	WID	WID	WID			
183.69	188.45	ENTER CO BEG CTLSEC MISC FEATR MISC FEATR		STEVENS CONTROL SECTION 3301 SGN ENT STEVENS COUNTY SGN ENT SPOKANE COUNTY						1	1							8A	24A	8A		24	4	01		R1	60	R		
183.71	188.47									1	1							7A	24A	7A		24	4	01		R1	60	R		
183.94	188.70	INTRSECTN	B	WALLBRIDGE RD				CO	N																					
184.00	188.76	MP MARKER	R	184																										
184.54	189.30	INTRSECTN	R	RAILROAD RD				CO	Y																					
185.00	189.76	MP MARKER	R	185																										
185.23	189.99	INTRSECTN	B	SWENSON RD				CO	N																					
185.60	190.36	INTRSECTN	B	WILLIAMS VALLEY RD				CO	Y																					
186.00	190.76	MP MARKER	R	186																										
186.09	190.85	INTRSECTN	R	RAILROAD RD				CO	N																					
186.65	191.41	INTRSECTN	R	GROTE RD				CO	N																					
186.90	191.66	INTRSECTN	B	STEPHENSON RD				CO	N																					
187.00	191.76	MP MARKER	R	187																										
187.30	192.06	INTRSECTN	L	GROTE RD				CO	N																					
187.37	192.13	UXING	B	BN RR BRDG NUM 395/503 RR XING				ST																						
187.44	192.20	BEG SU LN	R	CLIMBING		12A				1	1							7A	24A	7A	12	36	4	01		R1	60	R		
187.99	192.75	MP MARKER	R	188																										
188.30	193.06	INTRSECTN	L	LARSON BEACH RD				CO	Y																					
188.86	193.62	INTRSECTN	L	GRANITE POINT RD				CO	Y																					
188.93	193.69	END SU LN	R	CLIMBING		12A				1	1							7A	24A	7A	\$\$\$	24	4	01		R1	60	R		
189.01	193.77	MP MARKER	R	189																										
189.54	194.30	INTRSECTN	L	SUNSET BAY RD				CO	N																					
190.00	194.76	MP MARKER	R	190																										
190.14	194.90	INTRSECTN	R	STATE RD				CO	N																					
		INTRSECTN	L	SUNSET BAY RD				CO	N																					
190.29	195.05	TRAF RC DR	B	R063 0																										
190.40	195.16									1	1							8A	24A	8A		24	4	01		R1	60	R		
190.58	195.34	INTRSECTN	L	SR 292				ST	Y																					
		INTRSECTN	R	GARDEN SPOT RD				CO	Y																					

		-----TURN LANES-----				-----ACCELERATION LANES-----			
		L NEAR LGT WD	R NEAR LGT WD	L FAR LGT WD	R FAR LGT WD	LEFT-- LGT WD	L-CNTR LGT WD	R-CNTR LGT WD	RIGHT-- LGT WD
184.54	189.30			.03	12				
185.60	190.36	.03	12	.03	12				
188.30	193.06	.03	12						
188.86	193.62	.03	12						
190.58	195.34	.05	12	.04	12				

SR 395 MAINLINE

U.S. ROUTE - USSH

COUNTY STEVENS

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----													
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC																	
: :LEFT/RIGHT INDICATOR				-UXING-			NBR		LFT	RHT		LFT		RHT	USE	TOT														
: :				-XROAD-			LNS	SHD	RDY	SHD	MEDIAN-		SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL		T	P	S					
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T
190.72		195.48								1	1						7A	24A	7A			24	4	01			R1		60	R
190.99		195.75	MP MARKER	R		191																								
192.00		196.76	MP MARKER	R		192																								
192.10		196.86	INTRSECTN	L		MAPLE ST	CO		N																					
			INTRSECTN	R		AGAR RD	CO		N																					
192.99		197.75	MP MARKER	R		193																								
193.66		198.42	INTRSECTN	R		N DEER LAKE RD	CO		Y																					
194.00		198.76	MP MARKER	R		194																								
195.00		199.76	MP MARKER	R		195																								
196.04		200.80	MP MARKER	R		196																								
196.78		201.54	INTRSECTN	B		ROITZ RD	CO		N																					
197.03		201.79	MP MARKER	R		197																								
197.22		201.98	BEG SU LN	L		CLIMBING	11A			1	1						7A	24A	7A	11		35	4	01		R1		60	R	
197.84		202.60	END SU LN	L		CLIMBING	11A			1	1						7A	24A	7A	\$\$\$		24	4	01		R1		60	R	
197.96		202.72	INTRSECTN	R		BEITEY RD	CO		N																					
			INTRSECTN	L		E JUMPOFF RD	CO		N																					
198.00		202.76	MP MARKER	R		198																								
198.52		203.28	INTRSECTN	L		BULLDOG CREEK RD	CO		Y																					
			INTRSECTN	R		SKOK RD	CO		Y																					
199.03		203.79	MP MARKER	R		199																								
200.01		204.77	MP MARKER	R		200																								
200.15		204.91	INTRSECTN	L		BAKIE RD	CO		N																					
200.52		205.28								1	1						6A	24A	7A			24	4	01		R1		60	R	
200.68		205.44	BEG SU LN	L		CLIMBING	11A			1	1						6A	24A	7A	11		35	4	01		R1		60	R	
200.84		205.60	INTRSECTN	R		ROSKAM RD	CO		N																					
201.03		205.79	MP MARKER	R		201																								
201.62		206.38	INTRSECTN	L		HUFFMAN RD	CO		N																					
202.02		206.78	MP MARKER	R		202																								
202.43		207.19	CHG SU LN	L		CLIMBING	12A			1	1						6A	24A	8A	12		36	4	01		R1		60	R	
			INTRSECTN	L		SR 231	ST		Y																					
202.65		207.41	END SU LN	L		CLIMBING	12A			1	1						6A	24A	8A	\$\$\$		24	4	01		R1		60	R	
202.69		207.45	INTRSECTN	R		HAFER RD	CO		N	1	1						8A	24A	8A			24	4	01		R1		60	R	
202.99		207.75	MP MARKER	R		203																								
203.30		208.06	BEG BRIDGE B			COLVILLE RIVER	ST			1	1						\$\$W	38A	\$\$W			38	4	01		R1		60	R	
						BRDG NUM 395/512																								
203.32		208.08	END BRIDGE B			COLVILLE RIVER				1	1						8A	24A	8A			24	4	01		R1		60	R	
203.93		208.69	INTRSECTN	L		FARM TO MARKET RD	CO		N																					

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
198.52		203.28		.03	12			.03	12		



SR 395 MAINLINE

U.S. ROUTE - USSH

COUNTY STEVENS

DOT DISTRICT 6

			-----WIDTH AND SURFACE INFORMATION-----																															
			:DIRECTION TO INVENTORY		-BRIDGE-			DECREAS/DIV			INCRS/UNDI			SPC		-----CLASSIFICATIONS---																		
			: :LEFT/RIGHT INDICATOR		-UXING-			LFT RHT			LFT RHT			USE TOT		LEGAL																		
			: :		-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS RDY		CITY ST SPEED T P S																		
SRMP	B	ARM	FEATRE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T				
207.57		212.33															7A	24A	7A			24	4	01	0205	R1		25	R	B	*			
207.64		212.40	INTRSECTN	R		COZY NOOK RD	CT		Y																									
			INTRSECTN	L		GRANT AVE	CT		Y																									
207.72		212.48	LEAVE CITY			CHEWELAH				1	1						7A	24A	7A			24	4	01	\$\$\$\$	R1		25	R	\$	*			
207.81		212.57	END ST	I		PARK ST				1	1						7A	24A	7A			24	4	01		R1		25	R		\$			
			INTRSECTN	L		2ND ST	CO		Y																									
			INTRSECTN	R		SAND CANYON RD	CO		Y																									
207.83		212.59	MISC FEATR	L		SGN ENT CHEWELAH																												
207.87		212.63								1	1						7A	24A	7A			24	4	01		R1		45	R					
208.00		212.76	MP MARKER	R		208																												
208.26		213.02	INTRSECTN	L		PINEBROOK DR	CO		N																									
208.30		213.06								1	1						7A	24A	7A			24	4	01		R1		60	R					
209.00		213.76	MP MARKER	R		209																												
209.56		214.32	INTRSECTN	R		KRAMER RD	CO		N																									
			INTRSECTN	L		OLD HWY NW CHEWELAH RD	CO		N																									
209.99		214.75	MP MARKER	R		210																												
211.00		215.76	MP MARKER	R		211																												
211.81		216.57	INTRSECTN	L		DUNCAN RD	CO		N																									
212.00		216.76	MP MARKER	R		212																												
212.65		217.41								1	1						8A	24A	8A			24	4	01		R1		60	R					
212.83		217.59	INTRSECTN	R		IMMEL RD	CO		N																									
212.99		217.75	MP MARKER	R		213																												
213.10		217.86	INTRSECTN	L		BLUE CREEK RD	CO		Y																									
213.99		218.75	MP MARKER	R		214																												
215.00		219.76	MP MARKER	R		215																												
215.54		220.30	INTRSECTN	L		ADDY-GIFFORD RD	CO		Y																									
215.63		220.37	EQUATION			215.61 =215.63																												
215.65		220.39	MISC FEATR	R		SGN ENT ADDY																												
215.76		220.50	INTRSECTN	L		BRIDGE ST	CO		N																									
215.83		220.57	INTRSECTN	L		MILL ST	CO		Y																									
215.89		220.63	INTRSECTN	L		HALL ST	CO		Y																									
215.94		220.68	INTRSECTN	L		NORTH ST	CO		N																									
215.99		220.73	INTRSECTN	L		ADDY MAIN ST	CO		N																									
216.01		220.75	MP MARKER	R		216																												
216.09		220.83	MISC FEATR	L		SGN ENT ADDY																												

INTERSECTION DETAIL

			-----TURN LANES-----				-----ACCELERATION LANES-----			
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM	LGT	WD	LGT	WD	LGT	WD	LGT	WD
212.83		217.59			.03	12				
213.10		217.86			.02	12				
215.54		220.30			.04	12				







SR 395 MAINLINE U.S. ROUTE - USSH COUNTY STEVENS DOT DISTRICT 6

		-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----								
		:DIRECTION TO INVENTORY		-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC				LEGAL		T P S	
		: :LEFT/RIGHT INDICATOR		-UXING-			LFT RHT			LFT RHT			USE TOT		MTCE		CITY		ST	
SRMP	B ARM	FEATURE	D LR	DESCRIPTION	OW TC L	D I	W/S W/S W/S	WD/S BR	W/S W/S W/S	WID	WID	A SE	NBR	FC	D IB	R K	T			
229.28	234.02						2 2			C 76A	C		76 4 01	0250 R1		25 R B *				
229.34	234.08	INTRSECTN	B	BIRCH AVE				CT SG Y												
229.42	234.16	INTRSECTN	R	ASTOR AVE				CT Y												
229.49	234.23	INTRSECTN	L	1ST AVE W				CT SG Y												
		INTRSECTN	R	1ST AVE E				CT SG Y												
229.56	234.30	INTRSECTN	L	2ND AVE W				CT Y												
		INTRSECTN	R	2ND AVE E				CT Y												
229.64	234.38	INTRSECTN	R	SR 20				ST SG Y												
		INTRSECTN	L	3RD AVE W				CT SG Y												
229.67	234.41	BEG SU LN	C	TWO WAY TURN		12A				C 64A	C	12	76 4 01	0250 R1		25 R B *				
229.71	234.45	INTRSECTN	L	4TH AVE W				CT Y												
		INTRSECTN	R	4TH AVE E				CT Y												
229.74	234.48	END SU LN	C	TWO WAY TURN		12A				C 76A	C \$\$\$		76 4 01	0250 R1		25 R B *				
229.76	234.50	END ST	I	MAIN ST						C 60A	C		60 4 01	0250 R1		25 R P \$				
		INTRSECTN	R	MAIN ST N				CT Y												
229.79	234.53	BEG ST	I	5TH AVE W						C 60A	C		60 4 01	0250 R1		25 R P *				
		INTRSECTN	R	5TH AVE E				CT Y												
229.83	234.57	INTRSECTN	B	WYNNE ST				CT SG Y	1 1	C 60A	C		60 4 01	0250 R1		25 R P *				
229.86	234.60	BEG SU LN	C	TWO WAY TURN		12A			1 1	C 36A	C	12	48 4 01	0250 R1		25 R P *				
229.90	234.64	INTRSECTN	B	WASHINGTON ST				CT Y												
229.94	234.68	END ST	I	5TH AVE W					1 1	C 36A	C	12	48 4 01	0250 R1		25 R P \$				
		INTRSECTN	L	5TH AVE W				CT Y												
229.99	234.73	INTRSECTN	B	LINCOLN ST				CT Y												
230.07	234.81	ROUNDAABOUT	L	RAILROAD ST				CT YS Y												
230.18	234.92	INTRSECTN	L	LOUIS PERRAS RD				CT Y	1 1	6A 28A	C	12	40 4 01	0250 R1		35 R P				
230.19	234.93	INTRSECTN	R	7TH AVE W				CT Y												
230.30	235.04	END SU LN	C	TWO WAY TURN		12A			1 1	8A 24A	8A \$\$\$		24 4 01	0250 R1		35 R P				
		INTRSECTN	R	8TH AVE W				CT Y												
230.38	235.12	EXIT TO	R	WAL MART				PV Y												
230.42	235.16	ENT/EXIT	R	WAL MART				PV Y												
230.48	235.22	BEG SU LN	C	TWO WAY TURN		12A			1 1	8A 24A	8A	12	36 4 01	0250 R1		35 R P				

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----			
		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B ARM	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
229.34	234.08	.02 12		.04 12					
229.49	234.23	.04 12		.02 12					
229.56	234.30	.02 12		.02 12					
229.64	234.38	.03 12		.03 12					
229.83	234.57	.02 12		.02 12					
230.30	235.04			.03 12					
230.42	235.16		.11 12	.05 13			.03 13		

STATE OF WASHINGTON - DEPARTMENT OF TRANSPORTATION  
 T R I P S S Y S T E M  
 STATE HIGHWAY LOG

SR 395 MAINLINE

U.S. ROUTE - USSH

COUNTY STEVENS

DOT DISTRICT 6

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY				-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----									
				D	LR	DESCRIPTION	-BRIDGE	NBR	DECREAS/DIV	INCREAS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S								
				: :LEFT/RIGHT INDICATOR				-UXING-	LFT	RHT	SHD RDY SHD		LFT	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T		
				: :				-XROAD-	SHD	RDY	SHD	MEDIAN-		SHD	RDY	SHD	LNS	RDY	WID	WID	W/A	W/S	W/S	W/S	W/S	W/S	W/S
								OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	W/A	W/S	W/S	W/S	W/S
230.53		235.27																									
230.56		235.30	END SU LN	C		TWO WAY TURN	12A																				
230.60		235.34	INTRSECTN	B		CANNING DR		PV	SG	Y																	
230.66		235.40	BEG SU LN	C		TWO WAY TURN	12A																				
230.73		235.47	ENT/EXIT	R		BUSINESS		PV		Y																	
230.78		235.52	END SU LN	C		TWO WAY TURN	12A																				
			EXIT TO	R		BUSINESS		PV		Y																	
230.80		235.54	ENT FROM	R		BUSINESS		PV		Y																	
230.90		235.64																									
230.91		235.65	LEAVE CITY			COLVILLE																					
			INTRSECTN	R		BUENA VISTA DR		CO		Y																	
			MISC FEATR	L		SGN ENT COLVILLE																					
230.97		235.71																									
231.00		235.74	MP MARKER	R		231																					
231.04		235.78																									
231.23		235.97	ENTER CITY			COLVILLE																					
231.66		236.40	LEAVE CITY			COLVILLE																					
231.72		236.46	INTRSECTN	R		WILLIAMS LAKE RD		CO		Y																	
232.02		236.76	MP MARKER	R		232																					
232.30		237.04	BEG BRIDGE B	B		MILL CREEK		ST																			
						BRDG NUM 395/531																					
232.32		237.06	END BRIDGE B	B		MILL CREEK																					
232.70		237.44																									
232.73		237.47																									
232.77		237.51	INTRSECTN	L		VALLEY WESTSIDE RD		CO		N																	
232.78		237.52																									
232.83		237.57																									
232.95		237.69	INTRSECTN	R		SPANISH PRAIRIE RD		CO		N																	
233.00		237.74	MP MARKER	R		233																					
233.50		238.24	INTRSECTN	L		AUTOVIEW RD		CO		Y																	
233.60		238.34																									
233.78		238.52																									

INTERSECTION DETAIL			-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-	
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	
			---	---	---	---	---	---	---	---	
230.60		235.34	.02	11	.06	12				.09	12
230.73		235.47			.13	12				.03	12
230.78		235.52			.05	12				.12	11
230.91		235.65								.03	11
231.72		236.46								.03	12
232.77		237.51	.03	11							









SR 395 MAINLINE U.S. ROUTE - USSH COUNTY FERRY DOT DISTRICT 6

		-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----									
		:DIRECTION TO INVENTORY		-BRIDGE		DECREAS/DIV		INCREAS/UNDI		SPC				LEGAL							
		: :LEFT/RIGHT INDICATOR		-UXING-		LFT RHT		LFT RHT		USE TOT				SPEED		T P S					
		: :		-XROAD-		LNS SHD RDY SHD		MEDIAN-		LNS RDY SHD		RDY		MTCE CITY ST		FC					
SRMP	B ARM	FEATURE	D LR	DESCRIPTION	OW TC L	D I	W/S W/S W/S	WD/S BR	W/S W/S W/S	WID	WID	A SE	NBR	FC	D IB	R K	T S				
255.32	260.06										3B 22B 3B	22 4 02		R1	55	R					
256.00	260.74	MP MARKER	R	256																	
257.00	261.74	MP MARKER	R	257																	
257.49	262.23	UXING	B	BN RR				ST													
		RR XING	B	NUM 59036A STRUCTURE																	
257.64	262.38	BEG BRIDGE	B	BIG BOULDER CREEK				ST	1 1		\$\$W 34P \$\$W	34 4 02		R1	55	R					
		BRDG NUM 395/614																			
257.67	262.41	END BRIDGE	B	BIG BOULDER CREEK					1 1		3B 22B 3B	22 4 02		R1	55	R					
257.86	262.60	INTRSECTN	L	BOULDER CREEK RD				CO	N 1 1		3B 20B 3B	20 4 02		R1	55	R					
258.01	262.75	MP MARKER	R	258																	
258.98	263.72	BEG BRIDGE	B	DEER CREEK				ST	1 1		\$\$C 25B \$\$C	25 4 02		R1	55	R					
		BRDG NUM 395/616																			
258.99	263.73	END BRIDGE	B	DEER CREEK					1 1		3B 20B 3B	20 4 02		R1	55	R					
259.00	263.74	MP MARKER	R	259																	
259.89	264.63	INTRSECTN	L	PVT RD				PV	N												
		MISC FEATR	R	SGN ENT ORIENT																	
260.00	264.74	TRAF RCDR	B	P26 0																	
		MP MARKER	R	260																	
260.16	264.90	INTRSECTN	L	LOUISE AVE				CO	N												
260.27	265.01	INTRSECTN	R	MAIN ST				CO	N												
260.44	265.18	MISC FEATR	L	SGN ENT ORIENT																	
261.00	265.74	MP MARKER	R	261																	
261.79	266.53	INTRSECTN	R	HUMES RD				CO	N												
261.89	266.63	INTRSECTN	L	ESLICK RD				CO	N												
262.00	266.74	MP MARKER	R	262																	
262.99	267.73	MP MARKER	R	263																	
263.73	268.47	BEG BRIDGE	B	LITTLE BOULDER CREEK				ST	1 1		\$\$C 25B \$\$C	25 4 02		R1	55	R					
		BRDG NUM 395/618																			
263.74	268.48	END BRIDGE	B	LITTLE BOULDER CREEK					1 1		3B 20B 3B	20 4 02		R1	55	R					
263.81	268.55	INTRSECTN	R	ROCK CUT RD				CO	N												
263.82	268.56	INTRSECTN	L	LITTLE BOULDER RD				CO	N												
264.00	268.74	MP MARKER	R	264																	
264.86	269.60	RR XING	B	NUM 59041W GRADE																	
265.00	269.74	MP MARKER	R	265																	
266.00	270.74	MP MARKER	R	266																	
266.70	271.44	ENT/EXIT	R	MATNEY COUNTY PARK				CO	N												

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----			
		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
		LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
		---	---	---	---	---	---	---	---
260.27	265.01		.03	11					











SR 902 MAINLINE

STATE ROUTE - SRSH

COUNTY SPOKANE

DOT DISTRICT 6

		-----WIDTH AND SURFACE INFORMATION-----															-----CLASSIFICATIONS----							
SRMP	B ARM	FEATURE	:DIRECTION TO INVENTORY		-BRIDGE			DECREAS/DIV			INCRAS/UNDI			SPC USE	TOT RDY	-----CLASSIFICATIONS----								
			D LR	DESCRIPTION	-UXING-	NBR	LFT RHT	LFT RHT	LFT RHT	LNS RDY SHD	MEDIAN-	SHD RDY SHD	LNS RDY SHD			MTCE	CITY	ST	SPEED	T	P	S		
					OW TC L	DI	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID	A SE	NBR	FC	D	IB	R	K	T	
0.00	0.00	BEG ROUTE		MAIN ROUTE			1	1					C 26P	C		26	1	01		R3		45	L	*
				SR 90 TO MEDICAL LAKE																				
		BEG CTLSEC		CONTROL SECTION 3235																				
		BEG ST	I	SALNAVE RD																				
		BEG BRIDGE	B	SR 90					ST															
				BRDG NUM 902/001																				
0.05	0.05	END BRIDGE	B	SR 90			1	1					2B 22B	2B		22	1	01		R3		45	L	*
0.11	0.11	ON RAMP	R	SR 90					ST	Y														
		OFF RAMP	L	SR 90					ST	Y														
0.14	0.14	INTRSECTN	R	CLEAR LAKE RD					CO	N														
0.80	0.80	INTRSECTN	R	BLUE HERON RD					CO	N														
0.90	0.90	INTRSECTN	L	WOLFE RD					CO	N														
1.01	1.01	MP MARKER	R	1																				
1.48	1.48	INTRSECTN	L	MALLOY PRAIRIE RD					CO	N														
1.99	1.99	MP MARKER	R	2																				
2.46	2.46	INTRSECTN	L	MEDICAL LK-TYLER RD					CO	N														
2.66	2.66	INTRSECTN	L	MEDICAL LAKE TYLER RD					CO	N														
3.01	3.01	INTRSECTN	L	W WASHINGTON RD					CO	N														
3.03	3.03	MP MARKER	R	3																				
3.85	3.85	ENTER CITY		MEDICAL LAKE			1	1					2A 22A	2A		22	1	01	0755	R3		45	L	P *
3.86	3.86	INTRSECTN	R	CLEAR LAKE RD					CT	N														
3.91	3.91	INTRSECTN	L	MORHARDT RD					CT	N														
4.01	4.01	INTRSECTN	L	MASON DR					CT	N														
4.05	4.05	MP MARKER	R	4			1	1					3G 22A	2A		22	1	01	0755	R3		30	L	P *
		MISC FEATR	R	SGN ENT MEDICAL LAKE																				
4.06	4.06	END ST	I	SALNAVE RD			1	1					1G 22A	2A		22	1	01	0755	R3		30	L	P *
		BEG ST	I	MEDICAL LAKE-TYLER RD																				
		INTRSECTN	R	SIMPSON LOOP					CT	Y														
4.10	4.10	INTRSECTN	L	CIRCLE DR					CT	Y	1	1	1G 22A	2A		22	1	01	0755	R3		30	R	P *
4.17	4.17	INTRSECTN	R	DENTON RD					CT	Y														
4.21	4.21	INTRSECTN	R	SIMPSON LOOP					CT	Y														
4.25	4.25	INTRSECTN	L	MORHARDT RD					CT	N														
4.32	4.32						1	1					3G 22A	2A		22	1	01	0755	R3		30	R	P *
4.85	4.85	INTRSECTN	L	FANCHER CONNECTION					CT	Y														
5.02	5.02	MP MARKER	R	5																				
5.04	5.04	INTRSECTN	L	FANCHER RD					CT	Y	1	1	1G 22A	2A		22	1	01	0755	R2		30	R	P *
5.17	5.17	INTRSECTN	L	BOAT LAUNCH PARKING					CT	Y														
5.61	5.61	END ST	I	MEDICAL LAKE-TYLER RD																				
		BEG ST	I	LAFEVRE ST																				
		INTRSECTN	L	JEFFERSON ST					CT	Y														
5.73	5.73	INTRSECTN	L	CALIFORNIA ST					CT	Y														
5.87	5.87	MISC FEATR	R	BUS PULLOUT																				
5.88	5.88	INTRSECTN	L	IDAHO ST					CT	Y	1	1	10G 22A	2A		22	1	01	0755	R2		30	R	B *

SR 902 MAINLINE

STATE ROUTE - SRSH

COUNTY SPOKANE

DOT DISTRICT 6

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS-----											
				D	LR	DESCRIPTION	-BRIDGE	NBR		DECREAS/DIV			INCRS/UNDI			SPC	TOT	---			LEGAL	T	P	S					
				:	:		-UXING-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S					
				:	:		OW TC L	D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID	A SE	NBR	FC	D	IB	R	K	T				
5.90	5.90		INTRSECTN	R		CAMPBELL ST	CT	Y	1	1						10G	22A	2A		22	1	01	0755	R2	30	R	B	*	
5.95	5.95		INTRSECTN	L		MILLER ST	CT	Y																					
5.97	5.97		INTRSECTN	R		HERB ST	CT	Y																					
6.03	6.03		MP MARKER	R		6																							
			INTRSECTN	L		HANCOCK ST	CT	Y																					
6.04	6.04		INTRSECTN	R		GRACE ST	CT	Y	1	1						\$\$C	60A	\$\$C		60	1	01	0755	R2	30	R	B	*	
6.09	6.09		INTRSECTN	B		LAKE ST	CT	Y																					
6.16	6.16		INTRSECTN	R		LADD ST	CT	Y																					
			INTRSECTN	L		FIRST ST	CT	Y																					
6.22	6.22		INTRSECTN	R		SPENCE ST	CT	Y	1	1						10G	40A	C		40	1	01	0755	R2	30	R	B	*	
			INTRSECTN	L		SECOND ST	CT	Y																					
6.27	6.27									1	1					2A	22A	1A		22	1	01	0755	R2	30	R	B	*	
6.29	6.29		INTRSECTN	R		BARKER ST	CT	Y	1	1						2A	40A	\$\$C		40	1	01	0755	R2	30	R	B	*	
6.31	6.31		INTRSECTN	L		THIRD ST	CT	Y																					
6.37	6.37		INTRSECTN	L		FOURTH ST	CT	Y	1	1						1A	40A	C		40	1	01	0755	R2	30	R	R	*	
6.46	6.46		INTRSECTN	L		JAMES ST	CT	Y	1	1						1A	22A	2A		22	1	01	0755	R2	30	R	P	*	
6.55	6.55		WYE CONN	R		SR 902	ST	Y																					
6.56	6.56		END ST	I		LAFEVRE ST				1	1					4A	24A	4A		24	1	01	0755	R2	30	R	P	*	
			BEG ST	I		MEDICAL LAKE RD																							
			INTRSECTN	L		LEFEVRE ST	CT	SS	Y																				
			INTRSECTN	L		BROOKS RD	CT	SS	Y																				
6.58	6.58		WYE CONN	R		SR 902	ST	Y																					
6.83	6.83		RR XING	B		NUM 66331W GRADE																							
6.89	6.89		INTRSECTN	L		STANLEY ST	CT	Y																					
6.94	6.94		INTRSECTN	R		STANLEY ST	CT	Y																					
6.99	6.99		INTRSECTN	L		GRAHAM RD	CT	Y																					
7.00	7.00		MP MARKER	R		7																							
7.16	7.16									1	1					4A	24A	4A		24	1	01	0755	R2	55	R	P	*	
7.21	7.21		LEAVE CITY			MEDICAL LAKE				1	1					4A	24A	4A		24	1	01	\$\$\$	R2	55	R	\$	\$	
			END ST	I		MEDICAL LAKE RD																							
7.22	7.22		INTRSECTN	L		GRAHAM RD	CO	Y																					
7.26	7.26		MISC FEATR	L		SGN ENT MEDICAL LAKE																							
7.52	7.52		INTRSECTN	B		KEENE RD	CO	Y																					
7.88	7.88		INTRSECTN	L		BARTHOLOMEW RD	CO	Y																					
8.00	8.00		MP MARKER	R		8																							
9.00	9.00		MP MARKER	R		9																							
9.23	9.23		INTRSECTN	B		WELCOME RD	CO	N																					

INTERSECTION DETAIL

SRMP		B		ARM		-----TURN LANES-----				-----ACCELERATION LANES-----			
						L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
						LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
6.55	6.55							.03	14				

SR 902 MAINLINE

STATE ROUTE - SRSH

COUNTY SPOKANE

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----																					
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC							LEGAL																		
: :LEFT/RIGHT INDICATOR				-UXING-			LFT RHT			LFT RHT			USE		TOT					SPEED																		
: :				-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS		RDY					T P S																		
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	CITY	NBR	ST	FC	D	IB	R	K	T						
9.25		9.25								1	1						4A	24A	4A		24	1	01		R2								55	R				
9.39		9.39	BEG SU LN	L		WEAVING/SPEED CHANGE 12A				1	1						4A	24A	4A	12	36	1	01		R2									55	R			
9.41		9.41	BEG SU LN	R		WEAVING/SPEED CHANGE 12A				1	1						4A	24A	4A	24	48	1	01		R2										55	R		
9.49		9.49	RR XING	B		NUM 0000000 GRADE																																
9.59		9.59	END SU LN	L		WEAVING/SPEED CHANGE 12A				1	1						4A	24A	4A	12	36	1	01		R2											55	R	
9.60		9.60	END SU LN	R		WEAVING/SPEED CHANGE 12A				1	1						4A	24A	4A	\$\$\$	24	1	01		R2											55	R	
10.00		10.00	MP MARKER	R		10																																
10.10		10.10	INTRSECTN	L		HALLET RD	CO		N																													
10.27		10.27	INTRSECTN	B		CRAIG RD	CO		Y																													
11.00		11.00	MP MARKER	R		11																																
11.95		11.95								1	1						4A	24A	4A		24	1	01		R2											35	R	
12.00		12.00	MP MARKER	R		12																																
12.02		12.02								1	1						6A	24A	6A		24	1	01		R2													
12.13		12.13	INTRSECTN	L		HAYFORD RD	CO		Y																													
			INTRSECTN	R		WHITE RD	CO		Y																													
12.16		12.16								1	1						6A	24A	6A		24	1	01		U2												35	R
12.17		12.17	OFF RAMP	R		SR 90	ST		Y																													
			ON RAMP	L		SR 90	ST		Y																													
12.32		12.32	BEG BRIDGE	B		SR 90	ST		1	1							\$\$W	27P	\$\$W		27	1	01		U2												35	R
						BRDG NUM 902/010																																
12.36		12.36	END BRIDGE	B		SR 90																																
			END CTLSEC			CONTROL SECTION 3235																																
			END ROUTE																																			

INTERSECTION DETAIL

-----TURN LANES-----				-----ACCELERATION LANES-----			
L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
10.27	10.27	.03	12			.04	12









SR 904 MAINLINE

STATE ROUTE - SRSH

COUNTY SPOKANE

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----																										
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC		-----CLASSIFICATIONS----															
: :LEFT/RIGHT INDICATOR				-UXING-			LFT RHT			LFT RHT			USE		TOT		MTCE		CITY		ST		LEGAL							
: :				-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS		RDY		A SE		NBR		FC		SPEED							
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	S
12.68		12.68															10A	24A	10A							U2		45	R	
12.75		12.75															10A	24A	10A							U2		55	R	
12.92		12.92	MISC FEATR	R		BUS PULLOUT																								
12.94		12.94	INTRSECTN	L		PARADISE RD	CO		Y																					
12.96		12.96								1	1						10A	24A	10A							R2		55	R	
13.00		13.00	MP MARKER	R		13																								
13.99		13.99	MP MARKER	R		14																								
14.05		14.05	INTRSECTN	B		JENSEN RD	CO		Y																					
14.83		14.83	INTRSECTN	L		PAGE RD	CO		N																					
14.99		14.99	MP MARKER	R		15																								
15.24		15.24	BEG SU LN	C		TWO WAY TURN	12A			1	1						4A	24A	4A	12	36	1	01		R2		55	R		
15.28		15.28	INTRSECTN	L		MEADOW LAKE RD	CO		Y																					
15.39		15.39	INTRSECTN	R		PURVIS RD	CO		Y																					
15.73		15.73	INTRSECTN	R		OLD PSH 11	CO		Y																					
15.75		15.75	INTRSECTN	R		GARFIELD RD	CO		Y																					
16.00		16.00	MP MARKER	R		16				1	1						4A	24A	4A	12	36	1	01		R2		40	R		
16.04		16.04	MISC FEATR	R		SGN ENT FOUR LAKES																								
16.09		16.09	END SU LN	C		TWO WAY TURN	12A			1	1						4A	24A	4A	\$\$\$	24	1	01		R2		40	R		
16.15		16.15	INTRSECTN	L		RING ST	CO		N																					
16.16		16.16	BEG SU LN	C		TWO WAY TURN	12A			1	1						4A	24A	4A	12	36	1	01		R2		40	R		
16.28		16.28	INTRSECTN	B		6TH AVE	CO		Y																					
16.45		16.45	END SU LN	C		TWO WAY TURN	12A			1	1						4A	24A	4A	\$\$\$	24	1	01		R2		40	R		
16.50		16.50	INTRSECTN	L		3RD AVE	CO		Y																					
16.51		16.51	BEG SU LN	C		TWO WAY TURN	12A			1	1						4A	24A	4A	12	36	1	01		R2		40	R		
16.63		16.63	INTRSECTN	B		FIRST ST	CO		Y																					
16.71		16.71	INTRSECTN	R		MELVILLE RD	CO		Y	1	1						10A	24A	10A	12	36	1	01		R2		40	R		
			ENT/EXIT	L		BUSINESS	PV		Y																					
16.74		16.74	END SU LN	C		TWO WAY TURN	12A			1	1	8A	12A	12A	CU	\$\$\$	12A	8A	\$\$\$	24	1	01		R2		40	R			
16.81		16.81	OFF RAMP	R		SR 90	ST		Y																					
			ON RAMP	L		SR 90	ST		Y																					
16.87		16.87								1	1	\$\$\$	\$\$\$	\$\$\$\$	\$	10A	24A	10A								R2		40	R	
16.90		16.90	BEG BRIDGE B			SR 90	ST			1	1						\$\$C	30P	\$\$C							R2		40	R	
						BRDG NUM 904/010																								

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
12.94		12.94		.03	12						
14.05		14.05		.04	12	.04	12				
16.15		16.15		.03	12						
16.50		16.50		.03	12			.02	12	.03	12
16.71		16.71						.02	12		

